

# REPUBLIC OF KENYA



**EMBU COUNTY GOVERNMENT**

## **PROPOSED RENOVATIONS AND ALTERATIONS AT ISHIARA LEVEL 4 HOSPITAL**

**TENDER No. CGE/HMS/T/05/MYR-2025/2026**

**ELIGIBILITY: OPEN**

**Embu County  
Nairobi-Meru Highway (Opposite Postal Offices), Supply Chain Management  
P.O BOX 36-60100 EMBU, KENYA  
Website: [www.embu.go.ke](http://www.embu.go.ke)**

**TENDER CLOSING/OPENING DATE: 16th April, 2026 AT 11:00 A.M.**

# TABLE OF CONTENTS

INVITATION TO TENDER.....	V
APPENDIX TO THE PREFACE .....	vii
GUIDELINES FOR PREPARATION OF TENDER DOCUMENTS .....	vii
2. PART 1 - TENDERING PROCEDURES .....	vii
3. PART 2 - PROCUREMENT ENTITY'S REQUIREMENTS .....	vii
4. PART 3 - CONDITIONS OF CONTRACT AND CONTRACT FORMS .....	viii
INVITATION TO TENDER .....	X
<b><u>SECTION I - INSTRUCTIONS TO TENDERERS</u></b> .....	<b>1</b>
<b>A. General Provisions</b> .....	<b>1</b>
1. Scope of Tender.....	1
2. Fraud and Corruption .....	1
3. Eligible Tenderers .....	1
4. Eligible Goods, Equipment, and Services .....	3
5. Tenderer's Responsibilities.....	3
<b>B. Contents of Tender Documents</b> .....	<b>3</b>
6. Sections of Tender Document .....	3
7. Site visit.....	4
8. Pre-Tender Meeting.....	4
9. Clarification and amendment of Tender Documents .....	5
10. Amendment of Tender Documents .....	5
<b>C. Preparation of Tenders</b> .....	<b>5</b>
11. Cost of Tendering.....	5
12. Language of Tender.....	5
13. Documents Comprising the Tender.....	5
14. Form of Tender and Schedules.....	6
15. Alternative Tenders .....	6
16. Tender Prices and Discounts .....	6
17. Currencies of Tender and Payment .....	7
18. Documents Comprising the Technical Proposal .....	7
19. Documents Establishing the Eligibility and Qualifications of the Tenderer	
20. Period of Validity of Tenders .....	8
21. Tender Security .....	8
22. Format and Signing of Tender.....	9
<b>D. Sealing and Marking of Tenders</b> .....	<b>9</b>
23. Sealing and Marking of Tenders .....	9
24. Deadline for Submission of Tenders .....	10
25. Late Tenders.....	10
26. Withdrawal, Substitution, and Modification of Tenders .....	10
27. Tender Opening.....	10
<b>E. Evaluation and Comparison of Tenders</b> .....	<b>11</b>
28. Confidentiality.....	11
29. Clarification of Tenders.....	11
30. Deviations, Reservations, and Omissions .....	12
31. Determination of Responsiveness .....	12

32.	Non-material Non-conformities .....	12
33.	Arithmetical Errors.....	12
ii		
34.	Conversion to Single Currency .....	13
35.	Margin of Preference and Reservations .....	13
36.	Subcontractors.....	13
37.	Evaluation of Tenders .....	13
38.	Comparison of Tenders .....	14
39.	Abnormally Low Tenders .....	14
40.	Abnormally High Tenders.....	14
41.	Unbalanced and/or Front-Loaded Tenders.....	14
42.	Qualifications of the Tenderer.....	15
43.	Best Evaluated Tender.....	15
44.	Procuring Entity's Right to Accept Any Tender, and to Reject Any or All Tenders.....	15
<b>F.</b>	<b>Award of Contract .....</b>	<b>15</b>
45.	Award Criteria.....	15
46.	Notice of Intention to enter into a Contract.....	15
47.	Standstill Period .....	16
48.	Debriefing by the Procuring Entity .....	16
49.	Letter of Award .....	16
50.	Signing of Contract .....	16
51.	Appointment of Adjudicator .....	16
52.	Performance Security .....	16
53.	Publication of Procurement Contract .....	17
53.	Procurement Related Complaints.....	17
	<b>SECTION II-TENDER DATA SHEET (TDS).....</b>	<b>18</b>
	<b>SECTION III - EVALUATION AND QUALIFY ON CRITERIA .....</b>	<b>23</b>
1.	General Provisions .....	23
2.	Preliminary examination for Determination of Responsiveness .....	23
3.	Tender Evaluation (ITT 35) .....	23
4.	Multiple Contracts.....	23
5.	Alternative Tenders (ITT 13.1) .....	24
6.	Margin of Preference is not applicable.....	24
7.	Post qualification and Contract award (ITT 39), more specifically.....	24
	<b>SECTION IV – TENDERING FORMS.....</b>	<b>25</b>
	<b>QUALIFICATION FORMS.....</b>	<b>28</b>
1.	Form Equ. Equipment .....	28
2.	Form per-1.....	29
4.	FORM PER-2:.....	30
5.	<b>TENDERERS QUALIFICATION WITHOUT PRE-QUALIFICATION.....</b>	<b>32</b>
	FORM ELI -1.1 .....	32
	FORM ELI -1.2.....	33
	FORM CON – 2 .....	34
5.4	FORM FIN – 3.1: .....	36
5.5	FORM FIN – 3.2:.....	37
5.6	FORM FIN – 3.3:.....	38
5.7	FORM FIN – 3.4:.....	38
5.8	FORM EXP - 4.1.....	39

5.9	FORM EXP - 4.2(a)	40
5.11	FORM EXP - 4.2(b)	41
	OTHER FORMS	42
6.	FORM OF TENDER	42
a)	TENDERER'S ELIGIBILITY- CONFIDENTIAL BUSINESS QUESTIONNAIRE	45
b)	CERTIFICATE OF INDEPENDENT TENDER DETERMINATION	48
c)	SELF-DECLARATION FORM - SELF DECLARATION OF THE TENDERER	49
d)	APPENDIX 1- FRAUD AND CORRUPTION	52
7.	FORM OF TENDER SECURITY - DEMAND BANK GUARANTEE	54
8.	FORM OF TENDER SECURITY (INSURANCE GUARANTEE)	55
9.	FORM OF TENDER-SECURING DECLARATION	56
10.	APPENDIX TO TENDER	57
	<b>PART II - WORK REQUIREMENTS</b>	<b>58</b>
	SECTION V - DRAWINGS	58
	SECTION VI - SPECIFICATIONS	58
	SECTION VII - BILLS OF QUANTITIES	59
1.	Objectives	59
2.	Day work Schedule	59
3.	Provisional Sums	59
4.	The Bills of Quantities	59
	<b>PART III-CONDITIONS OF CONTRACT AND CONTRACT FORMS</b>	<b>60</b>
	SECTION VIII - GENERAL CONDITIONS OF CONTRACT	60
	<b>A. General</b>	
1.	Definitions	61
2.	Interpretation	61
3.	Language and Law	62
4.	Project Manager's Decisions	63
5.	Delegation	63
6.	Communications	63
7.	Subcontracting	63
8.	Other Contractors	63
9.	Personnel and Equipment	63
10.	Procuring Entity's and Contractor's Risks	63
11.	Procuring Entity's Risks	63
12.	Contractor's Risks	64
13.	Insurance	64
14.	Site Data	64
15.	Contractor to Construct the Works	64
16.	The Works to Be Completed by the Intended Completion Date	64
17.	Approval by the Project Manager	64
18.	Safety	65
19.	Discoveries	65
20.	Possession of the Site	65
21.	Access to the Site	65
22.	Instructions, Inspections and Audits	65
23.	Appointment of the Adjudicator	65
24.	Settlement of Claims and Disputes	66
25.	Fraud and Corruption	68
	<b>B. Time Control</b>	<b>68</b>

- 1. Program .....68
- 2. Extension of the Intended Completion Date.....69
- 3. Acceleration.....69
- 4. Delays Ordered by the Project Manager.....69
- 5. Management Meetings .....69
- 6. Early Warning70

<b>C.</b>	<b>Quality Control.....</b>	<b>69</b>
1.	Identifying Defects .....	69
2.	Tests .....	69
3.	Correction of Defects .....	69
4.	Uncorrected Defects .....	69
<b>D.</b>	<b>Cost Control.....</b>	<b>70</b>
1.	Contract Price.....	70
2.	Changes in the Contract Price .....	70
3.	Variations .....	71
4.	Cash Flow Forecasts.....	72
5.	Payment Certificates .....	72
6.	Payments .....	72
7.	Compensation Events.....	73
8.	Tax.....	73
9.	Currency of Payment.....	73
10.	Price Adjustment .....	73
11.	Retention .....	74
12.	Liquidated Damages.....	74
13.	Bonus.....	74
14.	Advance Payment.....	74
15.	Securities .....	75
16.	Day works .....	75
17.	Cost of Repairs.....	75
<b>E.</b>	<b>Finishing the Contract .....</b>	<b>75</b>
1.	Completion .....	75
2.	Taking Over.....	75
3.	Final Account .....	75
4.	Operating and Maintenance Manuals .....	75
5.	Termination .....	76
6.	Payment upon Termination .....	76
7.	Property .....	76
8.	Release from Performance .....	76
	<b>SECTION IX - SPECIAL CONDITIONS OF CONTRACT .....</b>	<b>77</b>
	<b>SECTION X - CONTRACT FORMS .....</b>	<b>88</b>
	<b>FORM No. 1 - NOTIFICATION OF INTENTION TO AWARD .....</b>	<b>80</b>
	<b>FORM No. 2 – REQUEST FOR REVIEW .....</b>	<b>83</b>
	<b>FORM No. 3 - LETTER OF AWARD.....</b>	<b>83</b>
	<b>FORM No. 4 - CONTRACT AGREEMENT .....</b>	<b>84</b>
	<b>FORM No. 5 - PERFORMANCE SECURITY [Option 1 - Unconditional Demand Bank Guarantee] .....</b>	<b>85</b>
	<b>FORM No. 6- PERFORMANCE SECURITY [Option 2– Performance Bond] .....</b>	<b>86</b>
	<b>FORM No. 7- ADVANCE PAYMENT SECURITY .....</b>	<b>88</b>
	<b>FORM No. 8- RETENTION MONEY SECURITY.....</b>	<b>87</b>
	<b>FORM No. 9- BENEFICIAL OWNERSHIP DISCLOSURE FORM.....</b>	<b>87</b>

**TENDER DOCUMENTS FOR PROCUREMENT OF WORKS (BUILDING AND ASSOCIATED CIVIL ENGINEERING WORKS)**

**Name: - EMBU COUNTY GOVERNMENT (ECG)**

**Address: - P.O. BOX P.O BOX 36-60100, EMBU**

Email address: [procurement@embu.go.ke](mailto:procurement@embu.go.ke)

**INVITATION TO TENDER (ITT) NO: CGE/HMS/T/05/MYR-2025/2026**

**TENDER NAME: PROPOSED RENOVATIONS AND ALTERATIONS AT ISHIARA LEVEL 4 HOSPITAL**

# INVITATION TO TENDER

**PROCURING ENTITY: EMBU COUNTY      Invitation Date 9<sup>th</sup> April 2026**  
**CONTRACT DESCRIPTION: PROPOSED RENOVATIONS AND ALTERATIONS**  
**AT ISHIARA LEVEL 4 HOSPITAL**

**COUNTY GOVERNMENT OF EMBU (CGE)** invites sealed tenders for the **PROPOSED RENOVATIONS AND ALTERATIONS AT ISHIARA LEVEL 4 HOSPITAL**

1. Tendering will be conducted under National open competitive method using a standardized tender document.
2. Tendering is open to all eligible, qualified and interested Tenderers.
3. This procurement is for a multi-year contract to be implemented over a maximum period of three (3) years from the date of commencement.
4. The contract shall be executed continuously over the stated period, subject to annual budgetary appropriations and availability of funds.
5. Bidders are required to price their bids on the basis of the full contract period and scope of works/services/goods.
6. Any extension of the contract shall be confirmed in writing prior to the expiry of the current term.
7. Qualified and interested tenderers may obtain further information and inspect the Tender Documents from 0900-1700hours at the address: The County secretary, Embu County government,
8. A complete set of tender documents may be obtained electronically from the County Government of Embu website; [www.embu.go.ke](http://www.embu.go.ke) or Public Procurement Information Portal; <https://www.tenders.go.ke> free of charge.
9. Tenders shall be quoted in Kenya Shillings and shall include all taxes. Tenders shall remain valid for **120 days** from the date of opening of tenders.
10. **Public Procurement Capacity Building Levy Order, 2023:** There shall be paid a Levy by a supplier on all procurement contracts signed between the supplier and a procuring entity, at the rate of zero point zero three per centum (0.03%) of the value of the signed contract, exclusive of applicable taxes.
11. Prices quoted: The prices quoted shall be inclusive of VAT
12. All tenders must be accompanied by a Tender security of **Kshs 1,995,651.19/= (One Million, Nine Hundred and Ninety-Five Thousand, Six Hundred and Fifty One only, Cents Nineteen)** In the Form of Unconditional Bank Guarantee Issued by Banks Regulated by The Central Bank of Kenya or from Insurance company approved by IRA,
13. The Tenderer SHALL chronologically and sequentially serialize all pages of the tender documents submitted in the numerical format i.e., 1, 2, 3, 4..... including the cover page and all other pages and attachments.
14. Completed tenders must be delivered to the address below on or before **16<sup>th</sup> April,2026, at 11:00 a.m. Physical hard copy (One Original and 1 Copy of the Original**

15. The eligible tenderers are also required to STRICTLY submit the filled tender document in the Tender Box located at Procurement Block

16. Tenders will be opened immediately after the deadline date and time specified above or any deadline date and time specified later. Tenders will be publicly opened in the presence of the Tenderers' designated representatives who choose to attend at the address below.

17. Late tenders will be rejected.

18. The addresses referred to above are:

**A. Address for obtaining further information**

County secretary.

Embu county government

P.O. Box 36-60100 Embu.

**B. Address for Submission of Tenders.**

Delivery to the Tender Box located at  
Procurement Block

Embu County Government Headquarters

P.O. Box 36-60100 Embu.

**C. Address for Opening of Tenders.**

Procurement Block

Embu County Government Headquarters

P.O. Box 36--60100 Embu.

.

**A. Address for obtaining further information and for purchasing tender documents**

Embu County Government

P.O.Box 36

Embu

Or

**Hand Delivered to Tender Box at Embu County Government Procurement Block**

**All interested bidders are required to continually check the Embu county website [www.embu.go.ke](http://www.embu.go.ke) for any tender addendums or clarification that may arise before submission date**

# **PART 1 - TENDERING PROCEDURES**

---

## SECTION I - INSTRUCTIONS TO TENDERERS

### A **GENERAL PROVISIONS**

#### 1.0 Scope of tender

- 1.1 The Procuring Entity as defined in the Appendix to Conditions of Contract invites tenders for Works Contract as described in the tender documents. The name, identification, and number of lots (contracts) of this Tender Document are specified in the TDS.
- 1.2 Throughout this tendering document:
- The term “in writing” means communicated in written form (e.g. by mail, e-mail, fax, including if specified in the TDS, distributed or received through the electronic-procurement system used by the Procuring Entity) with proof of receipt;
  - if the context so requires, “singular” means “plural” and vice versa;
  - “Day” means calendar day, unless otherwise specified as “Business Day”. A Business Day is any day that is an official working day of the Procuring Entity. It excludes official public holidays.

## PART 1 TENDERING PROCEDURES

### 2.0 **Fraud and corruption.**

- 2.1 The Procuring Entity requires compliance with the provisions of the Public Procurement and Asset Disposal Act, 2015, Section 62 “Declaration not to engage in corruption”. The tender submitted by a person shall include a declaration that the person shall not engage in any corrupt or fraudulent practice and a declaration that the person or his or her sub-contractors are not debarred from participating in public procurement proceedings.
- 2.2 The Procuring Entity requires compliance with the provisions of the Competition Act 2010, regarding collusive practices in contracting. Any tenderer found to have engaged in collusive conduct shall be disqualified and criminal and/or civil sanctions may be imposed. To this effect, Tenders shall be required to complete and sign the “Certificate of Independent Tender Determination” annexed to the Form of Tender.
- 2.3 Tenderers shall permit and shall cause their agents (whether declared or not), subcontractors, subconsultants, service providers, suppliers, and their personnel, to permit the Procuring Entity to inspect all accounts, records and other documents relating to any initial selection process, pre-qualification process, tender submission, proposal submission, and contract performance (in the case of award), and to have them audited by auditors appointed by the Procuring Entity.
- 2.4 Unfair Competitive Advantage - Fairness and transparency in the tender process require that the firms or their Affiliates competing for a specific assignment do not derive a competitive advantage from having provided consulting services related to this tender. To that end, the Procuring Entity shall indicate in the **Data Sheet** and make available to all the firms together with this tender document all information that would in that respect give such firm any unfair competitive advantage over competing firms.

### 3.0 **Eligible tenderers**

- 3.1 A Tenderer may be a firm that is a private entity, a state-owned enterprise or institution subject to ITT 3.8, or an individual or any combination of such entities in the form of a joint venture (JV) under an existing agree mentor with the intent to enter in to such an agreement supported by a letter of intent. In the case of a joint venture, all members shall be jointly and severally liable for the execution of the entire Contract in accordance with the Contract terms. The JV shall nominate a Representative who shall have the authority to conduct all business for and on behalf of any and all the members of the JV during the tendering process and, in the event the JV is awarded the Contract, during contract execution. Members of a joint venture may not also make an individual tender, be a subcontractor in a separate tender or be part of another joint venture for the purposes of the same Tender. The maximum number of JV members shall be specified in the **TDS**.

- 3.2** Public Officers of the Procuring Entity, their Spouses, Child, Parent, Brothers or Sister. Child, Parent, Brother or Sister of a Spouse, their business associates or agents and firms/organizations in which they have a substantial or controlling interest shall not be eligible to tender or be awarded a contract. Public Officers are also not allowed to participate in any procurement proceedings.
- 3.3** A Tenderer shall not have a conflict of interest. Any tenderer found to have a conflict of interest shall be disqualified. A tenderer may be considered to have a conflict of interest for the purpose of this tendering process, if the tenderer:
- a) Directly or indirectly controls, is controlled by or is under common control with another tenderer;
  - b) Receives or has received any direct or indirect subsidy from another tenderer;
  - c) Has the same legal representative as another tenderer;
  - d) Has a relationship with another tenderer, directly or through common third parties, that puts it in a position to influence the tender of another tenderer, or influence the decisions of the Procuring Entity regarding this tendering process;
  - e) Any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods or works that are the subject of the tender;
  - f) Any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as a consultant for Contract implementation;
  - g) Would be providing goods, works, or non-consulting services resulting from or directly related to consulting services for the preparation or implementation of the contract specified in this Tender Document;
  - h) Has a close business or personal relationship with senior management or professional staff of the Procuring Entity who has the ability to influence the bidding process and;
  - i) Are directly or indirectly involved in the preparation of the Tender document or specifications of the Contract, and/or the Tender evaluation process of such contract; or
    - ii) May be involved in the implementation or supervision of such Contract unless the conflicts stemming from such relationship has been resolved in a manner acceptable to the Procuring Entity throughout the tendering process and execution of the Contract.
- 3.4** A tenderer shall not be involved in corrupt, coercive, obstructive or fraudulent practice. A tenderer that is proven to have been involved in any of these practices shall be automatically disqualified
- 3.5** A Tenderer (either individually or as a JV member) shall not participate in more than one Tender, except for permitted alternative tenders. This includes participation as a subcontractor in other Tenders. Such participation shall result in the disqualification of all Tenders in which the firm is involved. Members of a joint venture may not also make an individual tender, be a sub-contractor in a separate tender or be part of another joint venture for the purposes of the same Tender. A firm that is not a tenderer or a JV member may participate as a subcontractor in more than one tender.
- 3.6** A Tenderer may have the nationality of any country, subject to the restrictions pursuant to ITT3.9. A Tenderer shall be deemed to have the nationality of a country if the Tenderer is constituted, incorporated or registered in and operates in conformity with the provisions of the laws of that country, as evidenced by its articles of incorporation (or equivalent documents of constitution or association) and its registration documents, as the case may be. This criterion also shall apply to the determination of the nationality of proposed sub-contractors or sub-consultants for any part of the Contract including related Services.
- 3.7** A Tenderer that has been debarred from participating in public procurement shall be ineligible to tender or be awarded a contract. The list of debarred firms and individuals is available from the website of PPRA [www.ppra.go.ke](http://www.ppra.go.ke)
- 3.8** A Tenderer that is a state-owned enterprise or a public institution in Kenya may be eligible to tender and be awarded Contract(s) only if it is determined by the Procuring Entity to meet the following conditions, i.e. if it is:
- i) A legal public entity of Government and/or public administration,
  - ii) financially autonomous and not receiving any significant subsidies or budget support from any public entity or Government, and;

(iii) Operating under commercial law and vested with legal rights and liabilities similar to any commercial enterprise to enable it to compete with firms in the private sector on an equal basis.

**3.9** Firms and individuals shall be ineligible if their countries of origin are:

- (a) As a matter of law or official regulations, Kenya prohibits commercial relations with that country;
- (b) By an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, Kenya prohibits any import of goods or contracting of works or services from that country, or any payments to any country, person, or entity in that country. A tenderer shall provide such documentary evidence of eligibility satisfactory to the Procuring Entity, as the Procuring Entity shall reasonably request.

**3.10** Foreign tenderers are required to source at least forty (40%) percent of their contract inputs (in supplies, local sub-contracts and labor) from citizen suppliers and contractors. To this end, a foreign tenderer shall provide in its tender documentary evidence that this requirement is met. Foreign tenderers not meeting this criterion will be automatically disqualified. Information required to enable the Procuring Entity determine if this condition is met shall be provided for this purpose in “*SECTION II - EVALUATION AND QUALIFICATION CRITERIA, Item 9*”.

**3.11** Pursuant to the eligibility requirements of ITT 3.10, a tender is considered a foreign tenderer, if it is registered in Kenya and has less than 51 percent ownership by nationals of Kenya and if it does not subcontract to foreign firms or individuals more than 10 percent of the contract price, excluding provisional sums. JVs are considered as foreign tenderers if the individual member firms registered in Kenya have less than 51 percent ownership by nationals of Kenya. The JV shall not subcontract to foreign firms more than 10 percent of the contract price, excluding provisional sums.

**3.12** The National Construction Authority Act of Kenya requires that all local and foreign contractors be registered with the National Construction Authority and be issued with a Registration Certificate before they can undertake any construction works in Kenya. Registration shall not be a condition for tender, but it shall be a condition of contract award and signature. A selected tenderer shall be given opportunity to register before such award and signature of contract. Application for registration with National Construction Authority may be accessed from the website [www.nca.go.ke](http://www.nca.go.ke).

**3.13** The Competition Act of Kenya requires that firms wishing to tender as Joint Venture undertakings which may prevent, distort or lessen competition in provision of services are prohibited unless they are exempt in accordance with the provisions of Section 25 of the Competition Act, 2010. JVs will be required to seek for exemption from the Competition Authority. Exemption shall not be a condition for tender, but it shall be a condition of contract award and signature. A JV tenderer shall be given opportunity to seek such exemption as condition of award and signature of contract. Application for exemption from the Competition Authority of Kenya may be accessed from the website [www.cak.go.ke](http://www.cak.go.ke).

**3.14** A Kenyan tenderer shall be eligible to tender if it provides evidence of having fulfilled his/her tax obligations by producing valid tax compliance certificate or tax exemption certificate issued by the Kenya Revenue Authority.

#### **4.0 Eligible goods, equipment, and services**

**4.1** Goods, equipment and services to be supplied under the Contract may have their origin in any country that is not ineligible under ITT 3.9. At the Procuring Entity's request, Tenderers may be required to provide evidence of the origin of Goods, equipment and services.

**4.2** Any goods, works and production processes with characteristics that have been declared by the relevant national environmental protection agency or by other competent authority as harmful to human beings and to the environment shall not be eligible for procurement.

#### **5.0 Tenderer's responsibilities**

**5.1** The tenderer shall bear all costs associated with the preparation and submission of his/her tender, and the Procuring Entity will in no case be responsible or liable for those costs.

**5.2** The tenderer, at the tenderer's own responsibility and risk, is encouraged to visit and examine and inspect the Site of the Works and its surroundings and obtain all information that may be necessary for preparing the tender and

entering into a contract for construction of the Works. The costs of visiting the Site shall be the tenderer's own expense.

- 5.3** The Tenderer and any of its personnel or agents will be granted permission by the Procuring Entity to enter upon its premises and lands for the purpose of such visit. The Tenderer shall indemnify the Procuring Entity against all liability arising from death or personal injury, loss of or damage to property, and any other losses and expenses incurred as a result of the examination and inspection.
- 5.4** The tenderer shall provide in the Form of Tender and Qualification Information, a preliminary description of the proposed work method and schedule, including charts, as necessary or required.

## **B. CONTENTS OF TENDER DOCUMENTS**

### **6.0 Sections of Tender Document**

- 6.1** The tender document consists of Parts 1, 2, and 3, which includes all the sections specified below, and which should be read in conjunction with any Addenda issued in accordance with ITT 10.

#### **PART 1: Tendering Procedures**

Section I – Instructions to Tenderers  
 Section II – Tender Data Sheet (TDS) Section  
 III- Evaluation and Qualification  
 Criteria Section IV – Tendering Forms

#### **PART 2: Works' Requirements**

Section V - Bills of Quantities  
 Section VI - Specifications  
 Section VII - Drawings

#### **PART 3: Conditions of Contract and Contract Forms**

**Section VIII - General Conditions (GCC)**  
 Section IX - Special Conditions of Contract  
 Section X- Contract Forms

- 6.2** The Invitation to Tender Notice issued by the Procuring Entity is not part of the Contract documents. Unless obtained directly from the Procuring Entity, the Procuring Entity is not responsible for the completeness of the Tender document, responses to requests for clarification, the minutes of a pre-arranged site visit and those of the pre-Tender meeting (if any), or Addenda to the Tender document in accordance with ITT 10. In case of any contradiction, documents obtained directly from the Procuring Entity shall prevail.
- 6.3** The Tenderer is expected to examine all instructions, forms, terms, and specifications in the Tender Document and to furnish with its Tender all information and documentation as is required by the Tender document.

### **7.0 Clarification of Tender Document, Site Visit, Pre-tender Meeting**

- 7.1** A Tenderer requiring any clarification of the Tender Document shall contact the Procuring Entity in writing at the Procuring Entity's address specified in the **TDS** or raise its enquiries during the pre-Tender meeting if provided for in accordance with ITT 7.2. The Procuring Entity will respond in writing to any request for clarification, provided that such request is received no later than the period specified in the **TDS** prior to the deadline for submission of tenders. The Procuring Entity shall forward copies of its response to all tenderers who have acquired the Tender documents in accordance with ITT 7.4, including a description of the inquiry but without identifying its source. If so specified in the **TDS**, the Procuring Entity shall also promptly publish its response at the web page identified in the **TDS**. Should the clarification result in changes to the essential elements of the Tender Documents, the Procuring Entity shall amend the Tender Documents following the procedure under ITT 8 and ITT 22.2.

7.2 The Tenderer, at the Tenderer's own responsibility and risk, is encouraged to visit and examine and inspect the site(s) of the required contracts and obtain all information that may be necessary for preparing a tender. The costs of visiting the Site shall be at the Tenderer's own expense. The Procuring Entity shall specify in the **TDS** if a pre-arranged Site visit and or a pre-tender meeting will be held, when and where. The Tenderer's designated representative is invited to attend a pre-arranged site visit and a pre-tender meeting, as the case may be. The purpose of the site visit and the pre-tender meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage.

7.3 The Tenderer is requested to submit any questions in writing, to reach the Procuring Entity not later than the period specified in the **TDS** before the meeting.

7.4 Minutes of a pre-arranged site visit and those of the pre-tender meeting, if applicable, including the text of the questions asked by Tenderers and the responses given, together with any responses prepared after the meeting, will be transmitted promptly to all Tenderers who have acquired the Tender Documents. Minutes shall not identify the source of the questions asked.

7.5 The Procuring Entity shall also promptly publish anonymized (*no names*) Minutes of the pre-arranged site visit and those of the pre-tender meeting at the web page identified in the **TDS**. Any modification to the Tender Documents that may become necessary as a result of the pre-arranged site visit and those of the pre-tender meeting shall be made by the Procuring Entity exclusively through the issue of an Addendum pursuant to ITT 8 and not through the minutes of the pre-Tender meeting. Non-attendance at the pre-arranged site visit and the pre-tender meeting will not be a cause for disqualification of a Tenderer.

## **8.0 Amendment of Tender Documents**

8.1 At any time prior to the deadline for submission of Tenders, the Procuring Entity may amend the Tender Documents by issuing addenda.

8.2 Any addendum issued shall be part of the Tender Documents and shall be communicated in writing to all who have obtained the Tender Documents from the Procuring Entity. The Procuring Entity shall also promptly publish the addendum on the Procuring Entity's website in accordance with ITT 7.5.

8.3 To give Tenderers reasonable time in which to take an addendum into account in preparing their Tenders, the Procuring Entity should extend the dead line for the submission of Tenders, pursuant to ITT 22.2.

## **C. PREPARATION OF TENDERS**

### **9. Cost of Tendering**

The Tenderer shall bear all costs associated with the preparation and submission of its Tender, and the Procuring Entity shall not be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.

### **10.0 Language of Tender**

The Tender, as well as all correspondence and documents relating to the tender exchanged by the tenderer and the Procuring Entity, shall be written in the English Language. Supporting documents and printed literature that are part of the Tender may be in another language provided they are accompanied by an accurate and notarized translation of the relevant passages into the English Language, in which case, for purposes of interpretation of the Tender, such translation shall govern.

### **11.0 Documents Comprising the Tender**

11.1 The Tender shall comprise the following:

- a) Form of Tender prepared in accordance with ITT 12;
- b) Schedules including priced Bill of Quantities, completed in accordance with ITT 12 and ITT 14;

- c) Tender Security or Tender-Securing Declaration, in accordance with ITT 19.1;
- d) Alternative Tender, if permissible, in accordance with ITT 13;
- e) **Authorization**: written confirmation authorizing the signatory of the Tender to commit the Tenderer, in accordance with ITT 20.3
- f) **Qualifications**: documentary evidence in accordance with ITT 17 establishing the Tenderer's qualifications to perform the Contract if its Tender is accepted;
- g) **Conformity**: a technical proposal in accordance with ITT 16;
- h) Any other document required in the **TDS**.

**11.2** In addition to the requirements under ITT 11.1, Tenders submitted by a JV shall include a copy of the Joint Venture Agreement entered into by all members. Alternatively, a letter of intent to execute a Joint Venture Agreement in the event of a successful Tender shall be signed by all members and submitted with the Tender, together with a copy of the proposed JV Agreement. Change of membership and conditions of the JV prior to contract signature will render the tender liable for disqualification.

## **12.0 Form of Tender and Schedules**

**12.1** The Form of Tender and Schedules, including the Bill of Quantities, shall be prepared using the relevant forms furnished in Section IV, Tendering Forms. The forms must be completed without any alterations to the text, and no substitutes shall be accepted except as provided under ITT 20.3. All blank spaces shall be filled in with the information requested. The Tenderer shall chronologically serialize all pages of the tender documents submitted.

**12.2** The Tenderer shall furnish in the Form of Tender information on commissions and gratuities, if any, paid or to be paid to agents or any other party relating to this Tender.

## **13. Alternative Tenders**

**13.1** Unless otherwise specified in the TDS, alternative Tenders shall not be considered.

**13.2** When alternative times for completion are explicitly invited, a statement to that effect will be included in the **TDS**, and the method of evaluating different alternative times for completion will be described in Section III, Evaluation and Qualification Criteria.

**13.3** Except as provided under ITT 13.4 below, Tenderers wishing to offer technical alternatives to the requirements of the Tender Documents must first price the Procuring Entity's design as described in the Tender Documents and shall further provide all information necessary for a complete evaluation of the alternative by the Procuring Entity, including drawings, design calculations, technical specifications, breakdown of prices, and proposed construction methodology and other relevant details. Only the technical alternatives, if any, of the Tenderer with the Winning Tender conforming to the basic technical requirements shall be considered by the Procuring Entity.

**13.4** When specified in the **TDS**, Tenderers are permitted to submit alternative technical solutions for specified parts of the Works, and such parts will be identified in the **TDS**, as will the method for their evaluating, and described in Section VII, Works' Requirements.

## **14.0 Tender Prices and Discounts**

**14.1** The prices and discounts (including any price reduction) quoted by the Tenderer in the Form of Tender and in the Bill of Quantities shall conform to the requirements specified below.

**14.2** The Tenderer shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items against which no rate or price is entered by the Tenderer shall be deemed covered by the rates for other items in the Bill of Quantities and will not be paid for separately by the Procuring Entity. An item not listed in the priced Bill of Quantities shall be assumed to be not included in the Tender, and provided that the Tender is determined substantially responsive notwithstanding this omission, the average price of the item quoted by substantially responsive Tenderers will be added to the Tender price and the equivalent total cost of the Tender so determined will be used for price comparison.

- 14.3** The price to be quoted in the Form of Tender, in accordance with ITT 12.1, shall be the total price of the Tender, including any discounts offered.
- 14.4** The Tenderer shall quote any discounts and the methodology for their application in the Form of Tender, in accordance with ITT 12.1.
- 14.5** It will be specified in the **TDS** if the rates and prices quoted by the Tenderer are or are not subject to adjustment during the performance of the Contract in accordance with the provisions of the Conditions of Contract, except in cases where the contract is subject to fluctuations and adjustments, not fixed price. In such a case, the Tenderer shall furnish the indices and weightings for the price adjustment formulae in the Schedule of Adjustment Data and the Procuring Entity may require the Tenderer to justify its proposed indices and weightings.
- 14.6** Where tenders are being invited for individual lots (contracts) or for any combination of lots (packages), tenderers wishing to offer discounts for the award of more than one Contract shall specify in their Tender the price reductions applicable to each package, or alternatively, to individual Contracts within the package. Discounts shall be submitted in accordance with ITT 14.4, provided the Tenders for all lots (contracts) are opened at the same time.
- 14.7** All duties, taxes, and other levies payable by the Contractor under the Contract, or for any other cause, as of the date 30 days prior to the deadline for submission of Tenders, shall be included in the rates and prices and the total Tender Price submitted by the Tenderer.

## **15.0 Currencies of Tender and Payment**

- 15.1** The currency (ies) of the Tender and the currency (ies) of payments shall be the same.
- 15.2** Tenderers shall quote entirely in Kenya Shillings. The unit rates and the prices shall be quoted by the Tenderer in the Bill of Quantities, entirely in Kenya shillings.
- a) A Tenderer expecting to incur expenditures in other currencies for inputs to the Works supplied from outside Kenya (referred to as “the foreign currency requirements”) shall (if so allowed in the **TDS**) indicate in the Appendix to Tender the percentage(s) of the Tender Price (excluding Provisional Sums), needed by the Tenderer for the payment of such foreign currency requirements, limited to no more than two foreign currencies.
- b) The rates of exchange to be used by the Tenderer in arriving at the local currency equivalent and the percentage(s) mentioned in (a) above shall be specified by the Tenderer in the Appendix to Tender and shall be based on the exchange rate provided by the Central Bank of Kenya on the date 30 days prior to the actual date of tender opening. Such exchange rate shall apply for all foreign payments under the Contract.
- 15.3** Tenderers may be required by the Procuring Entity to justify, to the Procuring Entity's satisfaction, their local and foreign currency requirements, and to substantiate that the amounts included in the unit rates and prices and shown in the Schedule of Adjustment Data in the Appendix to Tender are reasonable, in which case a detailed breakdown of the foreign currency requirements shall be provided by Tenderers.

## **16.0 Documents Comprising the Technical Proposal**

The Tenderer shall furnish a technical proposal including a statement of work methods, equipment, personnel, schedule and any other information as stipulated in Section IV, Tender Forms, and insufficient detail to demonstrate the adequacy of the Tenderer's proposal to meet the work's requirements and the completion time.

## **17.0 Documents Establishing the Eligibility and Qualifications of the Tenderer**

- 17.1** Tenderers shall complete the Form of Tender, included in Section IV, Tender Forms, to establish Tenderer's eligibility in accordance with ITT 4.
- 17.2** In accordance with Section III, Evaluation and Qualification Criteria, to establish its qualifications to perform the Contract the Tenderer shall provide the information requested in the corresponding information sheets included in Section IV, Tender Forms.
- 17.3** If a margin of preference applies as specified in accordance with ITT 33.1, national tenderers, individually or in joint ventures, applying for eligibility for national preference shall supply all information required to satisfy the criteria for eligibility specified in accordance with ITT 33.1.

**17.4** Tenderers shall be asked to provide, as part of the data for qualification, such information, including details of ownership, as shall be required to determine whether, according to the classification established by the Procuring Entity, a particular contractor or group of contractors qualifies for a margin of preference. Further the information will enable the Procuring Entity identify any actual or potential conflict of interest in relation to the procurement and/or contract management processes, or a possibility of collusion between tenderers, and thereby help to prevent any corrupt influence in relation to the procurement process or contract management.

**17.5** The purpose of the information described in ITT 17.4 above overrides any claims to confidentiality which a tenderer may have. There can be no circumstances in which it would be justified for a tenderer to keep information relating to its ownership and control confidential where it is tendering to undertake public sector work and receive public sector funds. Thus, confidentiality will not be accepted by the Procuring Entity as a justification for a Tenderer's failure to disclose, or failure to provide required information on its ownership and control.

**17.6** The Tenderer shall provide further documentary proof, information or authorizations that the Procuring Entity may request in relation to ownership and control which information on any changes to the information which was provided by the tenderer under ITT 6.4. The obligations to require this information shall continue for the duration of the procurement process and contract performance and after completion of the contract, if any change to the information previously provided may reveal a conflict of interest in relation to the award or management of the contract.

**17.7** All information provided by the tenderer pursuant to these requirements must be complete, current and accurate as at the date of provision to the Procuring Entity. In submitting the information required pursuant to these requirements, the Tenderer shall warrant that the information submitted is complete, current and accurate as at the date of submission to the Procuring Entity.

**17.8** If a tenderer fails to submit the information required by these requirements, its tender will be rejected. Similarly, if the Procuring Entity is unable, after taking reasonable steps, to verify to a reasonable degree the information submitted by a tenderer pursuant to these requirements, then the tender will be rejected.

**17.9** If information submitted by a tenderer pursuant to these requirements, or obtained by the Procuring Entity (whether through its own enquiries, through notification by the public or otherwise), shows any conflict of interest which could materially and improperly benefit the tenderer in relation to the procurement or contract management process, then:

- i) If the procurement process is still ongoing, the tenderer will be disqualified from the procurement process,
- ii) if the contract has been awarded to that tenderer, the contract award will be set aside pending the outcome of (iii),
- iii) the tenderer will be referred to the relevant law enforcement authorities for investigation of whether the tenderer or any other persons have committed any criminal offence.

**17.10** If a tenderer submits information pursuant to these requirements that is incomplete, inaccurate or out-of-date, or attempts to obstruct the verification process, then the consequences ITT 17.8 will ensue unless the tenderer can show to the reasonable satisfaction of the Procuring Entity that any such act was not material, or was due to genuine error which was not attributable to the intentional act, negligence or recklessness of the tenderer.

## **18.0 Period of Validity of Tenders**

**18.1.** Tenders shall remain valid for the Tender Validity period specified in the TDS. The Tender Validity period starts from the date fixed for the Tender submission deadline (as prescribed by the Procuring Entity in accordance with ITT 22). A tender valid for a shorter period shall be rejected by the Procuring Entity as nonresponsive.

**18.2** In exceptional circumstances, prior to the expiration of the Tender validity period, the Procuring Entity may request Tenderers to extend the period of validity of their Tenders. The request and the responses shall be made in writing. If a Tender Security is requested in accordance with ITT 19, it shall also be extended for thirty (30) days beyond the deadline of the extended validity period. A Tenderer may refuse the request without forfeiting its Tender security. A Tenderer granting their request shall not be required or permitted to modify its Tender.

## **19.0 Tender Security**

- 19.1** The Tenderer shall furnish as part of its Tender, either a Tender-Securing Declaration or a Tender Security as specified in the TDS, in original form and, in the case of a Tender Security, in the amount and currency **specified** in the TDS. A Tender-Securing Declaration shall use the form included in Section IV, Tender Forms.
- 19.2** If a Tender Security is specified pursuant to ITT 19.1, the Tender Security shall be a demand guarantee in any of the following forms at the Tenderer's option:
- I) cash;
  - II) a bank guarantee;
  - iii) a guarantee by an insurance company registered and licensed by the Insurance Regulatory Authority listed by the Authority;
  - iv) a guarantee issued by a financial institution approved and licensed by the Central Bank of Kenya, from a reputable source, and an eligible country.
- 19.3** If an unconditional bank guarantee is issued by a bank located outside Kenya, the issuing bank shall have a correspondent bank located in Kenya to make it enforceable. The Tender Security shall be valid for thirty (30) days beyond the original validity period of the Tender, or beyond any period of extension if requested under ITT 18.2.
- 19.4** If a Tender Security or Tender-Securing Declaration is specified pursuant to ITT 19.1, any Tender not accompanied by a substantially responsive Tender Security or Tender-Securing Declaration shall be rejected by the Procuring Entity as non-responsive.
- 19.5** If a Tender Security is specified pursuant to ITT 19.1, the Tender Security of unsuccessful Tenderers shall be returned as promptly as possible upon the successful Tenderer's signing the Contract and furnishing the Performance Security and any other documents required in the TDS. The Procuring Entity shall also promptly return the tender security to the tenderers where the procurement proceedings are terminated, all tenders were determined non-responsive or a bidder declines to extend tender validity period.
- 19.6** The Tender Security of the successful Tenderer shall be returned as promptly as possible once the successful Tenderer has signed the Contract and furnished the required Performance Security, and any other documents required in the TDS.
- 19.7** The Tender Security may be forfeited or the Tender-Securing Declaration executed:
- a) if a Tenderer withdraws its Tender during the period of Tender validity specified by the Tenderer on the Form of Tender, or any extension there to provide by the Tenderer; or
  - b) if the successful Tenderer fails to: -
    - i) sign the Contract in accordance with ITT47; or
    - ii) Furnish a Performance Security and if required in the TDS, and any other documents required in the TDS.
- 19.8** Where tender securing declaration is executed, the Procuring Entity shall recommend to the PPRA to debar the Tenderer from participating in public procurement as provided in the law.
- 19.9** The Tender Security or the Tender-Securing Declaration of a JV shall be in the name of the JV that submits the Tender. If the JV has not been legally constituted into a legally enforceable JV at the time of tendering, the Tender Security or the Tender-Securing Declaration shall be in the names of all future members as named in the letter of intent referred to in ITT 4.1 and ITT 11.2.
- 19.10** A tenderer shall not issue a tender security to guarantee itself.

## **20.0 Format and Signing of Tender**

- 20.1** The Tenderer shall prepare one original of the documents comprising the Tender as described in ITT 11 and clearly mark it "ORIGINAL." Alternative Tenders, if permitted in accordance with ITT 13, shall be clearly

marked "ALTERNATIVE." In addition, the Tenderer shall submit copies of the Tender, in the number specified in the **TDS** and clearly mark them "COPY." In the event of any discrepancy between the original and the copies, the original shall prevail.

- 20.2** Tenderers shall mark as "CONFIDENTIAL" all information in their Tenders which is confidential to their business. This may include proprietary information, trade secrets, or commercial or financially sensitive information.
- 20.3** The original and all copies of the Tender shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Tenderer. This authorization shall consist of a written confirmation as specified in the **TDS** and shall be attached to the Tender. The name and position held by each person signing the authorization must be typed or printed below the signature. All pages of the Tender where entries or amendments have been made shall be signed or initialed by the person signing the Tender.
- 20.4** In case the Tenderer is a JV, the Tender shall be signed by an authorized representative of the JV on behalf of the JV, and so as to be legally binding on all the members as evidenced by a power of attorney signed by their legally authorized representatives.
- 20.5** Any inter-lineation, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the Tender.

#### **D. SUBMISSION AND OPENING OF TENDERS**

##### **21.0 Sealing and Marking of Tenders**

- 21.1** The Tenderer shall deliver the Tender in a single sealed envelope, or in a single sealed package, or in a single sealed container bearing the name and Reference number of the Tender, addressed to the Procuring Entity and a warning not to open before the time and date for Tender opening date. Within the single envelope, package or container, the Tenderer shall place the following separate, sealed envelopes:
  - a) in an envelope or package or container marked "**ORIGINAL**", all documents comprising the Tender, as described in ITT 11; and
  - b) in an envelope or package or container marked "**COPIES**", all required copies of the Tender; and
  - c) if alternative Tenders are permitted in accordance with ITT 13, and if relevant:
    - i) in an envelope or package or container marked "**ORIGINAL –ALTERNATIVE TENDER**", the alternative Tender; and
    - ii) in the envelope or package or container marked "**COPIES- ALTERNATIVE TENDER**", all required copies of the alternative Tender.

The inner envelopes or packages or containers shall:

- a) bear the name and address of the Procuring Entity,
  - b) bear the name and address of the Tenderer; and
  - c) bear the name and Reference number of the Tender.
- 21.2** If an envelope or package or container is not sealed and marked as required, the *Procuring Entity* will assume no responsibility for the misplacement or premature opening of the Tender. Tenders misplaced or opened prematurely will not be accepted.

##### **22.0 Deadline for Submission of Tenders**

- 22.1** Tenders must be received by the Procuring Entity at the address specified in the **TDS** and no later than the date and time also specified in the **TDS**. When so specified in the **TDS**, tenderers shall have the option of submitting their Tenders electronically. Tenderers submitting Tenders electronically shall follow the electronic Tender submission procedures specified in the **TDS**.
- 22.2** The Procuring Entity may, at its discretion, extend the deadline for the submission of Tenders by amending the Tender Documents in accordance with ITT 8, in which case all rights and obligations of the Procuring Entity and Tenderers previously subject to the deadline shall thereafter be subject to the deadline as extended.

## 23.0 Late Tenders

The Procuring Entity shall not consider any Tender that arrives after the deadline for submission of tenders, in accordance with ITT 22. Any Tender received by the Procuring Entity after the deadline for submission of Tenders shall be declared late, rejected, and returned unopened to the Tenderer.

## 24.0 Withdrawal, Substitution, and Modification of Tenders

- 24.1 A Tenderer may withdraw, substitute, or modify its Tender after It has been submitted by sending a written notice, duly signed by an authorized representative, and shall include a copy of the authorization in accordance with ITT 20.3, (except that withdrawal notices do not require copies). The corresponding substitution or modification of the Tender must accompany the respective written notice. All notices must be:
- prepared and submitted in accordance with ITT 20 and ITT 21 (except that withdrawals notices do not require copies), and in addition, the respective envelopes shall be clearly marked “WITHDRAWAL,” “SUBSTITUTION,” “MODIFICATION;” and
  - received by the Procuring Entity prior to the deadline prescribed for submission of Tenders, in accordance with ITT 22.
- 24.2 Tenders requested to be withdrawn in accordance with ITT 24.1 shall be returned unopened to the Tenderers.
- 24.3 No Tender may be withdrawn, substituted, or modified in the interval between the deadline for submission of Tenders and the expiration of the period of Tender validity specified by the Tenderer on the Form of Tender or any extension thereof.

## 25. Tender Opening

- 25.1 Except in the cases specified in ITT 23 and ITT 24.2, the Procuring Entity shall publicly open and read out all Tenders received by the deadline, at the date, time and place specified **in the TDS**, in the presence of Tenderers' designated representatives who chooses to attend. Any specific electronic Tender opening procedures required if electronic Tendering is permitted in accordance with ITT 22.1, shall be as specified in the **TDS**.
- 25.2 First, envelopes marked “WITHDRAWAL” shall be opened and read out and the envelopes with the corresponding Tender shall not be opened but returned to the Tenderer. No Tender withdrawal shall be permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal and is read out at Tender opening.
- 25.3 Next, envelopes marked “SUBSTITUTION” shall be opened and read out and exchanged with the corresponding Tender being substituted, and the substituted Tender shall not be opened, but returned to the Tenderer. No Tender substitution shall be permitted unless the corresponding substitution notice contains a valid authorization to request the substitution and is read out at Tender opening.
- 25.4 Next, envelopes marked “MODIFICATION” shall be opened and read out with the corresponding Tender. No Tender modification shall be permitted unless the corresponding modification notice contains a valid authorization to request the modification and is read out at Tender opening.
- 25.5 Next, all remaining envelopes shall be opened one at a time, reading out: the name of the Tenderer and whether there is a modification; the total Tender Price, per lot (contract) if applicable, including any discounts and alternative Tenders; the presence or absence of a Tender Security or Tender-Securing Declaration, if required; and any other details as the Procuring Entity may consider appropriate.
- 25.6 Only Tenders, alternative Tenders and discounts that are opened and read out at Tender opening shall be considered further for evaluation. The Form of Tender and pages of the Bill of Quantities (to be decided on by the tender opening committee) are to be initialed by the members of the tender opening committee attending the opening.
- 25.7 At the Tender Opening, the Procuring Entity shall neither discuss the merits of any Tender nor reject any Tender (except for late Tenders, in accordance with ITT 23.1).

- 25.8 The Procuring Entity shall prepare minutes of the Tender Opening that shall include, as a minimum: -
- a) the name of the Tenderer and whether there is a withdrawal, substitution, or modification;
  - b) the Tender Price, per lot (contract) if applicable, including any discounts;
  - c) any alternative Tenders;
  - d) the presence or absence of a Tender Security, if new as required;
  - e) number of pages of each tender document submitted.
- 25.9 The Tenderers' representatives who are present shall be requested to sign the minutes. The omission of a Tenderer's signature on the minutes shall not invalidate the contents and effect of the minutes. A copy of the tender opening register shall be distributed to all Tenderers.

## **E. EVALUATION AND COMPARISON OF TENDERS**

### **26. Confidentiality**

- 26.1 Information relating to the evaluation of Tenders and recommendation of contract award shall not be disclosed to Tenderers or any other persons not officially concerned with the Tender process until information on Intention to Award the Contract is transmitted to all Tenderers in accordance with ITT 43.
- 26.2 Any effort by a Tenderer to influence the Procuring Entity in the evaluation of the Tenders or Contract award decisions may result in the rejection of its tender.
- 26.3 Not with standing ITT 26.2, from the time of tender opening to the time of contract award, if a tenderer wishes to contact the Procuring Entity on any matter related to the tendering process, it shall do so in writing.

### **27.0 Clarification of Tenders**

- 27.1 To assist in the examination, evaluation, and comparison of the tenders, and qualification of the tenderers, the Procuring Entity may, at its discretion, ask any tenderer for a clarification of its tender, given a reasonable time for response. Any clarification submitted by a tenderer that is not in response to a request by the Procuring Entity shall not be considered. The Procuring Entity's request for clarification and the response shall be in writing. No change, including any voluntary increase or decrease, in the prices or substance of the tender shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Procuring Entity in the evaluation of the tenders, in accordance with ITT 31.
- 27.2 If a tenderer does not provide clarifications of its tender by the date and time set in the Procuring Entity's request for clarification, its Tender may be rejected.

### **27.3 Deviations, Reservations, and Omissions**

- 28.0 During the evaluation of tenders, the following definitions apply: -
- a) "*Deviation*" is a departure from the requirements specified in the tender document;
  - b) "*Reservation*" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the tender document; and
  - c) "*Omission*" is the failure to submit part or all of the information or documentation required in the Tender document.

### **29.0 Determination of Responsiveness**

- 29.1 The Procuring Entity's determination of a Tender's responsiveness is to be based on the contents of the tender itself, as defined in ITT 11.
- 29.2 A substantially responsive Tender is one that meets the requirements of the Tender document without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that, if accepted, would:
- a) Affect in any substantial way the scope, quality, or performance of the Works specified in the Contract;
  - b) limit in any substantial way, inconsistent with the tender document, the Procuring Entity's rights or

the tenderer's obligations under the proposed contract;

- c) if rectified, would unfairly affect the competitive position of other tenderers presenting substantially responsive tenders.

**29.3** The Procuring Entity shall examine the technical aspects of the tender submitted in accordance with ITT 16, to confirm that all requirements of Section VII, Works' Requirements have been met without any material deviation, reservation or omission.

**29.4** If a tender is not substantially responsive to the requirements of the tender document, it shall be rejected by the Procuring Entity and may not subsequently be made responsive by correction of the material deviation, reservation, or omission.

### **30.0 Non-material non-conformities**

**30.1** Provided that a tender is substantially responsive, the Procuring Entity may waive any non-conformities in the tender.

**30.2** Provided that a Tender is substantially responsive, the Procuring Entity may request that the tenderer submit the necessary information or documentation, within a reasonable period of time, to rectify non-material non-conformities in the tender related to documentation requirements. Requesting information or documentation on such non-conformities shall not be related to any aspect of the price of the tender. Failure of the tenderer to comply with the request may result in the rejection of its tender.

**30.3** Provided that a tender is substantially responsive, the Procuring Entity shall rectify quantifiable non-material non-conformities related to the Tender Price. To this effect, the Tender Price shall be adjusted, for comparison purposes only, to reflect the price of a missing or non-conforming item or component in the manner specified **in the TDS.**

### **31.0 Arithmetical Errors**

**31.1** The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.

**31.2** Provided that the Tender is substantially responsive, the Procuring Entity shall handle errors on the following basis:

- 
- a) Any error detected if considered a major deviation that affects the substance of the tender, shall lead to disqualification of the tender as non-responsive.
- b) Any errors in the submitted tender arising from a miscalculation of unit price, quantity, and subtotal and total bid price shall be considered as a major deviation that affects the substance of the tender and shall lead to disqualification of the tender as non-responsive. and
- c) if there is a discrepancy between words and figures, the amount in words shall prevail

**31.3** Tenderers shall be notified of any error detected in their bid during the notification of award.

### **32.0 Conversion to Single Currency**

For evaluation and comparison purposes, the currency (ies) of the Tender shall be converted in to a single currency as specified in the **TDS.**

### **33.0 Margin of Preference and Reservations**

**33.1** A margin of preference may be allowed only when the contract is open to international competitive tendering

where foreign contractors are expected to participate in the tendering process and where the contract exceeds the value/threshold specified in the Regulations.

**33.2** A margin of preference shall not be allowed unless it is specified so in the **TDS.**

**33.3** Contracts procured on basis of international competitive tendering shall not be subject to reservations exclusive to specific groups as provided in ITT 33.4.

**33.4** Where it is intended to reserve a contract to as specific group of businesses (these groups are Small and Medium Enterprises, Women Enterprises, Youth Enterprises and Enterprises of persons living with disability, as the case may be), and who are appropriately registered as such by the authority to be specified in the **TDS**, a procuring entity shall ensure that the invitation to tender specifically indicates that only businesses or firms belonging to the specified group are eligible to tender. No tender shall be reserved to more than one group. If not so stated in the Invitation to Tender and in the Tender documents, the invitation to tender will be open to all interested tenderers.

#### **34.0 Nominated Subcontractors**

**34.1** Unless otherwise stated in the **TDS**, the Procuring Entity does not intend to execute any specific elements of the Works by subcontractors selected/nominated by the Procuring Entity. In case the Procuring Entity nominates a subcontractor, the subcontract agreement shall be signed by the Subcontractor and the Procuring Entity. The main contract shall specify the working arrangements between the main contractor and the nominated subcontractor.

**34.2** Tenderers may propose sub-contracting up to the percentage of total value of contracts or the volume of works as specified in the **TDS**. Subcontractors proposed by the Tenderer shall be fully qualified for their parts of the Works.

**34.3** Domestic subcontractor's qualifications shall not be used by the Tenderer to qualify for the Works unless their specialized parts of the Works were previously designated so by the Procuring Entity in the **TDS** a scan be met by subcontractors referred to hereafter as 'Specialized Subcontractors', in which case, the qualifications of the Specialized Sub contractors proposed by the Tenderer may be added to the qualifications of the Tenderer.

#### **35. Evaluation of Tenders**

**35.1** The Procuring Entity shall use the criteria and methodologies listed in this ITT and Section III, Evaluation and Qualification Criteria No other evaluation criteria or methodologies shall be permitted. By applying the criteria and methodologies the Procuring Entity shall determine theLowest Evaluated Tender in accordance with ITT 40.

**35.2** To evaluate a Tender, the Procuring Entity shall consider the following:

- a) Price adjustment in accordance with ITT 31.1 (iii); excluding provisional sums and contingencies, if any, but including Day work items, where priced competitively;
- b) price adjustment due to discounts offered in accordance with ITT 14.4;
- c) converting the amount resulting from applying (a) and (b) above, if relevant, to a single currency in accordance with ITT 32;
- d) price adjustment due to quantifiable non material non-conformities in accordance with ITT 30.3; and
- e) any additional evaluation factors specified in the **TDS** and Section III, Evaluation and Qualification Criteria.

**35.3** The estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be considered in Tender evaluation.

**35.4** Where the tender involves multiple lots or contracts, the tenderer will be allowed to tender for one or more lots (contracts). Each lot or contract will be evaluated in accordance with ITT 35.2. The methodology to determine the lowest evaluated tenderer or tenderers base done lot (contract) or based on a combination of lots (contracts), will be specified in Section III, Evaluation and Qualification Criteria. In the case of multiple lots or contracts, tenderer will be will be required to prepare the Eligibility and Qualification Criteria Form for each Lot.

#### **36.0 Comparison of tenders**

The Procuring Entity shall compare the evaluated costs of all substantially responsive Tenders established in accordance with ITT 35.2 to determine the Tender that has the lowest evaluated cost.

#### **37.0 Abnormally low tenders and abnormally high tenders**

## **Abnormally Low Tenders**

- 37.1** An Abnormally Low Tender is one where the Tender price, in combination with other elements of the Tender, appears so low that it raises material concerns as to the capability of the Tenderer in regards to the Tenderer's ability to perform the Contract for the offered Tender Price or that genuine competition between Tenderers is compromised.
- 37.2** In the event of identification of a potentially Abnormally Low Tender, the Procuring Entity shall seek written clarifications from the Tenderer, including detailed price analyses of its Tender price in relation to the subject matter of the contract, scope, proposed methodology, schedule, allocation of risks and responsibilities and any other requirements of the Tender document.
- 37.3** After evaluation of the price analyses, in the event that the Procuring Entity determines that the Tenderer has failed to demonstrate its capability to perform the Contract for the offered Tender Price, the Procuring Entity shall reject the Tender.

## **37.4 Abnormally high tenders**

- 37.5** An abnormally high tender price is one where the tender price, in combination with other constituent elements of the Tender, appears unreasonably too high to the extent that the Procuring Entity is concerned that it (the Procuring Entity) may not be getting value for money or it may be paying too high a price for the contract compared with market prices or that genuine competition between Tenderers is compromised.
- 37.6** In case of a nab normally high price, the Procuring Entity shall make a survey of the market prices, check if the estimated cost of the contract is correct and review the Tender Documents to check if the specifications, scope of work and conditions of contract are contributory to the abnormally high tenders. The Procuring Entity may also seek written clarification from the tenderer on the reason for the high tender price. The Procuring Entity shall proceed as follows:
- i) If the tender price is abnormally high based on wrong estimated cost of the contract, the Procuring Entity may accept or not a ccept the tender depending on the Procuring Entity's budget considerations. ii) If specifications, scope of work and/or conditions of contract are contributory to the abnormally high tender prices, the Procuring Entity shall reject all tenders and may retender for the contract based on revised estimates, specifications, scope of work and conditions of contract, as the case may be.
- 37.6** If the Procuring Entity determines that the Tender Price is abnormally too high because genuine competition between tenderers is compromised (*often due to collusion, corruption or other manipulations*), the Procuring Entity shall reject all Tenders and shall institute or cause competent Government Agencies to institute an investigation on the cause of the compromise, before retendering.

## **38.0 Unbalanced and/ or front-loaded tenders**

- 38.1** If in the Procuring Entity's opinion, the Tender that is evaluated as the lowest evaluated price is seriously unbalanced and/or frontloaded, the Procuring Entity may require the Tenderer to provide written clarifications. Clarifications may include detailed price analyses to demonstrate the consistency of the tender prices with the scope of works, proposed methodology, schedule and any other requirements of the Tender document.
- 38.2** After the evaluation of the information and detailed price analyses presented by the Tenderer, the Procuring Entity may as appropriate:
- a) accept the Tender;
  - b) require that the total amount of the Performance Security be increased at the expense of the Tenderer to a level not exceeding a 30% of the Contract Price;
  - c) agree on a payment mode that eliminates the inherent risk of the Procuring Entity paying too much for undelivered works;
  - d) reject the Tender,

## **39.0 Qualifications of the tenderer**

- 39.1** The Procuring Entity shall determine to its satisfaction whether the eligible Tenderer that is selected as having submitted the lowest evaluated cost and substantially responsive Tender, meets the qualifying criteria specified in Section III, Evaluation and Qualification Criteria.

**39.2** The determination shall be based upon an examination of the documentary evidence of the Tenderer's qualifications submitted by the Tenderer, pursuant to ITT 17. The determination shall not take into consideration the qualifications of other firms such as the Tenderer's subsidiaries, parent entities, affiliates, subcontractors (other than Specialized Sub-contractors if permitted in the Tender document), or any other firm(s) different from the Tenderer.

**39.3** An affirmative determination shall be a prerequisite for award of the Contract to the Tenderer. A negative determination shall result in disqualification of the Tender, in which event the Procuring Entity shall proceed to the Tenderer who offers a substantially responsive Tender with the next lowest evaluated price to make a similar determination of that Tenderer's qualifications to perform satisfactorily.

#### **40.0 Lowest evaluated tender**

Having compared the evaluated prices of Tenders, the Procuring Entity shall determine the Lowest Evaluated Tender. The Lowest Evaluated Tender is the Tender of the Tenderer that meets the Qualification Criteria and whose Tender has been determined to be:

- a) Most responsive to the Tender document; and
- b) the lowest evaluated price.

#### **41.0 Procuring entity's right to accept any tender, and to reject any or all tenders.**

The Procuring Entity reserves the right to accept or reject any Tender and to annul the Tender process and reject all Tenders at any time prior to Contract Award, without there by incurring any liability to Tenderers. In case of annulment, all Tenders submitted and specifically, Tender securities, shall be promptly returned to the Tenderers.

### **F. AWARD OF CONTRACT**

#### **42.0 Award criteria**

The Procuring Entity shall award the Contract to the successful tenderer whose tender has been determined to be the Lowest Evaluated Tender.

#### **43.0 Notice of Intention to Enter into a Contract/Notification of Award**

Upon award of the contract and prior to the expiry of the Tender Validity Period the Procuring Entity shall issue a Notification of Intention to Enter into a Contract/Notification of award to all tenderers which shall contain, at a minimum, the following information:

- a) the name and address of the Tenderer submitting the successful tender;
- b) the Contract price of the successful tender;
- c) a statement of the reason(s) the tender of the unsuccessful tenderer to whom the letter is addressed was unsuccessful, unless the price information in (c) above already reveals the reason;
- d) the expiry date of the Standstill Period; and
- e) instruction son how to request a debriefing and/ or submit a complaint during the stand still period;

#### **44.0 Stand still Period**

**44.1** The Contract shall not be signed earlier than the expiry of a Standstill Period of 14 days to allow any dissatisfied tender to launch a complaint. Where only one Tender is submitted, the Standstill Period shall not apply.

**44.2** Where a Standstill Period applies, it shall commence when the Procuring Entity has transmitted to each Tenderer the Notification of Intention to Enter into a Contract with the successful Tenderer.

#### **45.0 Debriefing by The Procuring Entity**

**45.1** On receipt of the Procuring Entity's Notification of Intention to Enter into a Contract referred to in ITT 43, an

unsuccessful tenderer may make a written request to the Procuring Entity for a debriefing on specific issues or concerns regarding their tender. The Procuring Entity shall provide the debriefing within five days of receipt of the request.

**45.2** Debriefings of unsuccessful Tenderers may be done in writing or verbally. The Tenderer shall bear its own costs of attending such a debriefing meeting.

**46.0 Letter of Award** Prior to the expiry of the Tender Validity Period and upon expiry of the Standstill Period specified in ITT 42.1, upon addressing a complaint that has been filed with in the Standstill Period, the Procuring Entity shall transmit the Letter of Award to the successful Tenderer. The letter of award shall request the successful tenderer to furnish the Performance Security within 21 days of the date of the letter.

#### **47.0 Signing of Contract**

**47.1** Upon the expiry of the fourteen days of the Notification of Intention to enter in to contract and upon the parties meeting their respective statutory requirements, the Procuring Entity shall send the successful Tenderer the Contract Agreement.

**47.2** Within fourteen (14) days of receipt of the Contract Agreement, the successful Tenderer shall sign, date, and return it to the Procuring Entity.

**47.3** The written contract shall be entered into within the period specified in the notification of award and before expiry of the tender validity period.

#### **48.0 Performance Security**

**48.1** Within twenty-one (21) days of the receipt of the Letter of Award from the Procuring Entity, the successful Tenderer shall furnish the Performance Security and, any other documents required in the **TDS**, in accordance with the General Conditions of Contract, subject to ITT 38.2 (b), using the Performance Security and other Forms included in Section X, Contract Forms, or another form acceptable to the Procuring Entity. A foreign institution providing a bank guarantee shall have a correspondent financial institution located in Kenya, unless the Procuring Entity has agreed in writing that a correspondent bank is not required.

**48.2** Failure of the successful Tenderer to submit the above-mentioned Performance Security and other documents required in the **TDS** or sign the Contract shall constitute sufficient grounds for the annulment of the award and forfeiture of the Tender Security. In that event the Procuring Entity may award the Contract to the Tenderer offering the next Best Evaluated Tender.

**48.3** Performance security shall not be required for contracts estimated to cost less than the amount specified in the Regulations.

#### **49.0 Publication of Procurement Contract**

Within fourteen days after signing the contract, the Procuring Entity shall publish the awarded contract at its notice boards and websites; and on the Website of the Authority. At the minimum, the notice shall contain the following information:

- a) name and address of the Procuring Entity;
- b) name and reference number of the contract being awarded, a summary of its scope and the selection method used;
- c) the name of the successful Tenderer, the final total contract price, the contract duration;
- d) dates of signature, commencement and completion of contract;
- e) names of all Tenderers that submitted Tenders, and their Tender prices as readout at Tender opening.

#### **50.0 Procurement related Complaints and Administrative Review**

**50.1** The procedures for making Procurement-related Complaints are as specified in the **TDS**.

50.2 A request for administrative review shall be made in the form provided under contract forms.

**Section II - Tender Data Sheet (TDS)**

The following specific data shall complement, supplement, or amend the provisions in the Instructions to Tenderers (ITT). Whenever there is a conflict, the provisions herein shall prevail over those in ITT.

Reference to ITC Clause	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
<b>A. General</b>	
ITT 1.1	The name of the contract is <b>PROPOSED RENOVATIONS AND ALTERATIONS AT ISHIARA LEVEL 4 HOSPITAL</b>  The reference number of the Contract is; <b>CGE/HMS/T/05/MYR-2025/2026</b>
ITT 2.4	The Information made available on competing firms is as follows: N/A
ITT 2.4	The firms that provided consulting services for the contract being tendered for are: DEPARTMENT OF PUBLIC WORKS
ITT 3.1	Maximum number of members in the Joint Venture (JV) shall be: <i>[insert a number]</i> .N/A
<b>B. Contents of Tender Document</b>	
ITT 7.1	The Tenderer will submit any questions in writing, to reach the Procuring Entity not later than 3days before tender opening/closing date.
ITT 7.2	Pre-Tender meeting <i>[insert "shall not" ]</i> take place at the following date, time and place:  Date: N/A  Pre tender Conference: NOT APPLICABLE
ITT 7.3	For Clarification of Tender purposes, for obtaining further information and for obtaining tender documents, the Procuring Entity's address is: <b>COUNTY GOVERNMENT OF EMBU</b> <b>P.O. BOX 36-60100,</b> <b>EMBU</b>  3. Physical address for the hand courier delivery to <b>Tender Box At Embu County Government Procurement Block</b>
<b>C. Preparation of Tenders</b>	
ITT 13.1 (h)	The Tenderer shall submit the following additional documents in its Tender: AS PER EVALUATION CRITERIA
ITT 15.1	Alternative Tenders <b>SHALL NOT be</b> considered.
ITT 15.2	Alternative times for completion <b>SHALL NOT be</b> permitted.

ITT 15.3	Alternative technical solutions shall be permitted for the following parts of the Works: NOT APPLICABLE
ITT 16.5	The prices quoted by the Tenderer shall be: FIXED
ITT 17.2 (a)	Foreign currency requirements: NOT ALLOWED.
ITT 20.1	The Tender validity period shall be 120 days.
ITT 20.3 (a)	The delayed to award exceeding number of days shall not apply

Reference to ITC Clause	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
	All tenders must be accompanied by a <b>Tender security of Kshs 1,995,651.19/= (One Million, Nine Hundred and Ninety-Five Thousand, Six Hundred and Fifty One only, Cents Nineteen)</b> In the Form of Unconditional Bank Guarantee Issued by Banks Regulated by The Central Bank of Kenya or from Insurance company approved by IRA,
ITT 11.1 (h)	In addition to the original of the Tender, the number of copies is: ONE
<b>ITT 13.1</b>	Alternative Tenders [ <b>“shall not be”</b> ] _____ considered. <i>[If alternatives shall be considered, the methodology shall be defined in Section III, Evaluation and Qualification Criteria.] N/A</i>
ITT 13.2	Alternative times for completion <i>[insert “shall be” or “shall not be”]</i> _____permitted. <i>[If alternative times for completion are permitted, the evaluation method will be as specified in Section III, Evaluation and Qualification Criteria.] –N/A</i>
ITT 13.4	Alternative technical solutions <b>shall not</b> be permitted for the following parts of the Works: _____N/A_____ <i>[insert parts of the Works]:</i> <i>[If alternative technical solutions are permitted, the evaluation method will be as specified in Section III, Evaluation and Qualification Criteria.]</i>
<b>ITT 14.5</b>	The prices quoted by the Tenderer shall be: <b>fixed</b>
<b>ITT 15.2 (a)</b>	Foreign currency requirements <b>allowed/not allowed.</b>
<b>ITT 18.1</b>	The Tender validity period shall be <b>120 days</b> _____ <i>[insert a number of days that is a multiple of seven counting as of the deadline for Tender submission]</i> days.
<b>ITT 18.3</b>	Additional ITT 18.3 on Clause 18 a) The Number of days beyond the expiry of the initial tender validity period will be 30 days. b) The Tender price shall not be adjusted.
<b>ITT 19.1</b>	<i>[If a Tender Security shall be required, a Tender-Securing Declaration shall not berequired, and vice versa.]</i>  A Tender Security [“shall be”] required in the form of a bank guarantee, from Insurance company

	approved by IRA, any other financial institution approved by Central Bank of Kenya_ A Tender-Securing Declaration “ <i>shall not be</i> ” required
ITT 20.1	In addition to the original of the Tender, the number of copies is: <b>1 (ONE)</b>
ITT 20.3	The written confirmation of authorization to sign on behalf of the Tenderer shall consist of: an authorization from the director(s) of the company designating an officer from the bidding company and certified by commissioner of oaths.
<b>D. Submission and Opening of Tenders</b>	
ITT 21.2	A tender package or container that cannot fit in the tender box shall be received and registered at the Director Of Procurement Office.
	The number of representatives of the Procuring Entity to sign is; at least 3 members of the opening committee.
ITT 22.1	(A) For <u>Tender submission purposes</u> only, the Procuring Entity’s address is:  (1) Embu County Government  P.O.Box 36 Embu Date and time for submission of Tenders: On Or Before Thursday, 16th April, 2026 AT 11.00 A.M
ITT 25.1	The Tender opening shall take place at the time and the address for Opening of Tenders provided below: Name of Procuring Entity: <b>EMBU COUNTY GOVERNMENT</b> Physical address for the location: <b>Off Meru Nairobi Highway, Opposite Huduma Center</b> State date and time of tender opening: <b>16th April, 2026 at 11:00 AM</b>
ITT 25.1	Tenderers must submit Tenders electronically, they shall follow the electronic tender submission procedures <b>specified below</b> E-procurement suppliers’ portal: <b>www.supplier.treasury.go.ke</b> <u>yes</u> -
<b>E. Evaluation, and Comparison of Tenders</b>	
ITT 30.3	The adjustment shall be based on the _____ <i>N/A</i> _____ [insert “average” or “highest”] price of the item or component as quoted in other substantially responsive Tenders. If the price of the item or component cannot be derived from the price of other substantially responsive Tenders, the Procuring Entity shall use its Lowest estimate.
ITT 31.2	The arithmetic error(s) of material deviation shall be considered a major deviation that leads to disqualification if the percentage of the error (error over the tender price quoted) is: <b>more than <u>5</u> % or less than <u>5</u> %.</b>
ITT 32.1	The currency that shall be used for Tender evaluation will be Kenya shillings

ITT 33.2	A margin of preference " <i>shall not</i> " apply.
ITT 33.4	The invitation to tender is extended to the following groups that qualify for Reservations NOT APPLICABLE
ITT 34.1	At this time the Procuring Entity, DOES NOT INTEND to execute certain specific parts of the works by subcontractors selected in advance.
ITT 34.2	Contractor shall not be allowed to subcontract any parts of the Works in this tender.

Reference to ITC Clause	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
ITT 34.3	The parts of the works for which the procuring entity permits tenderers to propose Specialized Subcontractors are designed as follows: NOT APPLICABLE
ITT 35.2 (d)	Additional requirements apply. These are detailed in the evaluation criteria in Section III-Evaluation and Qualification Criteria
ITT 48.1	Other documents required in addition to the Performance Security are (N/A)_____
ITT 48.2	Additional requirements are: NOT APPLICABLE

<b>ITT 50.1</b>	<p>The procedures for making a Procurement-related Complaint are available from the PPRA website <a href="mailto:info@ppra.go.ke">info@ppra.go.ke</a> or <a href="mailto:complaints@ppra.go.ke">complaints@ppra.go.ke</a>. If a Tenderer wishes to make a Procurement-related Complaint, the Tenderer should submit its complaint following these procedures, in writing (by the quickest means available, that is either by hand delivery or email to:</p> <p>For the attention: <i>[insert full name of person receiving complaints]</i></p> <p>Title/position: <i>[insert title/position]</i></p> <p>Procuring Entity: <i>[insert name of Procuring Entity]</i></p> <p>Email address: <i>[insert email address]</i></p> <p>In summary, a Procurement-related Complaint may challenge any of the following:</p> <ul style="list-style-type: none"> <li>(i) the terms of the Tender Documents; and</li> <li>(ii) the Procuring Entity's decision to award the contract.</li> </ul>
-----------------	---

## **SECTION III-EVALUATION AND QUALIFICATION CRITERIA**

### **1.0 GENERAL PROVISIONS**

**1.1** This section contains the criteria that the Employer shall use to evaluate tender and qualify tenderers. No other factors, methods or criteria shall be used other than specified in this tender document. The Tenderer shall provide all the information requested in the forms included in Section IV, Tendering Forms. The Procuring Entity shall use **the Standard Tender Evaluation Document for Goods and Works** for evaluating Tenders.

**1.2** Wherever a Tenderer is required to state a monetary amount, Tenderers should indicate the Kenya Shilling equivalent using the rate of exchange determined as follows:

- a) For construction turnover or financial data required for each year - Exchange rate prevailing on the last day of the respective calendar year (in which the amounts for that year is to be converted) was originally established.
- b) Value of single contract - Exchange rate prevailing on the date of the contract signature.
- (c) Exchange rates shall be taken from the publicly available source identified in the ITT 14.3. Any error in determining the exchange rates in the Tender may be corrected by the Procuring Entity.

### **1.3 EVALUATION AND CONTRACT AWARD CRITERIA**

The Procuring Entity shall use the criteria and methodologies listed in this Section to evaluate tenders and arrive at the Lowest Evaluated Tender.

The tender that

- (i) meets the qualification criteria,
- (ii) has been determined to be substantially responsive to the Tender Documents, and
- (iii) is determined to have the Lowest Evaluated Tender price shall be selected for award of contract.

## 2.0 PRELIMINARY EXAMINATION FOR DETERMINATION OF RESPONSIVENESS

The Procuring Entity will start by examining all tenders to ensure they meet in all respects the eligibility criteria and other mandatory requirements in the ITT, and that the tender is complete in all aspects in meeting the requirements provided for in the preliminary evaluation criteria outlined below. The Standard Tender Evaluation Report Document for Works for evaluating Tenders provides very clear guide on how to deal with review of these requirements. Tenders that do not pass the Preliminary Examination will be considered non-responsive and will not be considered further.

**Evaluation of tenders shall be carried out in three stages as indicated below:**

### A. PART ONE: PRELIMINARY/MANDATORY REQUIREMENTS

The following mandatory requirements must be met by the Contractor submitting their bids for them to qualify for the 2<sup>nd</sup> stage i.e technical evaluation

No	Requirements	YES/NO
<b>MR 1</b>	Must Provide a copy of the applicant's Company's Certificate of Incorporation/ registration in Kenya from the Registrar of Companies	
<b>MR 2</b>	Must Provide a and Valid copy of registration by National Construction Authority for Building works Category NCA 6 and above and a Copy of valid Certified NCA practicing licenses for building works.	
<b>MR 3</b>	Must Provide a valid copy of the company's current Certificate of Tax Compliance issued by Kenya Revenue Authority (KRA). The certificate must at least be valid on the closing date of the applications.	
<b>MR 4</b>	The form of Tender shall be prepared as instructed in the tender document signed and stamped by an individual entrusted with the powers of attorney.	
<b>MR 5</b>	Must provide Tender security of <b>Kshs 1,995,651.19/= (One Million, Nine Hundred and Ninety-Five Thousand, Six Hundred and Fifty One only, Cents Nineteen)</b> in form of a bank guarantee, a, guarantee by an insurance company registered and licensed by Insurance Regulatory Authority listed by the Authority or a guarantee issued by a financial institution approved and licensed by the Central Bank of Kenya. Valid for 120 days from the tender opening date.	
<b>MR 6</b>	Must Provide an honest history of any claims, litigation, default notices and financial penalties levied due to defaults. This information must be provided in format provided	
<b>MR 7</b>	Must Submit a duly filled Confidential Business Questionnaire in the format provided.	
<b>MR 8</b>	All pages of the tender documents must be duly paginated, initialized and stamped on every page in the format 1,2, 3,..... all pages. i.e. (each page in the submitted bid document).	
<b>MR 9</b>	Must provide a Copy of recent CR12 form generated through the system-( not older than 12 months before opening date) from Registrar of companies (certified by commissioner for oaths) and also IDs (both sides) /passport of all directors	

<b>MR 10</b>	Must Submit a Valid and Trading License/Single Business Permit relevant to the works	
<b>MR 11</b>	<b>Must submit a Written Form of Power Attorney.</b> The written confirmation of authorization to sign on behalf of the Tenderer shall consist of: The form of power of attorney that shall be duly filled, signed and stamped to demonstrate the authority of the signatory to sign the Tender in case the person appointed to sign the tender is not one of the directors in the company, but if it's one of the directors, attach board of directors' resolution and either of them must be endorsed by an advocate or commissioner of oaths registered in Kenya.	
<b>MR 12</b>	Tenderer should fill the below forms / schedules as instructed in the bid document and include all attachments as required. <input type="checkbox"/> Form Equipment <input type="checkbox"/> Form Mper-1 <input type="checkbox"/> Form per-2 <input type="checkbox"/> Sources of finance <input type="checkbox"/> Financial documents <input type="checkbox"/> Form fin – 3.1 <input type="checkbox"/> Form fin 3.4 <input type="checkbox"/> Form Exp – 4.1 <input type="checkbox"/> Form exp 42 (a) <input type="checkbox"/> Certificate of independent Tender Determination <input type="checkbox"/> Declaration & Commitment to the code of ethics	

Only applicants who meet EACH of the preliminary requirements stated above will be subjected to Technical Evaluation

**Note: The County Government of Embu shall verify all the information submitted. Due diligence may be carried out on all information provided. Any form of forgery or misinformation from the bidder shall lead to cancellation of the bid/ award, institution of legal proceeding and blacklisting for all future Embu County government contracts.**

## SECTION II: TECHNICAL EVALUATION

2. TECHNICAL EVALUATION			Max Score	Awarded score
a)	b) Financial performances			
	Evaluation of submitted Audited Accounts for the immediate last three years			
Financial Capacity	(a) Submission of certified audited accounts for the past three years (2023, 2024, 2025)	Certified Audited Accounts- 20 mks	20.00	
	(b) Do the Certified Audited Accounts reflect adequate capacity of the applicant?	(Award 5 Marks for a capacity to have cash flow amount of min Kshs <b>50,000,000</b> equivalent working capital (Award 0 for no attachments)	5.00	
		<b>TOTAL (Financial performance)</b>	<b>25.00</b>	

Equipment holding			
b) Equipment holding Requirements			
<b>TOTAL (Equipment holding Requirements)</b>	<p>Bidder to attach either a copy of lease agreement / logbook for vehicular machines / copy of purchase receipts for minor equipment for the works.</p> <p>a) Backhole - <b>award 6 marks</b> for owned / leased</p> <p>b) Truck/ Lorry 20 Tonnes - <b>award 6 marks</b> for owned / leased</p> <p>c) Excavator - <b>award 6 marks</b> for owned /leased</p> <p>d) Compactor - <b>award 5 marks</b> for owned / leased</p> <p>e) Concrete Mixer - <b>award 6 marks</b> for owned / leased</p> <p>f) Poker Vibrator - <b>award 6 marks</b> for owned /leased</p> <p><b>Note: All lease agreements from private firms and from Ministry of Transport and Infrastructure should be stamped, signed and dated. For privately leased there shall be a consent to lease agreement</b></p>	35.00	
<b>d) Total for Equipment holding Requirements</b>		<b>35.00</b>	
c) Key Personnel			
	<b>Evaluate if key technical personnel have the academic qualifications and experience. Attach academic certificate on each category</b>		
Proposed project personnel	<p>The tenderer to provide qualified and experienced technical staff in the Company with training in Building Works related field;</p> <p>Graduate/Diploma Civil engineering or related field.</p>	Over 2 years- 5 marks	

	Diploma/Certificate in building or related field. No relevant certificate-----0	Over 2 years- 5 marks	
	<b>Site agent</b> -minimum qualification, Diploma/Certificate in building and civil works construction. a) Award 3marks for academic certificate attached 5 years and above of specific and building construction experience (3marks) b) Award 2 marks for academic certificate attached with 2-4 years of specific building construction experience (2 marks) c) Otherwise, award (1Marks) for less than 2 years of specific building construction experience	3.00	
	<b>Foreman</b> - minimum qualification, Diploma/Certificate in building and civil works construction. Award 2 marks for academic certificate attached 5 years and above of specific and building construction experience : a. 5 years and above of specific building construction experience (2 marks) b. Otherwise, award 1 marks for less than 5 years of specific road construction experience.	<b>2.00</b>	
	<b>d) Total for Key Personnel</b>	<b>15.00</b>	
<b>d) Construction experience</b>		<b>Max Score</b>	
	<b>General Construction Experience</b>		
	Experience of the Contractor as a building Contractor a) (Award 15 marks for over 4 years' experience based on NCA year of Registration.) b) (Award 10 marks for 3-4 years' experience based on NCA year of Registration.) c) (Award 5 marks for less than 3 years) experience based on NCA year of Registration.)	<b>15.00</b>	
	<b>d) Construction experience</b>	<b>15.00</b>	
<b>e) Firm Experience</b>	<b>Minimum experience from different clients</b> <ul style="list-style-type: none"> <li>• 3 letters of award and their completion certificates in building works from 3 different clients (10mks)</li> <li>• 2 completion certificates from different clients ( 5 mks)</li> </ul>	<b>10</b>	
	<b>d) Firm experience</b>	<b>10.00</b>	
	<b>Total</b>	<b>100.00</b>	
<b>GRAND TOTAL</b>	(Totals for; A, B, C, D E & F) - <b>SET PASSMARK AT 70%</b>	<b>100.00</b>	

Only bidders who score 70% and above will be subjected to financial evaluation. Those who score below 70% will be eliminated at this stage from the entire evaluation process and will not be considered further.

## FINANCIAL EVALUATION

- The bidder that qualifies technically and with lowest financial quote will be recommended for the award of the contract.
- If there is a tie on the lowest quoted price between two firms, the firm with the highest technical score will be recommended for award.

### STAGE 3 –RECOMMENDATION FOR AWAR

#### **AWARD CRITERIA:**

Bidders who attain **70 %** Points and above in technical evaluation stage will be subjected to Pricing and Arithmetical Analysis to determine compliance with the tender requirements. Compliant tenders will be ranked according to the tender amounts quoted. Having compared the evaluated prices of Tenders, the Procuring Entity shall determine the Lowest Evaluated Tender. Tender ranked first will be the one with the Lowest Evaluated Tender Price. The Lowest Evaluated bid document is of the Tenderer that meets the Qualification Criteria and whose Tenderer has been determined to be: a) Most responsive to the Tender document; and b) the lowest evaluated price. The Tenderer will be notified for Award.

**Note The lowest bidder shall be within the allocated amount for the project**

## **SECTION IV - TENDERING FORMS**

### **QUALIFICATION FORMS**

1. FOREIGN TENDERERS 40%RULE.
2. TENDERER'S ELIGIBILITY- CONFIDENTIAL BUSINESS QUESTIONNAIRE
3. Form EQU: EQUIPMENT.
4. FORM PER -1.
5. FORM PER-2.
6. TENDERERS QUALIFICATION WITHOUT PRE-QUALIFICATION.
  - 6.1 FORM ELI-1.1.
  - 6.2 FORM ELI-1.2.
  - 6.3 FORM CON -2.
  - 6.4 FORM FIN -3.1.
  - 6.5 FORM FIN -3.2.
  - 6.6 FORM FIN -3.3.
  - 6.7 FORM FIN -3.4.
  - 6.8 FORM EXP -4.1.
  - 6.9 FORM EXP - 4.2(a).
  - 6.9 FORM EXP - 4.2 (a) (cont.).
  - 6.10 FORM EXP -4.2 (b).

### **OTHER FORMS**

7. FORM OF TENDER.
8. FORM OF TENDER SECURITY - DEMAND BANK GUARANTEE.
9. FORM OF TENDER SECURITY (TENDER BOND).
10. FORM OF TENDER-SECURING DECLARATION.
11. APPENDIX TO TENDER.

### **TECHNICAL PROPOSAL FORMS**

Site Organization.

Method Statement.

Mobilization Schedule.

Construction Schedule.

## QUALIFICATION FORMS

### 1. FOREIGN TENDERERS 40%RULE

Pursuant to ITT 3.9, a foreign tenderer must complete this form to demonstrate that the tender fulfils this condition.

ITEM	Description of Work Item	Describe location of Source	COST in K. shillings	Comments, if any
A	Local Labor			
1				
2				
3				
4				
5				
B	Sub contracts from Local sources			
1				
2				
3				
4				
5				
C	Local materials			
1				
2				
3				
4				
5				
D	Use of Local Plant and Equipment			
1				
2				
3				
4				
5				
E	Add any other items			
1				
2				
3				
4				
5				
6				
	TOTAL COST LOCAL CONTENT		XXXXX	
	PERCENTAGE OF CONTRACT PRICE			

## 2. FORM OF EQUIPMENT

The Tenderer shall provide adequate information to demonstrate clearly that it has the capability to meet the requirements for the key equipment listed in Section III, Evaluation and Qualification Criteria. A separate Form shall be prepared for each item of equipment listed, or for alternative equipment proposed by the Tenderer.

Item of equipment		
Equipment information	Name of manufacturer	Model and power rating
	Capacity	Year of manufacture
Current status	Current location	
	Details of current commitments	
Source	Indicate source of the equipment <input type="checkbox"/> <input type="checkbox"/> Owned <input type="checkbox"/> Rented <input type="checkbox"/> Leased <input type="checkbox"/> Specially manufactured	

Omit the following information for equipment owned by the Tenderer.

Owner	Name of owner	
	Address of owner	
	Telephone	Contact name and title
	Fax	Telex
Agreements	Details of rental / lease / manufacture agreements specific to the project	

### 3. FORM PER -1

#### Contractor's Representative and Key Personnel Schedule

Tenderers should provide the names and details of the suitably qualified Contractor's Representative and Key Personnel to perform the Contract. The data on their experience should be supplied using the Form PER-2 below for each candidate.

#### Contractor' Representative and Key Personnel

1.	<b>Title of position:</b> Contractor's Representative	
	<b>Name of candidate:</b>	
	<b>Duration of appointment:</b>	<i>[insert the whole period (start and end dates) for which this position will be engaged]</i>
	<b>Time commitment: for this position:</b>	<i>[insert the number of days/week/months/ that has been scheduled for this position]</i>
	<b>Expected time schedule for this position:</b>	<i>[insert the expected time schedule for this position (e.g. attach high level Gantt chart)]</i>
2.	<b>Title of position:</b> [_____]	
	<b>Name of candidate:</b>	
	<b>Duration of appointment:</b>	<i>[insert the whole period (start and end dates) for which this position will be engaged]</i>
	<b>Time commitment: for this position:</b>	<i>[insert the number of days/week/months/ that has been scheduled for this position]</i>
	<b>Expected time schedule for this position:</b>	<i>[insert the expected time schedule for this position (e.g. attach high level Gantt chart)]</i>
3.	<b>Title of position:</b> [_____]	
	<b>Name of candidate:</b>	
	<b>Duration of appointment:</b>	<i>[insert the whole period (start and end dates) for which this position will be engaged]</i>
	<b>Time commitment: for this position:</b>	<i>[insert the number of days/week/months/ that has been scheduled for this position]</i>
	<b>Expected time schedule for this position:</b>	<i>[insert the expected time schedule for this position (e.g. attach high level Gantt chart)]</i>
4.	<b>Title of position:</b> [_____]	
	<b>Name of candidate:</b>	
	<b>Duration of appointment:</b>	<i>[insert the whole period (start and end dates) for which this position will be engaged]</i>
	<b>Time commitment: for this position:</b>	<i>[insert the number of days/week/months/ that has been scheduled for this position]</i>
	<b>Expected time schedule for this position:</b>	<i>[insert the expected time schedule for this position (e.g. attach high level Gantt chart)]</i>
5.	<b>Title of position:</b> <i>[insert title]</i>	
	<b>Name of candidate:</b>	
	<b>Duration of appointment:</b>	<i>[insert the whole period (start and end dates) for which this position will be engaged]</i>
	<b>Time commitment: for this position:</b>	<i>[insert the number of days/week/months/ that has been scheduled for this position]</i>
	<b>Expected time schedule for this position:</b>	<i>[insert the expected time schedule for this position (e.g. attach high level Gantt chart)]</i>

#### 4. **FORM PER-2:**

Resume and Declaration - Contractor's Representative and Key Personnel.

Name of Tenderer
------------------

Position [#1]: <i>[title of position from Form PER-1]</i>		
Personnel information	Name:	Date of birth:
	Address:	E-mail:
	Professional qualifications:	
	Academic qualifications:	
	Language proficiency: <i>[language and levels of speaking, reading and writing skills]</i>	
Details	Address of Procuring Entity:	
	Telephone:	Contact (manager / personnel officer):
	Fax:	
	Job title:	Years with present Procuring Entity:

Summarize professional experience in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

Project	Role	Duration of involvement	Relevant experience
<i>[main project details]</i>	<i>[role and responsibilities on the project]</i>	<i>[time in role]</i>	<i>[describe the experience relevant to this position]</i>

**Declaration**

I, the undersigned [*insert either "Contractor's Representative" or "Key Personnel" as applicable*], certify that to the best of my knowledge and belief, the information contained in this Form PER-2 correctly describes myself, my qualifications and my experience.

I confirm that I am available as certified in the following table and throughout the expected time schedule for this position as provided in the Tender:

<b>Commitment</b>	<b>Details</b>
Commitment to duration of contract:	<i>[insert period (start and end dates) for which this Contractor's Representative or Key Personnel is available to work on this contract]</i>
Time commitment:	<i>[insert period (start and end dates) for which this Contractor's Representative or Key Personnel is available to work on this contract]</i>

I understand that any misrepresentation or omission in this Form may:

- (a) be taken into consideration during Tender evaluation;
- (b) result in my disqualification from participating in the Tender;
- (c) result in my dismissal from the contract.

Name of Contractor's Representative or Key Personnel: [*insert name*]

Signature: \_\_\_\_\_

Date: (day month year): \_\_\_\_\_

Countersignature of authorized representative of the Tenderer:

Signature: \_\_\_\_\_

Date: (day month year): \_\_\_\_\_

## 5. TENDERERS QUALIFICATION WITHOUT PREQUALIFICATION

To establish its qualifications to perform the contract in accordance with Section III, Evaluation and Qualification Criteria the Tenderer shall provide the information requested in the corresponding Information Sheets included hereunder.

### 5.1 FORM ELI -1.1

#### Tenderer Information Form

Date: \_\_\_\_\_

ITT No. and title: \_\_\_\_\_

Tenderer's name
In case of Joint Venture (JV), name of each member:
Tenderer's actual or intended country of registration: <i>[indicate country of Constitution]</i>
Tenderer's actual or intended year of incorporation:
Tenderer's legal address [in country of registration]:
Tenderer's authorized representative information Name: _____ Address: _____ Telephone/Fax numbers: _____ E-mail address: _____
1. Attached are copies of original documents of <input type="checkbox"/> Articles of Incorporation (or equivalent documents of constitution or association), and/or documents of registration of the legal entity named above, in accordance with ITT 3.6 <input type="checkbox"/> In case of JV, letter of intent to form JV or JV agreement, in accordance with ITT 3.5 <input type="checkbox"/> In case of state-owned enterprise or institution, in accordance with ITT 3.8, documents establishing: <input type="checkbox"/> Legal and financial autonomy <input type="checkbox"/> Operation under commercial law 1. Establishing that the Tenderer is not under the supervision of the Procuring Entity 2. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.

## 5.2 FORM ELI -1.2

### **Tenderer's JV Information Form (to be completed for each member of Tenderer's JV)**

Date: \_\_\_\_\_

ITT No. and title: \_\_\_\_\_

Tenderer's JV name:
JV member's name:
JV member's country of registration:
JV member's year of constitution:
JV member's legal address in country of constitution:
JV member's authorized representative information Name: _____ Address: _____ Telephone/Fax numbers: _____ E-mail address: _____
1. Attached are copies of original documents of <input type="checkbox"/> Articles of Incorporation (or equivalent documents of constitution or association), and/or registration documents of the legal entity named above, in accordance with ITT 3.6. <input type="checkbox"/> In case of a state-owned enterprise or institution, documents establishing legal and financial autonomy, operation in accordance with commercial law, and that they are not under the supervision of the Procuring Entity, in accordance with ITT 3.5.
2. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.

5.3 **FORM CON-2**

**Historical Contract Non-Performance, Pending Litigation and Litigation History**

Tenderer's Name: \_\_\_\_\_

Date: \_\_\_\_\_

JV Member's Name \_\_\_\_\_

ITT No. and title: \_\_\_\_\_

Non-Performed Contracts in accordance with Section III, Evaluation and Qualification Criteria			
<input type="checkbox"/> Contract non-performance did not occur since 1 <sup>st</sup> January [2019] specified in Section III, Evaluation and Qualification Criteria, Sub-Factor 2.1.			
<input type="checkbox"/> Contract(s) not performed since 1 <sup>st</sup> January [2019] specified in Section III, Evaluation and Qualification Criteria, requirement 2.1			
<input type="checkbox"/> Contract(s) withdrawn since 1 <sup>st</sup> January [2019] specified in Section III, Evaluation and Qualification Criteria, requirement 2.1			
Year	Non-performed portion of contract	Contract Identification	Total Contract Amount (current value, currency, exchange rate and Kenya Shilling equivalent)
[insert year]	[insert amount and percentage]	Contract Identification: [indicate complete contract name/ number, and any other identification] Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert street/city/country] Reason(s) for nonperformance: [indicate main reason(s)]	[insert amount]
Pending Litigation, in accordance with Section III, Evaluation and Qualification Criteria			
<input type="checkbox"/> No pending litigation in accordance with Section III, Evaluation and Qualification Criteria, Sub-Factor 2.3.			
<input type="checkbox"/> Pending litigation in accordance with Section III, Evaluation and Qualification Criteria, Sub-Factor 2.3 as indicated below.			
Year of dispute	Amount in dispute (currency)	Contract Identification	Total Contract Amount (currency), Kenya Shilling Equivalent (exchange rate)
		Contract Identification: _____ Name of Procuring Entity: _____ Address of Procuring Entity: _____ Matter in dispute: _____ Party who initiated the dispute: _____ Status of dispute: _____	
		Contract Identification: _____ Name of Procuring Entity: _____ Address of Procuring Entity: _____ Matter in dispute: _____ Party who initiated the dispute: _____ Status of dispute: _____	
Litigation History in accordance with Section III, Evaluation and Qualification Criteria			
<input type="checkbox"/> No Litigation History in accordance with Section III, Evaluation and Qualification Criteria, Sub-Factor 2.4.			
<input type="checkbox"/> Litigation History in accordance with Section III, Evaluation and Qualification Criteria, Sub-Factor 2.4 as indicated below.			

Year of dispute	Amount in dispute (currency)	Contract Identification	Total Contract Amount (currency), Kenya Shilling Equivalent (exchange rate)
<i>[insert year]</i>	<i>[insert percentage]</i>	Contract Identification: <i>[indicate complete contract name, number, and any other identification]</i> Name of Procuring Entity: <i>[insert full name]</i> Address of Procuring Entity: <i>[insert street/city/country]</i> Matter in dispute: <i>[indicate main issues in dispute]</i> Party who initiated the dispute: <i>[indicate "Procuring Entity" or "Contractor"]</i> Reason(s) for Litigation and award decision <i>[indicate main reason(s)]</i>	<i>[insert amount]</i>

Include details relating to potential bid-rigging practices such as previous occasions where tenders were withdrawn, joint bids with competitors, subcontracting work to unsuccessful tenderers, etc.

**5.4 FORM FIN – 3.1:**

**Financial Situation and Performance**

Tenderer's Name: \_\_\_\_\_

Date: \_\_\_\_\_

JV Member's Name \_\_\_\_\_

ITT No. and title: \_\_\_\_\_

**5.4.1. Financial Data**

Type of Financial information in _____ (currency)	Historic information for previous ___3___ years, (Amount in currency, currency, exchange rate*, USD equivalent)				
	Year 1	Year 2	Year 3	Year 4	Year 5
Statement of Financial Position (Information from Balance Sheet)					
Total Assets (TA)					
Total Liabilities (TL)					
Total Equity/Net Worth (NW)					
Current Assets (CA)					
Current Liabilities (CL)					
Working Capital (WC)					
Information from Income Statement					
Total Revenue (TR)					
Profits Before Taxes (PBT)					
Cash Flow Information					
Cash Flow from Operating Activities					

\*Refer to ITT 15 for the exchange rate

### 5.4.2 Sources of Finance

Specify sources of finance to meet the cash flow requirements on works currently in progress and for future contract commitments.

No.	Source of finance	Amount (Kenya Shilling equivalent)
1		
2		
3		

### 5.4.3 Financial documents

The Tenderer and its parties shall provide copies of financial statements for 3 years pursuant Section III, Evaluation and Qualifications Criteria, Sub-factor 3.1. The financial statements shall:

- (a) reflect the financial situation of the Tenderer or in case of JV member, and not an affiliated entity (such as parent company or group member).
- (b) be independently audited or certified in accordance with local legislation.
- (c) be complete, including all notes to the financial statements.
- (d) correspond to accounting periods already completed and audited.
- (e) attach a certified reference letter from the bank

Attached are copies of financial statements<sup>1</sup> for the \_\_\_\_\_ years required above; and complying with the requirements

---

<sup>1</sup>If the most recent set of financial statements is for a period earlier than 12 months from the date of Tender, the reason for this should be justified.

**5.5 FORM EN – 3.2:**

**Average Annual Construction Turnover**

Tenderer's Name: \_\_\_\_\_

Date: \_\_\_\_\_

JV Member's Name \_\_\_\_\_

ITT No. and title: \_\_\_\_\_

		<b>Annual turnover data (construction only)</b>	
<b>Year</b>	<b>Amount Currency</b>	<b>Exchange rate</b>	<b>Kenya Shilling equivalent</b>
<i>[indicate year]</i>	<i>[insert amount and indicate currency]</i>		
Average Annual Construction Turnover *			

\* See Section III, Evaluation and Qualification Criteria, Sub-Factor 3.2.

**5.6 FORM FIN – 3.3:**

**Financial Resources**

Specify proposed sources of financing, such as liquid assets, unencumbered real assets, lines of credit, and other financial means, net of current commitments, available to meet the total construction cash flow demands of the subject contract or contracts as specified in Section III, Evaluation and Qualification Criteria

<b>Financial Resources</b>		
<b>No.</b>	<b>Source of financing</b>	<b>Amount (Kenya Shilling equivalent)</b>
1		
2		
3		

**5.7 FORM FIN – 3.4:**

**Current Contract Commitments / Works in Progress**

Tenderers and each member to a JV should provide information on their current commitments on all contracts that have been awarded, or for which a letter of intent or acceptance has been received, or for contracts approaching completion, but for which an unqualified, full completion certificate has yet to be issued.

<b>Current Contract Commitments</b>					
<b>No.</b>	<b>Name of Contract</b>	<b>Procuring Entity's Contact Address, Tel,</b>	<b>Value of Outstanding Work [Current Kenya Shilling /month Equivalent]</b>	<b>Estimated Completion Date</b>	<b>Average Monthly Invoicing Over Last Six Months [Kenya Shilling /month]</b>
1					
2					
3					
4					
5					

5.8 FORM EXP - 4.1

**General Construction Experience**

Tenderer's Name: \_\_\_\_\_ Date: \_\_\_\_\_  
 \_\_\_\_\_ JV Member's  
 Name \_\_\_\_\_  
 ITT No. and title: \_\_\_\_\_

Page \_\_\_\_\_ of \_\_\_\_\_ pages

Starting Year	Ending Year	Contract Identification	Role of Tenderer
		Contract name: _____ Brief Description of the Works performed by the Tenderer: _____ Amount of contract: _____ Name of Procuring Entity: _____ Address: _____	
		Contract name: _____ Brief Description of the Works performed by the Tenderer: _____ Amount of contract: _____ Name of Procuring Entity: _____ Address: _____	
		Contract name: _____ Brief Description of the Works performed by the Tenderer: _____ Amount of contract: _____ Name of Procuring Entity: _____ Address: _____	

**5.9 FORM EXP - 4.2(a)**

**Specific Construction and Contract Management Experience**

Tenderer's Name: \_\_\_\_\_

Date: \_\_\_\_\_

JV Member's Name \_\_\_\_\_

ITT No. and title: \_\_\_\_\_

Similar Contract No.	Information			
Contract Identification				
Award date				
Completion date				
Role in Contract	Prime Contractor <input type="checkbox"/>	Member in JV <input type="checkbox"/>	Management Contractor <input type="checkbox"/>	Sub-contractor <input type="checkbox"/>
Total Contract Amount				<b>Kenya Shilling</b>
If member in a JV or sub-contractor, specify participation in total Contract amount				
Procuring Entity's Name:				
Address: Telephone/fax number E-mail:				

5.9 **FORMEXP - 4.2 (a) (cont.)**

**Specific Construction and Contract Management Experience (cont.)**

<b>Similar Contract No.</b>	<b>Information</b>
Description of the similarity in accordance with Sub-Factor 4.2(a) of Section III:	
1. Amount	
2. Physical size of required works items	
3. Complexity	
4. Methods/Technology	
5. Construction rate for key activities	
6. Other Characteristics	

**5.10 FORM EXP - 4.2(b)**

**Construction Experience in Key Activities**

Tenderer's Name: \_\_\_\_\_

Date: \_\_\_\_\_

Tenderer's JV Member Name: \_\_\_\_\_

Sub-contractor's Name<sup>2</sup> (as per ITT 34): \_\_\_\_\_

ITT No. and title: \_\_\_\_\_

All Sub-contractors for key activities must complete the information in this form as per ITT 34 and Section III, Evaluation and Qualification Criteria, Sub-Factor 4.2.

1. Key Activity No One: \_

<b>Information</b>				
Contract Identification				
Award date				
Completion date				
Role in Contract	Prime Contractor <input type="checkbox"/>	Member in JV <input type="checkbox"/>	Management Contractor <input type="checkbox"/>	Sub-contractor <input type="checkbox"/>
Total Contract Amount	<b>Kenya Shilling</b>			
Quantity (Volume, number or rate of production, as applicable) performed under the contract per year or part of the year	Total quantity in the contract (i)	Percentage participation (ii)		Actual Quantity Performed (i) x (ii)
Year 1				
Year 2				
Year 3				
Year 4				
Procuring Entity's Name:				
Address: Telephone/fax number E-mail:				

³If applicable

	<b>Information</b>
Description of the key activities in accordance with Sub-Factor 4.2(b) of Section III:	

2. Activity No. Two
3. ....

## **OTHER FORMS**

### **7. FORM OF TENDER**

#### ***INSTRUCTIONS TO TENDERERS***

- i) *The Tenderer must prepare this Form of Tender on stationery with its letterhead clearly showing the Tenderer's complete name and business address.*
- ii) *All italicized text is to help Tenderer in preparing this form.*
- iii) *Tenderer must complete and sign certify by commissioner of oaths Certificate Of Independent Tender Determination and the Self Declaration Of The Tenderer attached to this Form of Tender.*
- iv) *The Form of Tender shall include the following Forms duly completed and signed and dated by the Tenderer.*
  - *Tenderer's Eligibility-Confidential Business Questionnaire.*
  - *Certificate of Independent Tender Determination.*
  - *Self-Declaration of the Tenderer both SD 1 and SD 2*

**Date of this Tender submission:** *[insert date (as day, month and year) of Tender submission]* **Request for Tender No.:** *[insert identification]* **Name and description of Tender** *[Insert as per ITT]* **Alternative No.:** *[insert identification No if this is a Tender for an alternative]*

**To:** *[insert complete name of Procuring*

*Entity]* Dear Sirs,

1. In accordance with the Conditions of Contract, Specifications, Drawings and Bills of Quantities for the execution of the above named Works, we, the undersigned offer to construct and complete the Works and remedy any defects therein for the sum of Kenya Shillings *[[Amount in figures]* \_\_\_\_\_ Kenya Shillings *[amount in words]* \_\_\_\_\_

The above amount includes foreign currency amount (s) of *[state figure or a percentage and currency]* *[figures]* \_\_\_\_\_ *[words]* \_\_\_\_\_

The percentage or amount quoted above does not include provisional sums, and only allows not more than two foreign currencies.

2. We undertake, if our tender is accepted, to commence the Works as soon as is reasonably possible after the receipt of the Engineer's notice to commence, and to complete the whole of the Works comprised in the Contract within the time stated in the Particular Conditions of Contract.
3. We agree to adhere by this tender until \_\_\_\_\_ *[Insert date]*, and it shall remain binding upon us and may be accepted at any time before that date.
4. Unless and until a formal Agreement is prepared and executed this tender together with your written acceptance thereof, shall constitute abinding Contract between us. We further understand that you are not bound to accept the lowest or any tender you may receive.
5. We, the undersigned, further declare that:
  - i) *No reservations:* We have examined and have no reservations to the tender document, including Addenda issued in accordance with ITT 8;
  - ii) *Eligibility:* We meet the eligibility requirements and have no conflict of interest in accordance with ITT 3 and 4;
  - iii) *Tender-Securing Declaration:* We have not been suspended nor declared ineligible by the Procuring Entity based on execution of a Tender-Securing or Proposal-Securing Declaration in the Procuring Entity's Country in accordance with ITT 19.8;

- (ii) **Conformity:** We offer to execute in conformity with the tendering documents and in accordance with the implementation and completion specified in the construction schedule, the following Works: *[insert a brief description of the Works]*;
- (iv) **Tender Price:** The total price of our Tender, excluding any discounts offered in item 1 above is: *[Insert one of the options below as appropriate]*
- (vi) **Option1**, in case of one lot: Total price is: *[insert the total price of the Tender in words and figures, indicating the various amounts and the respective currencies]*; Or
- Option2**, in case of multiple lots:
- a) *Total price of each lot* *[insert the total price of each lot in words and figures, indicating the various amounts and the respective currencies]*; and
- b) *Total price of all lots* (sum of all lots) *[insert the total price of all lots in words and figures, indicating the various amounts and the respective currencies]*;
- vii) **Discounts:** The discounts offered and the methodology for their application are:
- viii) The discounts offered are: *[Specify in detail each discount offered.]*
- ix) The exact method of calculations to determine the net price after application of discounts is shown below: *[Specify in detail the method that shall be used to apply the discounts]*;
- x) **Tender Validity Period:** Our Tender shall be valid for the period specified in TDS 18.1 (as amended, if applicable) from the date fixed for the Tender submission deadline specified in TDS 22.1(as amended, if applicable), and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- xi) **Performance Security:** If our Tender is accepted, we commit to obtain a Performance Security in accordance with the Tendering document;
- xii) **One Tender Per Tender:** We are not submitting any other Tender(s) as an individual Tender, and we are not participating in any other Tender(s) as a Joint Venture member or as a subcontractor, and meet the requirements of ITT3.4, other than alternative Tenders submitted in accordance with ITT 13.3;
- xiii) **Suspension and Debarment:** We, along with any of our subcontractors, suppliers, Engineer, manufacturers, or service providers for any part of the contract, are not subject to, and not controlled by any entity or individual that is subject to, a temporary suspension or a debarment imposed by the Public Procurement Regulatory Authority or any other entity of the Government of Kenya, or any international organization.
- xiv) **State-owned enterprise or institution:** *[select the appropriate option and delete the other] [We are not a state-owned enterprise or institution]/[We are a state-owned enterprise or institution but meet the requirements of ITT 3.7]*;
- xv) **Commissions, gratuities, fees:** We have paid, or will pay the following commissions, gratuities, or fees with respect to the tender process or execution of the Contract: *[insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity]*

Name of Recipient	Address	Reason	Amount

*(If none has been paid or is to be paid, indicate “none.”)*

- xvi) *Binding Contract*: We understand that this Tender, together with your written acceptance thereof included in your Letter of Acceptance, shall constitute a binding contract between us, until a formal contract is prepared and executed;
- xvii) *Not Bound to Accept*: We understand that you are not bound to accept the lowest evaluated cost Tender, the Most Advantageous Tender or any other. Tender that you may receive;
- xviii) *Fraud and Corruption*: We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf engages in any type of Fraud and Corruption;
- xix) *Collusive practices*: We hereby certify and confirm that the tender is genuine, non-collusive and made with the intention of accepting the contract if awarded. To this effect we have signed the “Certificate of Independent Tender Determination” attached below.
- xx) We undertake to adhere by the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal, copy available from \_\_\_\_\_ (*specify website*) during the procurement process and the execution of any resulting contract.
- xxi) We, the Tenderer, have completed fully and signed the following Forms as part of our Tender:
  - a) Tenderer's Eligibility; Confidential Business Questionnaire – to establish we are not in any conflict to interest.
  - b) Certificate of Independent Tender Determination – to declare that we completed the tender without colluding with other tenderers.
  - c) Self-Declaration of the Tenderer– to declare that we will, if awarded a contract, not engage in any form of fraud and corruption.
  - d) Declaration and commitment to the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal.

Further, we confirm that we have read and understood the full content and scope of fraud and corruption as informed in “**Appendix 1- Fraud and Corruption**” attached to the Form of Tender.

**Name of the Tenderer:** \*[insert complete name of person signing the Tender]

**Name of the person duly authorized to sign the Tender on behalf of the Tenderer:** \*\*[insert complete name of person duly authorized to sign the Tender]

**Title of the person signing the Tender:** [insert complete title of the person signing the Tender]

**Signature of the person named above:** [insert signature of person whose name and capacity are shown

above] **Date signed** [insert date of signing] day of [insert month], [insert year]

Date signed \_\_\_\_\_ day of \_\_\_\_\_,

**Notes**

\* In the case of the Tender submitted by joint venture specify the name of the Joint Venture as Tenderer

(a) **TENDERER'S ELIGIBILITY-CONFIDENTIAL BUSINESS QUESTIONNAIRE**

**Instruction to Tenderer**

Tenderer is instructed to complete the particulars required in this Form, *on reform for each entity if Tender Is a JV*. Tenderer is further reminded that it is an offence to give false information on this Form.

(a) **Tenderer's details**

	<b>ITEM</b>	<b>DESCRIPTION</b>
1	Name of the Procuring Entity	
2	Reference Number of the Tender	
3	Date and Time of Tender Opening	
4	Name of the Tenderer	
5	Full Address and Contact Details of the Tenderer.	1. Country 2. City 3. Location 4. Building 5. Floor 6. Postal Address 7. Name and email of contact person.
6	Current Trade License Registration Number and Expiring date	
7	Name, country and full address ( <i>postal and physical addresses, email, and telephone number</i> ) of Registering Body/Agency	
8	Description of Nature of Business	
9	Maximum value of business which the Tenderer handles.	
10	State if Tenders Company is listed in stock exchange, give name and full address ( <i>postal and physical addresses, email, and telephone number</i> ) of state which stock exchange	

**General and Specific Details**

(b) **Sole Proprietor**, provide the following details.

Name in full \_\_\_\_\_ Age \_\_\_\_\_  
Nationality \_\_\_\_\_ Country of Origin \_\_\_\_\_ Citizenship \_\_\_\_\_

(c) **Partnership**, provide the following details.

	<b>Names of Partners</b>	<b>Nationality</b>	<b>Citizenship</b>	<b>% Shares owned</b>
1				
2				
3				

(d) **Registered Company**, provide the following details.

i) Private or public Company \_\_\_ ii) State the nominal and issued capital of the Company

\_\_\_\_\_

Nominal Kenya Shillings (Equivalent).....

Issued Kenya Shillings (Equivalent).....

iii) Give details of Directors as follows.

	Names of Director	Nationality	Citizenship	% Shares owned
1				
2				
3				

**(e) DISCLOSURE OF INTEREST-Interest of the Firm in the Procuring Entity.**

i) Are there any person/persons in... .....(Name of Procuring Entity) who has/have an interest or relationship in this firm? Yes/No.....

If yes, provide details as follows.

	Names of Person	Designation in the Procuring Entity	Interest or Relationship with Tenderer
1			
2			
3			

**(i) Conflict of interest disclosure**

	Type of Conflict	Disclosure YES OR NO	If YES provide details of the relationship with Tenderer
1	Tenderer is directly or indirectly controls, is controlled by or is under common control with another tenderer.		
2	Tenderer receives or has received any direct or indirect subsidy from another tenderer.		
3	Tenderer has the same legal representative as another tenderer		
4	Tender has a relationship with another tenderer, directly or through common third parties that put it in a position to influence the tender of another tenderer, or influence the decisions of the Procuring Entity regarding this tendering process.		
5	Any of the Tenderer's affiliates participated as a consultant in the preparation of the design or technical specifications of the works that are the subject of the tender.		
6	Tenderer would be providing goods, works, non-consulting services or consulting services during implementation of the contract specified in this Tender Document.		
7	Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who are directly or indirectly involved in the preparation of the Tender document or specifications of the Contract, and/or the Tender evaluation process of such contract.		

8	Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who would be involved in		
	<b>Type of Conflict</b>	<b>Disclosure YES OR NO</b>	<b>If YES provide details of the relationship with Tenderer</b>
	the implementation or supervision of the such Contract.		
9	Has the conflict stemming from such relationship stated in item 7 and 8 above been resolved in a manner acceptable to the Procuring Entity throughout the tendering process and execution of the Contract?		

**Certification**

On behalf of the Tenderer, I certify that the information given above is complete, current and accurate as at the date of submission.

Full Name

\_\_\_\_\_

Title or Designation \_\_\_\_\_

*(Signature)*

*(Date)*

**CERTIFICATE OF INDEPENDENT TENDER DETERMINATION**

I, the undersigned, in submitting the accompanying Letter of Tender to the \_\_\_\_\_  
[Name of Procuring Entity]

for: \_\_\_\_\_

[Name and number of tender] in response to the request for tenders made by: \_\_\_\_\_ [Name of Tenderer] do hereby make the following statements that I certify to be true and complete in every respect:

I certify, on behalf of \_\_\_\_\_ [Name of Tenderer] that:

1. I have read and I understand the contents of this Certificate;
2. I understand that the Tender will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am the authorized representative of the Tenderer with authority to sign this Certificate, and to submit the Tender on behalf of the Tenderer;
4. For the purposes of this Certificate and the Tender, I understand that the word “competitor” shall include any individual or organization, other than the Tenderer, whether or not affiliated with the Tenderer, who:
  - a) Has been requested to submit a Tender in response to this request for tenders;
  - b) Could potentially submit a tender in response to this request for tenders, based on their qualifications, abilities or experience;
5. The Tenderer discloses that [check one of the following, as applicable]:
  - a) The Tenderer has arrived at the Tender independently from, and without consultation, communication, agreement or arrangement with, any competitor;
  - b) The Tenderer has entered into consultations, communications, agreements or arrangements with one or more competitors regarding this request for tenders, and the Tenderer discloses, in the attached document(s), complete details thereof, including the names of the competitors and the nature of, and reasons for, such consultations, communications, agreements or arrangements;
6. In particular, without limiting the generality of paragraphs (5)(a) or (5)(b) above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
  - a) prices;
  - b) methods, factors or formulas used to calculate prices;
  - c) the intention or decision to submit, or not to submit, a tender; or
  - d) the submission of a tender which does not meet the specifications of the request for Tenders; except as specifically disclosed pursuant to paragraph(5)(b)above;
7. In addition, there has been no consultation, communication, agreement or arrangement with any competitor regarding the quality ,quantity, specifications or delivery particulars of the works or services to which this request for tenders relates, except as specifically authorized by the procuring authority or as specifically disclosed pursuant to paragraph (5)(b) above;
8. The terms of the Tender have not been, and will not be, knowingly disclosed by the Tenderer, directly or indirectly, to any competitor, prior to the date and time of the official tender opening, or of the awarding of the Contract, whichever comes first, unless otherwise required by law or as specifically disclosed pursuant to paragraph (5) (b) above.

Name \_\_\_\_\_

Title \_\_\_\_\_

Date \_\_\_\_\_

**(c) SELF-DECLARATION FORMS**

**FORM SD1**

**SELF DECLARATION THAT THE PERSON/TENDERER IS NOT DEBARRED IN THE MATTER OF THE PUBLIC PROCUREMENT AND ASSET DISPOSAL ACT 2015.**

I, ....., of Post Office Box ..... being a resident of..... in the Republic of ..... do hereby make a statement as follows: -

1. THAT I am the Company Secretary/ Chief Executive/Managing Director/Principal Officer/Direct orof ..... (*insert name of the Company*) who is a Bidder in respect of **Tender No.** ..... for ..... (*insert tender title/description*) for ..... (*Insert name of the Procuring entity*) and duly authorized and competent to make this statement.
2. THAT the aforesaid Bidder, its Directors and subcontractors have not been debarred from participating in procurement proceeding under Part IV of the Act.
3. THAT what is deponed to here in above is true to the best of my knowledge, information and belief.

.....  
(Title) (Signature) (Date)

Bidder Official Stamp

**FORM SD2**

**SELF DECLARATION THAT THE PERSON/TENDERER WILL NOT ENGAGE IN ANY CORRUPT OR FRAUDULENT PRACTICE.**

I, ..... of P.O. Box ..... being a resident of ..... in the Republic of ..... do hereby make a statement as follows: -

1. THAT I am the Chief Executive/Managing Director/Principal Officer/Director of ..... (insert name of the Company) who is a Bidder in respect of **Tender No.** ..... for ..... (insert tender title/description) for ..... (insert name of the Procuring entity) and duly authorized and competent to make this statement.
2. THAT the aforesaid Bidder, its servants and/or agents/subcontractors will not engage in any corrupt or fraudulent practice and has not been requested to pay any inducement to any member of the Board, Management, Staff and/or employees and/or agents of ..... (insert name of the Procuring entity) which is the procuring entity.
3. THAT the aforesaid Bidder, its servants and/or agents /subcontractors have not offered any inducement to any member of the Board, Management, Staff and/or employees and/or agents of ..... (name of the procuring entity).
4. THAT the aforesaid Bidder will not engage /has not engaged in any corrosive practice with other bidders participating in the subject tender
5. THAT what is deponed to herein above is true to the best of my knowledge in formation and belief.

.....  
(Title)

.....  
(Signature)

.....  
(Date)

Bidder's Official Stamp

**DECLARATION AND COMMITMENT TO THE CODE OF ETHICS**

I ..... (Person) on behalf of (*Name of the Business/ Company/Firm*).....  
.....declare that I have read and fully understood the contents of the  
Public Procurement & Asset Disposal Act, 2015, Regulations and the Code of Ethics for persons participating in  
Public Procurement and Asset Disposal and my responsibilities under the Code.

I do hereby commit to abide by the provisions of the Code of Ethics for persons participating in Public Procurement  
and Asset Disposal.

Name of Authorized signatory.....

Sign.....

Position.....

Office address..... Telephone.....

E-mail.....

Name of the Firm/Company.....

Date.....

**(Company Seal/ Rubber Stamp where applicable)**

Witness

Name.....

Sign.....

Date.....

**(d) APPENDIX 1-FRAUD AND CORRUPTION**

*(Appendix 1 shall not be modified)*

**1. Purpose**

1.1 The Government of Kenya's Anti-Corruption and Economic Crime laws and their sanction's policies and procedures, Public Procurement and Asset Disposal Act (*no. 33 of 2015*) and its Regulation, and any other Kenya's Acts or Regulations related to Fraud and Corruption, and similar offences, shall apply with respect to Public Procurement Processes and Contracts that are governed by the laws of Kenya.

**2. Requirements**

2.1 The Government of Kenya requires that all parties including Procuring Entities, Tenderers, (applicants/proposers), Consultants, Contractors and Suppliers; any Sub-contractors, Sub-consultants, Service providers or Suppliers; any Agents (whether declared or not); and any of their Personnel, involved and engaged in procurement under Kenya's Laws and Regulation, observe the highest standard of ethics during the procurement process, selection and contract execution of all contracts, and refrain from Fraud and Corruption and fully comply with Kenya's laws and Regulations as per paragraphs 1.1 above.

2.2 Kenya's public procurement and asset disposal act (*no. 33 of 2015*) under Section 66 describes rules to be followed and actions to be taken in dealing with Corrupt, Coercive, Obstructive, Collusive or Fraudulent practices, and Conflicts of Interest in procurement including consequences for offences committed. A few of the provisions noted below highlight Kenya's policy of no tolerance for such practices and behavior:

- 1) A person to whom this Act applies shall not be involved in any corrupt, coercive, obstructive, collusive or fraudulent practice; or conflicts of interest in any procurement or asset disposal proceeding;
- 2) A person referred to under subsection (1) who contravenes the provisions of that sub-section commits an offence;
- 3) Without limiting the generality of the subsection (1) and (2), the person shall be: -
  - a) disqualified from entering into a contract for a procurement or asset disposal proceeding; or
  - b) if a contract has already been entered into with the person, the contract shall be voidable;
- 4) The voiding of a contract by the procuring entity under sub section (7) does not limit any legal remedy the procuring entity may have;
- 5) An employee or agent of the procuring entity or a member of the Board or committee of the procuring entity who has a conflict of interest with respect to a procurement: -
  - a) Shall not take part in the procurement proceedings;
  - b) Shall not, after a procurement contract has been entered into, take part in any decision relating to the procurement or contract; and
  - c) Shall not be a subcontractor for the tender to whom was awarded contract, or a member of the group of tenderers to whom the contract was awarded, but the subcontractor appointed shall meet all the requirements of this Act.
- 6) An employee, agent or member described in subsection (1) who refrains from doing anything prohibited under that subsection, but for that subsection, would have been within his or her duties shall disclose the conflict of interest to the procuring entity;
- 7) If a person contravenes subsection (1) with respect to a conflict of interest described in sub section (5)(a) and the contract is awarded to the person or his relative or to another person in whom one of them had a direct or indirect pecuniary interest, the contract shall be terminated and all costs incurred by the public entity shall be made good by the awarding officer. Etc.

3. In compliance with Kenya's laws, regulations and policies mentioned above, the Procuring Entity:

- a) Defines broadly, for the purposes of the above provisions, the terms set for below as follows:
- i) “corrupt practice” is the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;
  - ii) “fraudulent practice” is an act of omission, including misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, party to obtain financial or other benefit or to avoid an obligation;
  - iii) “collusive practice” is an arrangement between one or more parties designed to achieve an improper purpose, including to influence improperly the actions of a other party;  
“Coercive practice” is impairing or harming, or threatening to impair or harm, directly or in directly, any party or the property of the party to influence improperly the actions of a party;
  - iv) “obstructive practice” is:
    - Deliberately destroying, falsifying, altering, or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede investigation by Public Procurement Regulatory Authority (PPRA) or any other appropriate authority appointed by Government of Kenya into allegations of a corrupt, fraudulent, coercive, or collusive practice; and/or threatening, harassing, or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or
    - acts intended to materially impede the exercise of the PPRA's or the appointed authority's inspection and audit rights provided for under paragraph 2.3e below.
- b) Defines more specifically, in accordance with the above procurement Act provisions set for fraudulent and collusive practices as follows:
- "Fraudulent practice" includes a misrepresentation of fact in order to influence a procurement or disposal process or the exercise of a contract to the detriment of the procuring entity or the tenderer or the contractor, and includes collusive practices amongst tenderers prior to or after tender submission designed to establish tender prices at artificial non-competitive levels and to deprive the procuring entity of the benefits of free and open competition. Rejects a proposal forward<sup>3</sup> of a contract if PPRA determines that the firm or individual recommended for award, any of its personnel, or its agents, or its sub-consultants, sub-contractors, service providers, suppliers and/ or their employees, has, directly or indirectly, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices in competing for the contracting question;
- c) Pursuant to the Kenya's above stated Acts and Regulations, may recommend to appropriate authority (ies) for sanctioning and debarment to a firm or individual, as applicable under the Acts and Regulations;
  - d) Requires that a clause be included in Tender documents and Request for Proposal documents requiring (i) Tenderers (applicants/proposers), Consultants, Contractors, and Suppliers, and their Sub-contractors, Sub consultants, Service providers, Suppliers, Agents personnel, permit the PPRA or any other appropriate authority appointed by Government of Kenya to inspect<sup>4</sup> all a accounts, records and other documents relating to the procurement process, selection and/or contract execution, and to have them audited by auditors appointed by the PPRA or any other appropriate authority appointed by Government of Kenya; and Pursuant to Section 62 of the above Act, requires Applicants/Tenderers to submit along with their Applications/Tenders/Proposals a “Self-Declaration Form” as included in the procurement document declaring that they and all parties involved in the procurement process and contract execution have not engaged/will not engage in any corrupt or fraudulent practices.

<sup>3</sup> For the avoidance of doubt, a party's ineligibility to be awarded a contract shall include, without limitation, (i) applying for pre-qualification, expressing interest in a consultancy, and tendering, either directly or as a nominated sub-contractor, nominated consultant, nominated manufacturer or supplier, or nominated service provider, in respect of such contract, and (ii) entering into an addendum or amendment introducing a material modification to an existing contract.

<sup>4</sup> Inspections in this context usually are investigative (i.e., forensic) in nature. They involve fact-finding activities undertaken by the Investigating Authority or persons appointed by the Procuring Entity to address specific matters related to investigations/audits, such as evaluating the veracity of an allegation of possible Fraud and Corruption, through the appropriate mechanisms. Such activity includes but is not limited to: accessing and examining a firm's or individual's financial records and information, and making copies thereof as relevant; accessing and examining any other documents, data and information (whether in hard copy or electronic format) deemed relevant for the investigation/audit, and making copies thereof as relevant; interviewing staff and other relevant individuals; performing physical inspections and site visits; and obtaining third party verification of information.

FORM OF TENDER SECURITY- [Option 1–Demand Bank Guarantee]

**Beneficiary:** \_\_\_\_\_

**Request for Tenders No:**

\_\_\_\_\_  
**Date:** \_\_\_\_\_ **TENDER GUARANTEE No.:** \_\_\_\_\_

**Guarantor:** \_\_\_\_\_

1. We have been informed that (here in after called "the Applicant") has submitted or will submit to the Beneficiary its Tender (here in after called" the Tender") for the execution of \_\_\_\_\_ under Request for Tenders No. \_\_\_\_\_ ("the ITT").
2. Furthermore, we understand that, according to the Beneficiary's conditions, Tenders must be supported by a Tender guarantee.
3. At the request of the Applicant, we, as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of ( ) upon receipt by us of the Beneficiary's complying demand, supported by the Beneficiary's statement, whether in the demand itself or a separate signed document accompanying or identifying the demand, stating that either the Applicant:
  - (a) has withdrawn its Tender during the period of Tender validity set forth in the Applicant's Letter of Tender ("the Tender Validity Period"), or any extension thereto provided by the Applicant; or
  - b) having been notified of the acceptance of its Tender by the Beneficiary during the Tender Validity Period or any extension there to provide by the Applicant, (i) has failed to execute the contract agreement, or (ii) has failed to furnish the Performance.
4. This guarantee will expire: (a) if the Applicant is the successful Tenderer, upon our receipt of copies of the contract agreement signed by the Applicant and the Performance Security and, or (b) if the Applicant is not the successful Tenderer, upon the earlier of (i) our receipt of a copy of the Beneficiary's notification to the Applicant of the results of the Tendering process; or (ii) thirty days after the end of the Tender Validity Period.
5. Consequently, any demand for payment under this guarantee must be received by us at the office indicated above on or before that date.

\_\_\_\_\_  
*[Signature]*

*Note: All italicized text is for use in preparing this form and shall be deleted from the final product.*

**FORMAT OF TENDER SECURITY [Option 2–Insurance Guarantee]**

**TENDER GUARANTEE No.:** \_\_\_\_\_

1. Whereas ..... [Name of the tenderer] (herein after called “the tenderer”) has submitted its tender dated ..... [Date of submission of tender] for the ..... [Name and/or description of the tender] (herein after called “the Tender”) for the execution of \_\_\_ under Request for Tenders No. \_\_\_\_\_ (“The ITT”).
2. KNOW ALL PEOPLE by these presents that WE ..... of..... [Name of Insurance Company] having our registered office at.....(hereinafter called “the Guarantor”), are bound unto ..... [Name of Procuring Entity](Hereinafter called “the Procuring Entity”) in the sum of ..... (Currency and guarantee amount) for which payment well and truly to be made to the said Procuring Entity, the Guarantor binds itself, its successors and assigns, jointly and severally, firmly by these presents.

Sealed with the Common Seal of the said Guarantor this \_\_\_ day of \_\_\_\_\_ 20\_\_.

3. NOW, THEREFORE, THE CONDITION OF THIS OBLIGATION is such that if the Applicant:
  - a) has withdrawn its Tender during the period of Tender validity set forth in the Principal's Letter of Tender (“the Tender Validity Period”), or any extension thereto provided by the Principal; or
  - b) having been notified of the acceptance of its Tender by the Procuring Entity during the Tender Validity Period or any extension thereto provided by the Principal; (i) failed to execute the Contract agreement; or (ii) has failed to furnish the Performance Security, in accordance with the Instructions to tenderers (“ITT”) of the Procuring Entity's Tendering document.

then the guarantee undertakes to immediately pay to the Procuring Entity up to the above amount upon receipt of the Procuring Entity's first written demand, without the Procuring Entity having to substantiate its demand, provided that in its demand the Procuring Entity shall state that the demand arises from the occurrence of any of the above events, specifying which event(s) has occurred.

4. This guarantee will expire: (a) if the Applicant is the successful Tenderer, upon our receipt of copies of the contract agreement signed by the Applicant and the Performance Security and, or (b) if the Applicant is not the successful Tenderer, upon the earlier of (i) our receipt of a copy of the Beneficiary's notification to the Applicant of the results of the Tendering process; or (ii) twenty-eight days after the end of the Tender Validity Period.
5. Consequently, any demand for payment under this guarantee must be received by us at the office indicated above on or before that date.

\_\_\_\_\_  
[Date]  
\_\_\_\_\_  
[Witness]

\_\_\_\_\_  
[Signature of the Guarantor]  
\_\_\_\_\_  
[Seal]

**Note: All italicized text is for use in preparing this form and shall be deleted from the final product.**

**FORM OF TENDER-SECURING DECLARATION**

*[The Bidder shall complete this Form in accordance with the instructions indicated]*

Date: ..... *[insert date (as day, month and year) of Tender Submission]* Tender

No. .... *[insert number of tendering process]*

To:..... *[insert complete name of Purchaser]* I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Tender-Securing Declaration.
2. I/We accept that I/we will automatically be suspended from being eligible for tendering in any contract with the Purchaser for the period of time of *[insert number of months or years]* starting on *[insert date]*, if we are in breach of our obligation(s) under the bid conditions, because we—(a) have withdrawn our tender during the period of tender validity specified by us in the Tendering Data Sheet; or (b) having been notified of the acceptance of our Bid by the Purchaser during the period of bid validity, (i) fail or refuse to execute the Contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the instructions to tenders.
3. I/We understand that this Tender Securing Declaration shall expire if we are not the successful Tenderer(s), upon the earlier of:
  - a) Our receipt of a copy of your notification of the name of the successful Tenderer; or
  - b) Thirty days after the expiration of our Tender.
4. I/We understand that if I am/we are/in a Joint Venture, the Tender Securing Declaration must be in the name of the Joint Venture that submit the bid, and the Joint Venture has not been legally constituted at the time of bidding, the Tender Securing Declaration shall be in the names of all future partners as named in the letter of intent.

Signed:.....

Capacity/title (director or partner or sole proprietor, etc.) .....

Name:.....

Duly authorized to sign the bid for and on behalf of: *[insert complete name of Tenderer]*

Dated on ..... day of .....,..... *[Insert date of signing]* Seal or stamp

## Appendix to Tender

### Schedule of Currency requirements

Summary of currencies of the Tender for

<i>Name of currency</i>	<i>Amounts payable</i>
Local currency: _____	
Foreign currency #1: _____	
Foreign currency #2: _____	
Foreign currency #3: _____	
Provisional sums expressed in local currency _____	<i>[To be entered by the Procuring Entity]</i>

*[Insert name of Section of the Works]*

---

**PART II – THE CONDITIONS OF CONTRACT AND  
CONTRACT AGREEMENT**

---

## SECTION V - GENERAL CONDITIONS OF CONTRACT (GCC)

[Name of Procuring Entity]

[Name of Contract]

[Architect Name and Address]

### General Conditions of Contract

---

#### 1. GENERAL PROVISIONS

##### 1.1 Definitions

In this Contract, except where context otherwise requires, the following terms shall be interpreted as indicated below. Words indicating persons or parties include corporations and other legal entities, except where the context requires otherwise.

**“Accepted Contract Amount”** means the amount accepted in the Letter of Acceptance for the execution and completion of the Works and the remedying of any defects.

**“Base Date”** means a date 30 day prior to the submission of tenders.

**“Bill of Quantities”** means the priced and completed Bill of Quantities forming part of the tender.

**“Completion Date”** means the date of completion of the Works as certified by the Engineer.

**“Contract Price”** means the price defined in the contract and thereafter as adjusted in accordance with the provisions of the Contract.

**“Contract”** means the agreement entered into between the Procuring Entity and the Contractor as recorded in the Agreement Form and signed by the parties including all attachments and appendices thereto and all documents incorporated by reference therein to execute, complete, and maintain the Works.

**“Contractor's Documents”** means the calculations, computer programs and other software, progress reports, drawings, manuals, models and other documents of a technical nature (if any) supplied by the Contractor under the Contract.

**“Contractor's Equipment”** means all apparatus, machinery, vehicles and other things required for the execution and completion of the Works and the remedying of any defects. However, Contractor's Equipment excludes Temporary Works, Procuring Entity's Equipment (if any), Plant, Materials and any other things intended to form or forming part of the Permanent Works.

**“Contractor's Personnel”** means the Contractor's Representative and all personnel whom the Contractor utilizes on Site, who may include the staff, labor and other employees of the Contractor and of each Subcontractor; and any other personnel assisting the Contractor in the execution of the Works.

**“Contractor's Representative”** means the person named by the Contractor in the Contractor appointed from time to time by the Contractor who acts on behalf of the Contractor.

**“Contractor”** means the person(s) named as contractor in the Form of Tender accepted by the Procuring Entity.

**“Cost”** means expenditure reasonably incurred (or to be incurred) by the Contractor, whether on or off the Site, including overhead and similar charges, but does not include profit.

**“Day”** means a calendar day and **“year”** means 365 days.

**“Day works”** means Work inputs subject to payment on a time basis for labour and the associated materials and plant.

**“Defect”** means any part of the Works not completed in accordance with the Contract.

**“Defects Liability Certificate”** means the certificate issued by Architect upon correction of defects by the Contractor.

**“Defects Liability Period”** means the period named in the Special Conditions of Contract and calculated from the Completion Date, within which the contractor is liable for any defects that may develop in the handed over works.

**“Defects Notification Period”** means the period for notifying defects in the Works or a Section (as the case may be) under Sub-Clause 11.1 [Completion of Outstanding Work and Remedying Defects], which extends over the days stated in the Special Conditions of Contract.

**“Drawings”** means the drawings of the Works, as included in the Contract, and any additional and modified drawings issued by (or on behalf of) the Procuring Entity in accordance with the Contract.

**“Final Payment Certificate”** means the payment certificate issued under Sub-Clause 14.13 [Issue of Final Payment Certificate].

**“Final Statement”** means the statement defined in Sub-Clause 14.11 [Application for Final Payment Certificate].

**“Force Majeure”** is defined in Clause 19 [Force Majeure].

**“Foreign Currency”** means a currency of another country (not Kenya) in which part (or all) of the Contract Price is payable, but not the Local Currency.

**“Goods”** means Contractor's Equipment, Materials, Plant and Temporary Works, or any of them as appropriate.

**“Interim Payment Certificate”** means a payment certificate issued under Clause 14 [Contract Price and Payment], other than the Final Payment Certificate.

**“Laws”** means all national legislation, statutes, ordinances, and regulations and by-laws of any legally constituted public authority.

**“Letter of Acceptance”** means the letter of formal acceptance of a tender, signed by Procuring Entity, including any annexed memoranda comprising agreements between and signed by both Parties.

**“Local Currency”** means the currency of Kenya.

**“Materials”** means things of all kinds (other than Plant) intended to form or forming part of the Permanent Works, including the supply-only materials (if any) to be supplied by the Contractor under the Contract.

**“Notice of Dissatisfaction”** means the notice given by either Party to the other under Sub-Clause 20.3 indicating its dissatisfaction and intention to commence arbitration.

**“Special Conditions of Contract”** means the pages completed by the Procuring Entity entitled Special Conditions of Contract which constitute Part A of the Special Conditions.

**“Party”** means the Procuring Entity or the Contractor, as the context requires.

**“Payment Certificate”** means a payment certificate issued under Clause 14 [Contract Price and Payment].

**“Performance Certificate”** means the certificate issued under Sub-Clause 11.9 [Performance Certificate].

**“Performance Security”** means the security (or securities, if any) under Sub-Clause 4.2 [Performance Security].

**“Permanent Works”** means the permanent works to be executed by the Contractor under the Contract.

**“Plant”** means the apparatus, machinery and other equipment intended to form or forming part of the Permanent Works, including vehicles purchased for the Procuring Entity and relating to the construction or operation of the Works.

**“Procuring Entity's Equipment”** means the apparatus, machinery and vehicles (if any) made available by the Procuring Entity for the use of the Contractor in the execution of the Works, as stated in the Specification; but does not include Plant which has not been taken over by the Procuring Entity.

**“Procuring Entity's Personnel”** means the Engineer, the Engineer, the assistants and all other staff, labour and other employees of the Architect and of the Procuring Entity; and any other personnel notified to the Contractor, by the Procuring Entity or the Engineer, as Procuring Entity's Personnel.

**“Procuring Entity”** means the Entity named in the Special Conditions of Contract.

**“Engineer”** the person named in the Appendix to Conditions of Contract (or any other competent person appointed by the Procuring Entity and notified to the Contractor, to act in replacement of the Engineer) who is responsible for supervising the execution of the Works and administering the Contract and shall be an “Architect” or a “Quantity Surveyor” registered under the Architects and Quantity Surveyors Act Cap 525 or an “Engineer” registered under Engineers Registration Act Cap 530.

**“Engineer”** means the person appointed by the Procuring Entity to act as the Architect for the purposes of the Contract and named in the Special Conditions of Contract, or other person appointed from time to time by the Procuring Entity and notified to the Contractor

**“Provisional Sum”** means a sum (if any) which is specified in the Contract as a provisional sum, for the execution of any part of the Works or for the supply of Plant, Materials or services under Sub-Clause 13.5[Provisional Sums].

**“Retention Money”** means the accumulated retention moneys which the Procuring Entity retains under Sub-Clause 14.3 [Application for Interim Payment Certificates] and pays under Sub-Clause 14.9 [Payment of Retention Money].

**“Schedules”** means the document(s) entitled schedules, completed by the Contractor and submitted with the Form of Tender, as included in the Contract.

**“Section”** means a part of the Works specified in the Special Conditions of Contract as a Section (if any)

**“Site Investigation Reports”** are those reports that may be included in the tendering documents which are factual and interpretative about the surface and sub-surface conditions at the Site.

**“Site”** means the places where the Permanent Works are to be executed, including storage and working areas, and to which Plant and Materials are to be delivered, and any other places as may be specified in the Contract as forming part of the Site.

**“Specification”** means the document entitled specification, as included in the Contract, and any additions and modifications to the specification in accordance with the Contract. Such document specifies the Works.

**“Start Date” or “Commencement Date”** is the latest date when the Contractor shall commence execution of the Works. It does not necessarily coincide with the Site possession date(s).

**“Statement”** means a statement submitted by the Contractor as part of an application, under Clause 14[Contract Price and Payment], for a payment certificate.

**“Sub-contractor”** means any person named in the Contract as a subcontractor, or any person appointed as a subcontractor, for a part of the Works.

**“Taking-Over Certificate”** means a certificate issued under Clause 10 [Procuring Entity's Taking Over].

**“Temporary Works”** means all temporary works of every kind (other than Contractor's Equipment) required on Site for the execution and completion of the Permanent Works and the remedying of any defects.

**“Temporary works”** means works designed, constructed, installed, and removed by the Contractor which are needed for construction or installation of the Works.

**“Tender”** means the Form of Tender and all other documents which the Contractor submitted with the Form of Tender, as included in the Contract.

**“Tests after Completion”** means the tests (if any) which are specified in the Contract and which are carried out in accordance with the Specification after the Works or a Section (as the case may be) are taken over by the Procuring Entity.

**“Tests on Completion”** means the tests which are specified in the Contractor agreed by both Parties or instructed as a Variation, and which are carried out under Clause 9[Test on Completion] before the Works or a Section(as the case maybe)are taken over by the Procuring Entity.

**“Time for Completion”** means the time for completing the Works or a Section (as the case may be) as stated in the Special Conditions of Contract (with any extension calculated from the Commencement Date.

**“Unforeseeable”** means not reasonably foreseeable by an experienced contractor by the Base Date.

**“Variation”** means any change to the Works, which is instructed or approved as a variation under Clause13[Variations and Adjustments].

**“Works”** means the items the Procuring Entity requires the Contractor to undertake as defined in the Appendix to Conditions of Contract. **“Works” may** also mean the Permanent Works and the Temporary Works,or either of them as appropriate.

## 1.2 Interpretation

In the Contract, except where the context requires otherwise: a)

- Words indicating one gender include all genders;
- b) words indicating the singular also include the plural and words indicating the plural also include the singular;
- c) provisions including the word “agree”, “agreed” or “agreement” require the agreement to be recorded in writing;
- d) “written” or “in writing” means hand-written, type-written, printed or electronically made, and resulting in a permanent record;and

The marginal words and other headings shall not be taken into consideration in the interpretation of these Conditions.

## 1.3 Communications

1.3.1 Wherever these Conditions provide for the giving or issuing of approvals, certificates, consents, determinations, notices, requests and discharges, these communications shall be:

- a) In writing and delivered by hand(against receipt), sent by mail or courier, or transmitted using any of the agreed systems of electronic transmission as stated in the Special Conditions of Contract; and
- b) delivered, sent or transmitted to the address for the recipient's communications as stated in the Special Conditions of Contract. However:
  - i) if the recipient gives notice of another address, communications shall thereafter be delivered accordingly; and
  - ii) if the recipient has not stated otherwise when requesting an approval or consent, it may be sent to the address from which the request was issued.

1.3.2 Approvals, certificates, consents and determinations shall not be unreasonably withheld or delayed. When a certificate is issued to a Party, the certifier shall send a copy to the other Party. When a notice is issued to a Party, by the other Party or the Engineer, a copy shall be sent to the Architect or the other Party, as the case may be.

## 1.4 Law and Language

1.4.1 The Contract shall be governed by the laws of **Kenya**.

1.4.2 The ruling language of the Contract shall be **English**.

## 1.5 Priority of Documents

The documents forming the Contract are to be taken as mutually explanatory of one another. For the purposes of interpretation, the priority of the documents shall be in accordance with the following sequence:

- a) The Contract Agreement,
- b) The Letter of Acceptance,
- c) The Special Conditions–Part A,
- d) The Special Conditions–Part B
- e) The General Conditions of Contract
- f) The Form of Tender,
- g) The Specifications and Bills of Quantities
- h) the Drawings, and
- i) the Schedules and any other documents forming part of the Contract.

If an ambiguity or discrepancy is found in the documents, the Architect shall issue any necessary clarification or instruction.

## **1.6 Contract Agreement**

The Parties shall enter into a Contract Agreement within 14 days after the Contractor receives the Contract Agreement, unless the Special Conditions establish otherwise. The Contract Agreement shall be based upon the form annexed to the Special Conditions. The costs of stamp duties and similar charges (if any) imposed by law in connection with entry into the Contract Agreement shall be borne by the Procuring Entity.

## **1.7 Assignment**

The Contractor shall not assign the whole or any part of the Contract or any benefit or interest in or under the Contract. However, the contractor:

- a) May assign the whole or any part with the prior consent of the Procuring Entity, and
- b) may, as security in favor of a bank or financial institution, assign its right to moneys due, or to be come due, under the Contract.

## **1.8 Care and Supply of Documents**

1.8.1 The Specifications and Drawings shall be in the custody and care of the Procuring Entity. Unless otherwise stated in the Contract, two copies of the Contract and of each subsequent Drawings and Bills of Quantities shall be supplied to the Contractor, who may make or request further copies at the cost of the Contractor.

1.8.2 Each of the Contractor's Documents shall be in the custody and care of the Contractor, unless and until taken over by the Procuring Entity. Unless otherwise stated in the Contract, the Contractor shall supply to the Architect two copies of each of the Contractor's Documents.

1.8.3 The Contractor shall keep, on the Site, a copy of the Contract, publications named in the Specification, the Contractor's Documents (if any), the Drawings and Variations and other communications given under the Contract. The Procuring Entity's Personnel shall have the right of access to all these documents at all reasonable times.

1.8.4 If a Party becomes aware of an error or defect in a document which was prepared for use in executing the Works, the Party shall promptly give notice to the other Party of such error or defect.

## **1.9 Timely provision of Drawings or Instructions**

1.9.1 The Contractor shall give notice to the Architect whenever the Works are likely to be delayed or disrupted if any necessary drawing or instruction is not issued to the Contractor within a particular time, which shall be reasonable. The notice shall include details of the necessary drawing or instruction, details of why and by when it should be issued, and the nature and amount of the delay or disruption likely to be suffered if it is late.

1.9.2 If the Contractor suffers delay and/or incurs Cost as a result of a failure of the Architect to issue the notified drawing or instruction within a time which is reasonable and is specified in the notice with supporting details,

the Contractor shall give a further notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims]to:

- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion],and
- b) payment of any other associated costs accrued, which shall be included in the Contract Price.

1.9.3 After receiving this further notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

1.9.4 However, if and to the extent that the Architect failure was caused by any error or delay by the Contractor, including an error in, or delay in the submission of, any of the Contractor's Documents, the Contractor shall not be entitled to such extension of time, or costs accrued.

## **1.10 Procuring Entity's Use of Contractor's Documents**

1.10.1 As agreed between the Parties, the Contractor shall retain the copyright and other intellectual property rights in the Contractor's Documents and other design documents made by(or on behalf of)the Contractor.

1.10.2 The Contractor shall be deemed (by signing the Contract) to give to the Procuring Entity a non-terminable transferable non-exclusive royalty-free license to copy, use and communicate the Contractor's Documents, including making and using modifications of them. This license shall:

- a) apply throughout the actual or intended working life (whichever is longer) of the relevant parts of the Works,
- b) entitle any person improper possession of the relevant part of the Works to copy, use and communicate the Contractor's Documents for the purposes of completing, operating, maintaining, altering, adjusting, repairing and demolishing the Works, and
- c) in the case of Contractor's Documents which are in the form of computer programs and other software, permit their use on any computer on the Site and other places as envisaged by the Contract, including replacements of any computers supplied by the Contractor.

1.10.3 The Contractor's Documents and other design documents made by(or on behalf of)the Contractor shall not, without the Contractor's consent, be used, copied or communicated to a third party by (or on behalf of) the Procuring Entity for purposes other than those permitted under Sub-Clause 1.10.2.

## **1.11 Contractor's Use of Procuring Entity's Documents**

As agreed between the Parties, the Procuring Entity shall retain the copyright and other intellectual property rights in the Specification, the Drawings and other documents made by(or on behalf of)the Procuring Entity. The Contractor may, this cost, copy, use, and obtain communication of these documents for the purposes of the Contract. They shall not, without the Procuring Entity's consent, be copied, used or communicated to a third party by the Contractor, except as necessary for the purposes of the Contract.

## **1.12 Confidential Details**

1.12.1 The Contractor's and the Procuring Entity's Personnel shall ensure confidentiality at all times. The confidentiality shall survive termination or completion of the contract. They shall disclose all such confidential and other information as may be reasonably required in order to verify compliance with the Contract and allow its proper implementation.

1.12.2 The Contractor's and the Procuring Entity's Personnel shall also treat the details of the Contract as private and confidential, except to the extent necessary to carry out their respective obligations under the Contract or to comply with applicable Laws. Each of them shall not publish or disclose any particulars of the Works prepared by the other Party without the previous agreement of the other Party. However, the Contractor shall be permitted to disclose any publicly available information, or information otherwise required to establish his qualifications to compete for other projects.

### 1.13 Compliance with Laws

The Contractor shall, in performing the Contract, comply with applicable Laws. Unless otherwise stated in the Special Conditions of Contract:

- a) The Procuring Entity shall have obtained (or shall obtain) the planning, zoning, building permit or similar permission for the Permanent Works, and any other permissions described in the Specifications as having been (or to be) obtained by the Procuring Entity; and the Procuring Entity shall indemnify and hold the Contractor harmless against and from the consequences of any failure to do so; and
- b) the Contractor shall give all notices, pay all taxes, duties and fees, and obtain all permits, licenses and approvals, as required by the Laws in relation to the execution and completion of the Works and the remedying of any defects; and the Contractor shall indemnify and hold the Procuring Entity harmless against and from the consequences of any failure to do so, unless the Contractor is impeded to accomplish these actions and shows evidence of its diligence.

### 1.14 Joint and Several Liabilities

If the Contractor constitutes (under applicable Laws) a joint venture, consortium or other unincorporated grouping of two or more persons:

- a) These persons shall be deemed to be jointly and severally liable to the Procuring Entity for the performance of the Contract;
- b) these persons shall notify the Procuring Entity of their leader who shall have authority to bind the Contractor and each of these persons; and
- c) the Contractor shall not alter its composition or legal status without the prior consent of the Procuring Entity.

### 1.15 Inspections and Audit by the Procuring Entity

Pursuant to paragraph 2.2(e) of Appendix B to the General Conditions, the Contractor shall permit and shall cause its subcontractors and sub-consultants to permit, the Public Procurement Regulatory Authority, Procuring Entity and/or persons appointed or designated by the Government of Kenya to inspect the Site and/or the accounts and records relating to the procurement process, selection and/or contract execution, and to have such accounts and records audited by auditors appointed by the Procuring Entity if requested by the Procuring Entity. The Contractor's and its Subcontractors' and sub-consultants' attention is drawn to Sub Clause 15.6 (Fraud and Corruption) which provides, inter alia, that acts intended to materially impede the exercise of the Procuring Entity's inspection and audit rights constitute prohibited practice subject to contract termination (as well as to a determination of ineligibility pursuant to the Procuring Entity's prevailing sanctions procedures).

## 2. THE PROCURING ENTITY

### 2.1 Right of Access to the Site

- 2.1.1 The Procuring Entity shall give the Contractor right of access to, and possession of, all parts of the Site within the time (or times) stated in the **Special Conditions of Contract**. The right and possession may not be exclusive to the Contractor. If, under the Contract, the Procuring Entity is required to give (to the Contractor) possession of any foundation, structure, plant or means of access, the Procuring Entity shall do so in the time and manner stated in the Specification. However, the Procuring Entity may withhold any such right or possession until the Performance Security has been received.
- 2.1.2 If no such time is stated in the Special Conditions of Contract, the Procuring Entity shall give the Contractor right of access to, and possession of, the Site within such times as required to enable the Contractor to proceed without disruption in accordance with the programme submitted under Sub-Clause 8.3 [Programme].
- 2.1.3 If the Contractor suffers delay and/or incurs Cost as a result to failure by the Procuring Entity to give any such right or possession within such time, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
  - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and

b) Payment of any such Cost-plus profit, which shall be included in the Contract Price.

2.1.4 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5[Determinations]to agree or determine these matters.

2.1.5 However, if and to the extent that the Procuring Entity's failure was caused by any error or delay by the Contractor, including an error in, or delay in the submission of, any of the Contractor's Documents, the Contractor shall not be entitled to such extension of time, Cost or profit.

## **2.2 Permits, Licenses or Approvals**

2.2.1 The Procuring Entity shall provide, at the request of the Contractor, such reasonable assistance as to allow the Contractor to obtain properly:

a) Copies of the Laws of Kenya which are relevant to the Contract but are not readily available, and

b) Any permits, licenses or approvals required by the Laws of Kenya:

i) Which the Contractor is required to obtain under Sub-Clause 1.13 [Compliance with Laws],

ii) for the delivery of Goods, including clearance through customs, and iii) for the export of Contractor's Equipment when it is removed from the Site.

## **2.3 Procuring Entity's Personnel**

The Procuring Entity shall be responsible for ensuring that the Procuring Entity's Personnel and the Procuring Entity's other contractors on the Site:

a) co-operate with the Contractor's efforts under Sub-Clause 4.6[Co-operation], and

b) take actions similar to those which the Contractor is required to take under sub-paragraphs (a),(b)and(c) of Sub-Clause 4.8[Safety Procedures]and under Sub-Clause 4.18[Protection of the Environment].

## **2.4 Procuring Entity's Financial Arrangements**

The Procuring Entity shall make and maintain all necessary financial arrangements which will enable the Procuring Entity to pay the Contract Price punctually (as estimated at that time) in accordance with Clause 14 [Contract Price and Payment].

## **3. THE ENGINEER**

### **3.1 Architect Duties and Authority**

3.1.1 The Procuring Entity shall appoint the Architect who shall carry out the duties assigned to him in the Contract. The Architect staff shall include suitably qualified Assistants and other professionals who are competent to carry out these duties. The Architect Name and Address shall be provided in the **Special Conditions of Contract**.

3.1.2 The Architect shall have no authority to amend the Contract.

3.1.3 The Architect May exercise the authority attributable to the Architect as specified in or necessarily to be implied from the Contract. If the Architect is required to obtain the approval of the Procuring Entity before exercising a specified authority, the requirements shall be as stated in the **Special Conditions of Contract**. The Procuring Entity shall promptly inform the Contractor of any change to the authority attributed to the Engineer.

3.1.4 However, whenever the Architect exercises a specified authority for which the Procuring Entity's approval is required, then (for the purposes of the Contract) the contractor shall require the Architect to provide evidence of such approval before complying with the instruction.

3.1.5 Except as otherwise stated in these Conditions:

- a) Whenever carrying out duties or exercising authority, specified in or implied by the Contract, the Architect shall be deemed to act for the Procuring Entity;
- b) The Architect has no authority to relieve either Party of any duties, obligations or responsibilities under the Contract;
- c) Any approval, check, certificate, consent, examination, inspection, instruction, notice, proposal, request, test, or similar act by the Architect (including absence of disapproval) shall not relieve the Contractor from any responsibility he has under the Contract, including responsibility for errors, omissions, discrepancies and non-compliances; and
- d) Any act by the Architect in response to a Contractor's request shall be notified in writing to the Contractor within 14 days of receipt.

3.1.6 The following provisions shall apply:

The Architect shall obtain the specific approval of the Procuring Entity before taking action under the following Sub-Clauses of these Conditions:

- a) Sub-Clause 4.12: agreeing or determining an extension of time and/or additional cost.
- b) Sub-Clause 13.1: instructing a Variation, except;
  - i) In an emergency situation as determined by the Engineer, or
  - ii) If such a Variation would increase the Accepted Contract Amount by less than the percentage specified in the **Special Conditions of Contract**.
- c) Sub-Clause 13.3: Approving a proposal for Variation submitted by the Contractor in accordance with Sub Clause 13.1 or 13.2.
- d) Sub-Clause 13.4: Specifying the amount payable in each of the applicable three currencies.

3.1.7 Notwithstanding the obligation, as set out above, to obtain approval, if, in the opinion of the Engineer, an emergency occurs affecting the safety of life or of the Works or of adjoining property, he may, without relieving the Contractor of any of his duties and responsibility under the Contract, instruct the Contractor to execute all such work or to do all such things as may, in the opinion of the Engineer, be necessary to abate or reduce the risk. The Contractor shall forth with comply, despite the absence of approval of the Procuring Entity, with any such instruction of the Engineer. The Architect shall determine an addition to the Contract Price, in respect of such instruction, in accordance with Clause 13 and shall notify the Contractor accordingly, with a copy to the Procuring Entity.

## 3.2 Delegation by the Engineer

3.2.1 The Architect may from time to time as sign duties and delegate authority to assistants and may also revoke such assignment or delegation. These assistants may include a resident Engineer, and/or independent inspectors appointed to inspect and/or test items of Plant and/or Materials. The assignment, delegation or revocation shall be in writing and shall not take effect until copies have been received by both Parties. However, unless otherwise agreed by both Parties, the Architect shall not delegate the authority to determine any matter in accordance with Sub-Clause 3.5[Determinations].

3.2.2 Each assistant, to whom duties have been assigned or authority has been delegated, shall only be authorized to issue instructions to the Contractor to the extent defined by the delegation. Any approval, check, certificate, consent, examination, inspection, instruction, notice, proposal, request, test, or similar act by an assistant, in accordance with the delegation, shall have the same effect as though the act had been an act of the Engineer. However:

- a) Any failure to disapprove any work, Plant or Materials shall not constitute approval, and shall therefore not prejudice the right of the Architect to reject the work, Plant or Materials;
- b) If the Contractor questions any determination or instruction of an assistant, the Contractor may refer the matter to the Engineer, who shall promptly confirm, reverse or vary the determination or instruction.

### **3.3 Instructions of the Engineer**

- 3.3.1 The Architect may issue to the Contractor (at any time) instructions and additional or modified Drawings which may be necessary for the execution of the Works and the remedying of any defects, all in accordance with the Contract. The Contractor shall only take instructions from the Engineer, or from an assistant to whom the appropriate authority has been delegated under Clause 3.2.1.
- 3.3.2 The Contractor shall comply with the instructions given by the Architect or delegated assistant, on any matter related to the Contract. Whenever practicable, their instructions shall be given in writing. If the Architect or a delegated assistant:
- a) Gives an oral instruction,
  - b) receives a written confirmation of the instruction, from (or on behalf of) the Contractor, within two working days after giving the instruction, and
  - c) does not reply by issuing a written rejection and/or instruction within two working days after receiving the confirmation,

Then the confirmation shall constitute the written instruction of the Architect or delegated assistant (as the case maybe).

### **3.4 Replacement of the Engineer**

If the Procuring Entity intends to replace the Engineer, the Procuring Entity shall, in not less than 21 days before the intended date of replacement, give notice to the Contractor of the name, address and relevant experience of the intended person to replace the Engineer.

### **3.5 Determinations**

- 3.5.1 Whenever these Conditions provide that the Architect shall proceed in accordance with this Sub-Clause 3.5 to agree or determine any matter, the Architect shall consult with each Party in an endeavor to reach agreement. If agreement is not achieved, the Architect shall make a fair determination in accordance with the Contract, taking due regard of all relevant circumstances.
- 3.5.1 The Architect shall give notice to both Parties of each agreement or determination, with supporting particulars, within 30 days from the receipt of the corresponding claim or request except when otherwise specified. Each Party shall give effect to each agreement or determination unless and until revised under Clause 20 [Claims, Disputes and Arbitration].

## **4. THE CONTRACTOR**

### **4.1 Contractor's General Obligations**

- 4.1.1 The Contractor shall design (to the extent specified in the Contract), execute and complete the Works in accordance with the Contract and with the Architect instructions, and shall remedy any defects in the Works.
- 4.1.2 The Contractor shall provide the Plant and Contractor's Documents specified in the Contract, and all Contractor's Personnel, Goods, consumables and other things and services, whether of a temporary or permanent nature, required in and for this design, execution, completion and remedying of defects.
- 4.1.3 All equipment, material, and services to be incorporated in or required for the Works shall have their origin in any eligible source country.
- 4.1.4 The Contractor shall be responsible for the adequacy, stability and safety of all Site operations and of all methods of construction. Except to the extent specified in the Contract, the Contractor(i) shall be responsible for all Contractor's Documents, Temporary Works, and such design of each item of Plant and Materials as is required for the item to be in accordance with the Contract, and(ii) shall not otherwise be responsible for the design or specification of the Permanent Works.
- 4.1.5 The Contractor shall, whenever required by the Engineer, submit details of the arrangements and methods which the Contractor proposes to adopt for the execution of the Works. No significant alteration to these arrangements and methods shall be made without this having previously been notified to the Engineer.

- 4.1.6 If the Contract specifies that the Contractor shall design any part of the Permanent Works, the unless otherwise stated in the Special Conditions:
- a) The Contractor shall submit to the Architect the Contractor's Documents for this part in accordance with the procedure specified in the Contract;
  - b) these Contractor's Documents shall be in accordance with the Specification and Drawings, shall be written in the language for communications defined in Sub-Clause 1.4 [Law and Language], and shall include additional information required by the Architect to add to the Drawings for co-ordination of each Party's designs;
  - c) the Contractor shall be responsible for this part and it shall, when the Works are completed, be fit for such purposes for which the part is intended as are specified in the Contract; and
  - d) prior to the commencement of the Tests on Completion, the Contractor shall submit to the Architect the "as-built" documents and, If applicable, operation and maintenance manuals in accordance with the Specification and insufficient detail for the Procuring Entity to operate, maintain, dismantle, reassemble, adjust and repair this part of the Works. Such part shall not be considered to be completed for the purposes of taking-over under Sub-Clause 10.1 [Taking Over of the Works and Sections] until these documents and manuals have been submitted to the Engineer.

## 4.2 Performance Security

- 4.2.1 The Contractor shall obtain (at his cost) a Performance Security for proper performance, in the amount stated in the **Special Conditions of Contract** and denominated in the currency (ies) of the Contract or in a freely convertible currency acceptable to the Procuring Entity. If an amount is not stated in the Special Conditions of Contract, this Sub-Clause shall not apply.
- 4.2.2 The Contractor shall deliver the Performance Security to the Procuring Entity within 30 days after receiving the Notification of Award and shall send a copy to the Engineer. The Performance Security shall be issued by a reputable bank selected by the Contractor and shall be in the form annexed to the Special Conditions, as stipulated by the Procuring Entity in the Special Conditions of Contract, or in another form approved by the Procuring Entity.
- 4.2.3 The Contractor shall ensure that the Performance Security is valid and enforceable until the Contractor has executed and completed the Works and remedied any defects. If the terms of the Performance Security specify its expiry date, and the Contractor has not become entitled to receive the Performance Certificate by the date 30 days prior to the expiry date, the Contractor shall extend the validity of the Performance Security until the Works have been completed and any defects have been remedied.
- 4.2.4 The Procuring Entity shall not make a claim under the Performance Security, except for amounts to which the Procuring Entity is entitled under the Contract.
- 4.2.5 The Procuring Entity shall indemnify and hold the Contractor harmless against and from all damages, losses and expenses (including legal fees and expenses) resulting from a claim under the Performance Security to the extent to which the Procuring Entity was not entitled to make the claim.
- 4.2.6 The Procuring Entity shall return the Performance Security to the Contractor within 14 days after receiving a copy of the Taking-Over Certificate.
- 4.2.7 Without limitation to the provisions of the rest of this Sub-Clause, whenever the Architect determines an addition or a reduction to the Contract Price as a result of a change in cost and/or legislation, or as a result of a Variation, amounting to more than 25 percent of the portion of the Contract Price payable in a specific currency, the Contractor shall at the Architect request promptly increase, or may decrease, as the case may be, the value of the Performance Security in that currency by an equal percentage.

## 4.3 Contractor's Representative

- 4.3.1 The Contractor shall appoint the Contractor's Representative and shall give him all authority necessary to act on the Contractor's behalf under the Contract. The Contractor's Representative's Name and Address shall be provided in the **Special Conditions of Contract**.

- 4.3.2 Unless the Contractor's Representative **is named in the Contract**, the Contractor shall, prior to the Commencement Date, submit to the Architect for consent the name and particulars of the person the Contractor proposes to appoint as Contractor's Representative. If consent is withheld or subsequently revoked in terms of Sub-Clause 6.9[Contractor's Personnel], or if the appointed person fails to act as Contractor's Representative, the Contractor shall similarly submit the name and particulars of another suitable person for such appointment.
- 4.3.3 The Contractor shall not, without the prior consent of the Engineer, revoke the appointment of the Contractor's Representative or appoint a replacement.
- 4.3.4 The whole time of the Contractor's Representative shall be given to directing the Contractor's performance of the Contract. If the Contractor's Representative is to be temporarily absent from the Site during the execution of the Works, a suitable replacement person shall be appointed, subject to the Architect prior consent, and the Architect shall be notified accordingly.
- 4.3.5 The Contractor's Representative shall, on behalf of the Contractor, receive instructions under Sub-Clause 3.3 [Instructions of the Engineer].
- 4.3.6 The Contractor's Representative may delegate any powers, functions and authority to any competent person, and may at any time revoke the delegation. Any delegation or revocation shall not take effect until the Architect has received prior notice signed by the Contractor's Representative, naming the person and specifying the powers, functions and authority being delegated or revoked.
- 4.3.7 The Contractor's Representative shall be fluent in the language for communications defined in SubClause 1.4 [Law and Language]. If the Contractor's Representative's delegates are not fluent in the said language, the Contractor shall make competent interpreters available during all working hours in a number deemed sufficient by the Engineer.

#### **4.4 Sub-contractors**

- 4.4.1 The Contractor shall not subcontract the whole of the Works. The contractor may however subcontract the works as provided in Clause 34.2.
- 4.4.2 The Contractor shall be responsible for the acts or defaults of any Sub contractor, his agents or employees, as if they were the acts or defaults of the Contractor. Unless otherwise stated in the Special Conditions: a) The Contractor shall not be required to obtain consent to suppliers solely of Materials, or to a subcontract for which the Subcontractor is named in the Contract;
- b) The prior consent of the Procuring Entity shall be obtained to other proposed Subcontractors;
  - c) the Contractor shall give the Procuring Entity not less than 14 days' notice of the intended date of the commencement of each Subcontractor's work, and of the commencement of such work on the Site; and
  - d) each subcontract shall include provisions which would entitle the Procuring Entity to require the subcontract to be assigned to the Procuring Entity under Sub-Clause 4.5 [Assignment of Benefit of Subcontract] (if or when applicable) or in the event of termination under Sub-Clause 15.2[Termination by Procuring Entity].
- 4.4.3 The Contractor shall ensure that the requirements imposed on the Contractor by Sub-Clause 1.12[Confidential Details] apply equally to each Subcontractor.
- 4.4.4 Where practicable, the Contractor shall give fair and reasonable opportunity for contractors from Kenya to be appointed as Subcontractors.

**4.5 Assignment Benefit of Subcontract** If a Subcontractor's obligations extend beyond the expiry date of the relevant Defects Notification Period and the Engineer, prior to this date, instructs the Contractor to assign the benefit of such obligations to the Procuring Entity, then the Contractor shall do so. Unless otherwise stated in the assignment, the Contractor shall have no liability to the Procuring Entity for the work carried out by the Subcontract or after the assignment takes effect.

#### **4.6 Co-operation**

- 4.6.1 The Contractor shall, as specified in the Contract or as instructed by the Engineer, allow appropriate

opportunities for carrying out work to:

- a) The Procuring Entity's Personnel,
- b) Any other contractors employed by the Procuring Entity, and
- c) The personnel of any legally constituted public authorities, who may be employed in the execution on or near the Site of any work not included in the Contract.

4.6.2 Any such instruction shall constitute a Variation if and to the extent that it causes the Contractor to suffer delays and/or to incur Unforeseeable Cost. Services for these personnel and other contractors may include the use of Contractor's Equipment, Temporary Works or access arrangements which are the responsibility of the Contractor.

4.6.3 If, under the Contract, the Procuring Entity is required to give to the Contractor possession of any foundation, structure, plant or means of access in accordance with Contractor's Documents, the Contractor shall submit such documents to the Architect in the time and manner stated in the Specification.

#### **4.7 Setting Out of the Works**

4.7.1 The Contractor shall set out the Works in relation to original points, lines and levels of reference specified in the Contract notified by the Engineer. The Contractor shall be responsible for the correct positioning of all parts of the Works, and shall rectify any error in the positions, levels, dimensions or alignment of the Works.

4.7.2 The Procuring Entity shall be responsible for any errors in these specified or notified items of reference, but the Contractor shall use reasonable efforts to verify their accuracy before they are used.

4.7.3 If the Contractor suffers delay and/or incurs Cost from executing work which was necessitated by an error in these items of reference, and an experienced contractor could not reasonably have discovered such error and avoided this delay and/or Cost, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:

- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
- b) payment of any such costs accrued, which shall be included in the Contract Price.

4.7.4 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) whether and (if so) to what extent the error could not reasonably have been discovered, and (ii) the matters described in sub-paragraphs (a) and (b) above related to these.

#### **4.8 Safety Procedures**

The Contractor shall:

- a) Comply with all applicable safety regulations,
- b) Take care for the safety of all persons sent to be on the Site,
- c) Use reasonable efforts to keep the Site and Works clear of unnecessary obstruction so as to avoid danger to these persons,
- d) provide fencing, lighting, guarding and watching of the Works until completion and taking over under Clause 10 [Procuring Entity's Taking Over], and
- e) provide any Temporary Works (including roadways, footways, guards and fences) which may be necessary, because of the execution of the Works, for the use and protection of the public and of owners and occupiers of adjacent land.

#### **4.9 Quality Assurance**

4.9.1 The Contractor shall institute a quality assurance system to demonstrate compliance with the requirements of the Contract. The system shall be in accordance with the details stated in the Contract. The Architect shall be entitled to audit any aspect of the system.

4.9.2 Details of all procedures and compliance documents shall be submitted to the Architect for information before each design and execution stage is commenced. When any document of a technical nature is issued

to the Engineer, evidence of the prior approval by the Contractor itself shall be apparent on the document itself.

Compliance with the quality assurance system shall not relieve the Contractor of any of his duties, obligations or responsibilities under the Contract.

#### **4.10 Site Data**

4.10.1 The Procuring Entity shall have made available to the Contractor for his information, prior to the Base Date, all relevant data in the Procuring Entity's possession on sub-surface and hydrological conditions at the Site, including environmental aspects. The Procuring Entity shall similarly make available to the Contractor all such data which come into the Procuring Entity's possession after the Base Date. The Contractor shall be responsible for interpreting all such data.

4.10.2 To the extent which was practicable (taking account of cost and time), the Contractor shall be deemed to have obtained all necessary information as to risks, contingencies and other circumstances which may influence or affect the Tender or Works. To the same extent, the Contractor shall be deemed to have inspected and examined the Site, its surroundings, the above data and other available information, and to have been satisfied before submitting the Tender as to all relevant matters, including (without limitation):

- a) The form and nature of the Site, including sub-surface conditions,
- b) The hydrological and climatic conditions,
- c) the extent and nature of the work and Goods necessary for the execution and completion of the Works and the remedying of any defects,
- d) the Laws, procedures and labour practices of Kenya, and
- e) the Contractor's requirements for access, accommodation, facilities, personnel, power, transport, water and other services.

#### **4.11 Sufficiency of the Accepted Contract Amount**

4.11.1 The Contractor shall be deemed to:

- a) Have satisfied itself as to the correctness and sufficiency of the Accepted Contract Amount, and
- b) have based the Accepted Contract Amount on the data, interpretations, necessary information, inspections, examinations and satisfaction as to all relevant matters referred to in Sub-Clause 4.10 [Site Data].

4.11.2 Unless otherwise stated in the Contract, the Accepted Contract Amount covers all the Contractor's obligations under the Contract (including those under Provisional Sums, if any) and all things necessary for the proper execution and completion of the Works and the remedying of any defects.

#### **4.12 Unforeseeable Physical Conditions**

4.12.1 In this Sub-Clause, "physical conditions" mean natural physical conditions and man-made and other physical obstructions and pollutants, which the Contractor encounters at the Site when executing the Works, including sub-surface and hydrological conditions but excluding climatic conditions.

4.12.2 If the Contractor encounters adverse physical conditions which he considers to have been Unforeseeable, the Contractor shall give notice to the Architect as soon as practicable.

4.12.3 This notice shall describe the physical conditions, so that they can be inspected by the Architect and shall set out the reasons why the Contractor considers them to be Unforeseeable. The Contractor shall continue executing the Works, using such proper and reasonable measures as are appropriate for the physical conditions, and shall comply with any instructions which the Architect may give. If an instruction constitutes a Variation, Clause 13 [Variations and Adjustments] shall apply.

- 4.12.4 If and to the extent that the Contractor encounters physical conditions which are Unforeseeable, gives such a notice, and suffers delay and/or incurs Cost due to these conditions, the Contractor shall be entitled subject to notice under Sub-Clause 20.1 [Contractor's Claims] to:
- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
  - b) Payment of any such Cost, which shall be included in the Contract Price.
- 4.12.5 Upon receiving such notice and inspecting and/or investigating these physical conditions, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) whether and (if so) to what extent these physical conditions were Unforeseeable, and (ii) the matters described in sub-paragraphs (a) and (b) above related to this extent.
- 4.12.6 However, before additional Cost is finally agreed or determined under sub-paragraph (ii), the Architect may also review whether other physical conditions in similar parts of the Works (if any) were more favorable than could reasonably have been foreseen when the Contractor submitted the Tender. If and to the extent that these more favorable conditions were encountered, the Architect may proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine the reductions in Cost which were due to these conditions, which may be included (as deductions) in the Contract Price and Payment Certificates. However, the net effect of all adjustments under sub-paragraph (b) and all these reductions, for all the physical conditions encountered in similar parts of the Works, shall not result in a reduction in the Contract Price.
- 4.12.7 The Architect shall take account of any evidence of the physical conditions foreseen by the Contractor when submitting the Tender, which shall be made available by the Contractor, but shall not be bound by the Contractor's interpretation of any such evidence.

#### **4.13 Rights of Way and Facilities**

Unless otherwise specified in the Contract the Procuring Entity shall provide effective access to and possession of the Site including special and/or temporary rights-of-way which are necessary for the Works. The Contractor shall obtain, at his risk and cost, any additional rights of way or facilities outside the Site which he may require for the purposes of the Works.

#### **4.14 Avoidance of Interference**

- 4.14.1 The Contractor shall not interfere unnecessarily or improperly with:
- a) The convenience of the public, or
  - b) The access to and use and occupation of all roads and footpaths, irrespective of whether they are public or in the possession of the Procuring Entity or of others.
- 4.14.2 The Contractor shall indemnify and hold the Procuring Entity harmless against and from all damages, losses and expenses (including legal fees and expenses) resulting from any such unnecessary or improper interference.

#### **4.15 Access Route**

- 4.15.1 The Contractor shall be deemed to have been satisfied as to the suitability and availability of access routes to the Site at Base Date. The Contractor shall use reasonable efforts to prevent any road or bridge from being damaged by the Contractor's traffic or by the Contractor's Personnel. These efforts shall include the proper use of appropriate vehicles and routes.
- 4.15.2 Except as otherwise stated in these Conditions:
- a) The Contractor shall (as between the Parties) be responsible for any maintenance which may be required for his use of access routes;
  - b) the Contractor shall provide all necessary signs or directions along access routes, and shall obtain any permission which may be required from the relevant authorities for his use of routes, signs and directions;

- c) the Procuring Entity shall not be responsible for any claims which may arise from the use or otherwise of any access route;
- d) the Procuring Entity does not guarantee the suitability or availability of particular access routes; and
- e) Costs due to non-suitability or non-availability, for the use required by the Contractor, of access routes shall be borne by the Contractor.

#### **4.16 Transport of Goods**

Unless otherwise stated in the Special Conditions:

- a) the Contractor shall give the Architect not less than 21 days' notice of the date on which any Plant or a major item of other Goods will be delivered to the Site;
- b) the Contractor shall be responsible for packing, loading ,transporting ,receiving ,unloading's touring and protecting all Goods and other things required for the Works ;and
- c) the Contractor shall indemnify and hold the Procuring Entity harmless against and from all damages, losses and expenses (including legal fees and expenses) resulting from the transport of Goods and shall negotiate and pay all claims arising from their transport.

#### **4.17 Contractor's Equipment**

The Contractor shall be responsible for all Contractors' Equipment. When brought on to the Site, Contractor's Equipment shall be deemed to be exclusively intended for the execution of the Works. The Contractor shall not remove from the Site any major items of Contractor's Equipment without the consent of the Engineer. However, consent shall not be required for vehicles transporting Goods or Contractor's Personnel off Site.

#### **4.18 Protection of the Environment**

- 4.18.1 The contractor shall comply with the applicable environmental laws, regulations and policies.
- 4.18.2 The Contractor shall take all reasonable steps to protect the environment (both on and off the Site)and to limit damage and nuisance to people and property resulting from pollution, noise and other results of his operations.
- 4.18.3 The Contractor shall ensure that emissions, surface discharges and effluent from the Contractor's activities shall not exceed the values stated in the Specification or prescribed by applicable Laws.

#### **4.19 Electricity, Water and Gas**

- 4.19.1 The Contractor shall, except as stated below, be responsible for the provision of all power, water and other services he may require for his construction activities and to the extent defined in the Specifications, for the tests.
- 4.19.2 The Contractor shall be entitled to use for the purposes of the Works such supplies of electricity, water,gas and other services as may be available on the Site and of which details and prices are given in the Specifications. The Contractor shall, at his risk and cost, provide any apparatus necessary for his use of these services and for measuring the quantities consumed.
- 4.19.3 The quantities consumed and the amounts due (at these prices) for such services shall be agreed or determined by the Architect in accordance with Sub-Clause 2.5 [Procuring Entity's Claims] and Sub-Clause 3.5 [Determinations].The Contractor shall pay these amounts to the Procuring Entity.

#### **4.20 Procuring Entity's Equipment and Free-Issue Materials**

- 4.20.1 The Procuring Entity shall make the Procuring Entity's Equipment (if any) available for the use of the Contractor in the execution of the Works in accordance with the details, arrangements and prices stated in the Specification. Unless otherwise stated in the Specification:
  - a) The Procuring Entity shall be responsible for the Procuring Entity's Equipment, except that
  - b) the Contractor shall be responsible for each item of Procuring Entity's Equipment whilst any of the

Contractor's Personnel is operating it, driving it, directing it or in possession or control of it.

- 4.20.1 The appropriate quantities and the amounts due (at such stated prices) for the use of Procuring Entity's Equipment shall be agreed or determined by the Architect in accordance with Sub-Clause 2.5 [Procuring Entity's Claims] and Sub-Clause 3.5 [Determinations]. The Contractor shall pay these amounts to the Procuring Entity.
- 4.20.2 The Procuring Entity shall supply, free of charge, the "free-issue materials" (if any) in accordance with the details stated in the Specification. The Procuring Entity shall, at his risk and cost, provide these materials at the time and place specified in the Contract. The Contractor shall then visually inspect them and shall promptly give notice to the Architect of any shortage, defect or default in these materials. Unless otherwise agreed by both Parties, the Procuring Entity shall immediately rectify the notified shortage, defect or default.
- 4.20.3 After this visual inspection, the free-issue materials shall come under the care, custody and control of the Contractor. The Contractor's obligations of inspection, care, custody and control shall not relieve the Procuring Entity of liability for any shortage, defect or default not apparent from a visual inspection.

#### **4.21 Progress Reports**

- 4.21.1 Unless otherwise stated in the Special Conditions, monthly progress reports shall be prepared by the Contractor and submitted to the Architect in six copies. The first report shall cover the period up to the end of the first calendar month following the Commencement Date. Reports shall be submitted monthly thereafter, each within 7 days after the last day of the period to which it relates.
- 4.21.2 Reporting shall continue until the Contractor has completed all work which is known to be outstanding at the completion date stated in the Taking-Over Certificate for the Works. Each report shall include:
- a) charts and detailed descriptions of progress, including each stage of design (if any), Contractor's Documents, procurement, manufacture, delivery to Site, construction, erection and testing; and including these stages for work by each nominated Subcontractor (as defined in Clause 5 [Nominated Subcontractors]),
  - b) photographs showing the status of manufacture and of progress on the Site;
  - c) for the manufacture of each main item of Plant and Materials, the name of the manufacturer, manufacture location, percentage progress, and the actual or expected date so f: i) commencement of manufacture, ii) Contractor's inspections, iii) tests, and
  - iv) Shipment and arrival at the Site;
  - d) the details described in Sub-Clause 6.10 [Records of Contractor's Personnel and Equipment];
  - e) copies of quality assurance documents, test results and certificates of Materials;
  - f) list of notices given under Sub-Clause 2.5 [Procuring Entity's Claims] and notices given under Sub-Clause 20.1 [Contractor's Claims];
  - g) safety statistics, including details of any hazardous incidents and activities relating to environmental aspects and public relations; and
  - h) Comparisons of actual and planned progress, with details of any events or circumstances which may jeopardize the completion in accordance with the Contract, and the measures being (or to be) adopted to overcome delays.

#### **4.22 Security of the Site**

Unless otherwise stated in the Special Conditions:

- a) The Contractor shall be responsible for keeping unauthorized persons off the Site, and
- b) authorized persons shall be limited to the Contractor's Personnel and the Procuring Entity's Personnel; and to any other personnel notified to the Contractor, by the Procuring Entity or the Engineer, as authorized personnel of the Procuring Entity's other contractors on the Site.

#### **4.23 Contractor's Operations on Site**

- 4.23.1 The Contractor shall confine his operations to the Site, and to any additional areas which may be obtained by the Contractor and agreed by the Architect as additional working areas. The Contractor shall take all necessary precautions to keep Contractor's Equipment and Contractor's Personnel within the Site and these additional areas, and to keep them off adjacent land.
- 4.23.2 During the execution of the Works, the Contractor shall keep the Site free from all unnecessary obstruction and shall store or dispose of any Contractor's Equipment or surplus materials. The Contractor shall clear away and remove from the Site any wreckage, rubbish and Temporary Works which are no longer required.
- 4.23.3 Upon the issue Taking-Over Certificate, the Contractor shall clear away and remove, from that part of the Site and Works to which the Taking-Over Certificate refers, all Contractor's Equipment, surplus material, wreckage, rubbish and Temporary Works. The Contractor shall leave that part of the Site and the Works in a clean and safe condition. However, the Contractor may retain on Site, during the Defects Notification Period, such Goods as are required for the Contractor to fulfill obligations under the Contract.

#### **4.24 Fossils**

- 4.24.1 All fossils, coins, articles of value or antiquity, and structures and other remains or items of geological or archaeological interest found on the Site shall be placed under the care and authority of the Procuring Entity. The Contractor shall take reasonable precautions to prevent Contractor's Personnel or other persons from removing or damaging any of these findings.
- 4.24.2 The Contractor shall, upon discovery of any such finding, promptly give notice to the Engineer, who shall issue instructions for dealing with it. If the Contractor suffers delay and/or incurs Cost from complying with the instructions, the Contractor shall give a further notice to the Architect and shall be entitled subject to Sub- Clause 20.1 [Contractor's Claims] to:
- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
  - b) Payment of any such Cost, which shall be included in the Contract Price.
- After receiving this further notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

### **5. NOMINATED SUBCONTRACTORS**

#### **5.1 Definition of "nominated Sub contractor"**

In this Contract, "nominated Subcontractor" means a Subcontractor: a) who is nominated by the Procuring Entity, or

- b) Contractor has nominated as a Subcontractor subject to Sub-Clause 5.2 [Objection to Notification].

#### **5.2 Objection to Nomination**

The Contractor shall not be under any obligation to employ a nominated Subcontractor against whom the Contractor raises reasonable objection by notice to the Procuring Entity as soon as practicable, with supporting particulars. An objection shall be deemed reasonable if it arises from (among other things) any of the following matters, unless the Procuring Entity agrees in writing to indemnify the Contractor against and from the consequences of the matter:

- a) there are reasons to believe that the Subcontractor does not have sufficient competence, resources or financial strength;
- b) the nominated Subcontractor does not accept to indemnify the Contractor against and from any negligence misuse of Goods by the nominated Subcontractor, his agents and employees; or
- c) the nominated Subcontractor does not accept to enter into a subcontract which specifies that, for the subcontracted work (including design, if any), the nominated Subcontractor shall:
  - i) undertake to the Contractor such obligations and liabilities as will enable the Contractor to discharge his obligations and liabilities under the Contract;

- ii) indemnify the Contractor against and from all obligations and liabilities arising under or in connection with the Contract and from the consequences of any failure by the Subcontractor to perform these obligations or to fulfill these liabilities, and
- iii) be paid only if and when the Contractor has received from the Procuring Entity payments for sums due under the Subcontract referred to under Sub-Clause 5.3 [Payment to nominated Subcontractors].

### **5.3 Payments to nominated Subcontractors**

The Contractor shall pay to the nominated Subcontractor the amounts shown on the nominated Subcontractor's invoices approved by the Contractor which the Architect certifies to be due in accordance with the sub contract. These amounts plus other charges shall be included in the Contract Price in accordance with sub-paragraph (b) of Sub-Clause 13.5 [Provisional Sums], except as stated in Sub-Clause 5.4 [Evidence of Payments].

### **5.4 Evidence of Payments**

5.4.1 Before issuing a Payment Certificate which includes an amount payable to a nominated Subcontractor, the Architect may request the Contractor to supply reasonable evidence that the nominated Subcontractor has received all amounts due in accordance with previous Payment Certificates, less applicable deductions for retention or otherwise. Unless the Contractor:

- (a) Submits this reasonable evidence to the Engineer, or
- (b) i) Satisfies the Architect in writing that the Contractor is reasonably entitled to withhold or refuse to pay these amounts, and
  - ii) Submits to the Architect reasonable evidence that the nominated Subcontractor has been notified of the Contractor's entitlement, then the Procuring Entity may (at his sole discretion) pay, direct to the nominated Subcontractor, part or all of such amounts previously certified (less applicable deductions) as are due to the nominated Subcontractor and for which the Contractor has failed to submit the evidence described in sub-paragraphs (a) or (b) above. The Contractor shall then repay, to the Procuring Entity, the amount which the nominated Subcontractor was directly paid by the Procuring Entity.

## **6. STAFF AND LABOR**

### **6.1 Engagement of Staff and Labor**

Except as otherwise stated in the Specification, the Contractor shall make arrangements for the engagement of all staff and labor, local or otherwise, and for their payment, feeding, transport, and, when appropriate, housing. The Contractor is encouraged, to the extent practicable and reasonable, to employ staff and labor with appropriate qualifications and experience from sources within Kenya.

### **6.2 Rates of Wages and Conditions of Labor**

6.2.1 The Contractor shall pay rates of wages, and observe conditions of labor, which are not lower than those established for the trade or industry where the work is carried out. If no established rates or conditions are applicable, the Contractor shall pay rates of wages and observe conditions which are not lower than the general level of wages and conditions observed locally by Procuring Entity's whose trade or industry is similar to that of the Contractor.

6.2.2 The Contractor shall inform the Contractor's Personnel about their liability to pay personal income taxes in Kenya in respect of such of their salaries, wages, allowances and any benefits as are subject to tax under the Laws of Kenya for the time being in force, and the Contractor shall perform such duties in regard to such deductions thereof as may be imposed on him by such Laws.

### **6.3 Persons in the Service of Procuring Entity**

The Contractor shall not recruit, or attempt to recruit, staff and labour from amongst the Procuring Entity's Personnel.

## 6.4 Labor Laws

The Contractor shall comply with all the relevant labour Laws applicable to the Contractor's Personnel, including Laws relating to their employment, employment of children, health, safety, welfare, immigration and emigration, and shall allow them all their legal rights. The Contractor shall require his employees to obey all applicable Laws, including those concerning safety at work.

## 6.5 Working Hours

No work shall be carried out on the Site on locally recognized days of rest, or outside the normal working hours stated in the **Special Conditions of Contract**, unless: a) Otherwise stated in the Contract,

- b) The Architect gives consent, or
- c) The work is unavoidable, or necessary for the protection of life or property or for the safety of the Works, in which case the Contractor shall immediately advise the Engineer, provided that work done outside the normal working hours shall be considered and paid for as overtime.

## 6.6 Facilities for Staff and Labor

Except as otherwise stated in the Specification, the Contractor shall provide and maintain all necessary accommodation and welfare facilities on site for the Contractor's Personnel. The Contractor shall also provide facilities for the Procuring Entity's Personnel as stated in the Specifications. The Contractor shall not permit any of the Contractor's Personnel to maintain any temporary or permanent living quarters within the structures forming part of the Permanent Works.

## 6.7 Health and Safety

- 6.7.1 The Contractor shall at all times take all reasonable precautions to maintain the health and safety of the Contractor's Personnel. In collaboration with local health authorities, the Contractor shall ensure that medical staff, first aid facilities, sick bay and ambulance service are available at all times at the Site and at any accommodation for Contractor's and Procuring Entity's Personnel, and that suitable arrangements are made for all necessary welfare and hygiene requirements and for the prevention of epidemics.
- 6.7.2 The Contractor shall appoint an accident prevention officer at the Site, responsible for maintaining safety and protection against accidents. This person shall be qualified for this responsibility and shall have the authority to issue instructions and take protective measures to prevent accidents. Throughout the execution of the Works, the Contractor shall provide whatever is required by this person to exercise this responsibility and authority.
- 6.7.3 The Contractor shall send, to the Engineer, details of any accident as soon as practicable after its occurrence. The Contractor shall maintain records and make reports concerning health, safety and welfare of persons, and damage to property, as the Architect may reasonably require.
- 6.7.4 The Contractor shall conduct an awareness programme on HIV and other sexually transmitted diseases via an approved service provider and shall undertake such other measures taken to reduce the risk of the transfer of these diseases between and among the Contractor's Personnel and the local community, to promote early diagnosis and to assist affected individuals.

## 6.8 Contractor's Superintendence

- 6.8.1 Throughout the execution of the Works, and as long thereafter as is necessary to fulfill the Contractor's obligations, the Contractor shall provide all necessary superintendence to plan, arrange, direct, manage, inspect and test the work.
- 6.8.2 Superintendence shall be given by a sufficient number of persons having adequate knowledge of the language for communications (defined in Sub-Clause 1.4 [Law and Language]) and of the operations to be carried out (including the methods and techniques required, the hazards likely to be encountered and methods of preventing accidents), for the satisfactory and safe execution of the Works.

## **6.9 Contractor's Personnel**

- 6.9.1 The Contractor's Personnel shall be appropriately qualified, skilled and experienced in their respective trades or occupations. The Contractor's Key personnel shall be named in the Special Conditions of Contract. The Architect may require the Contractor to remove (or cause to be removed) any person employed on the Site or Works, including the Contractor's Representative if applicable, who:
- a) Persists in any misconduct or lack of care,
  - b) Carries out duties incompetently or negligently,
  - c) Fails to conform with any provisions of the Contract,
  - d) persists in any conduct which is prejudicial to safety, health, or the protection of the environment, or
  - e) based on reasonable evidence, is determined to have engaged in Fraud and Corruption during the execution of the Works.
- 6.9.2 If appropriate, the Contractor shall then appoint (or cause to be appointed) a suitable replacement person.

## **6.10 Records of Contractor's Personnel and Equipment**

The Contractor shall submit, to the Engineer, details showing the number of each class of Contractor's Personnel and of each type of Contractor's Equipment on the Site. Details shall be submitted each calendar month, in a form approved by the Engineer, until the Contractor has completed all work which is known to be outstanding at the completion date stated in the Taking-Over Certificate for the Works.

## **6.11 Disorderly Conduct**

The Contractor shall at all times take all reasonable precautions to prevent any unlawful, riotous or disorderly conduct by or amongst the Contractor's Personnel, and to preserve peace and protection of persons and property on and near the Site.

## **6.12 Foreign Personnel**

- 6.12.1 The Contractor shall not employ foreign personnel unless the contractor demonstrates that there are no Kenyans with the required skills.
- 6.12.2 The Contractor shall be responsible for the return of any foreign personnel to the place where they were recruited or to their domicile. In the event of the death in Kenya of any of these personnel or members of their families, the Contractor shall similarly be responsible for making the appropriate arrangements for their return or burial.

## **6.13 Supply of Water**

The Contractor shall, having regard to local conditions, provide on the Site an adequate supply of drinking and other water for the use of the Contractor's Personnel.

## **6.14 Measures against Insect and Pest Nuisance**

The Contractor shall at all times take the necessary precautions to protect the Contractor's Personnel employed on the Site from insect and pest nuisance, and to reduce the danger to their health. The Contractor shall comply with all the regulations of the local health authorities, including use of appropriate insecticide.

## **6.15 Alcoholic Liquor or Drugs**

The Contractor shall not, otherwise than in accordance with the Laws of Kenya, on site, import, sell, give, barter or otherwise dispose of any alcoholic liquor or drugs, or permit or allow importation, sale, gift, barter or disposal thereof by Contractor's Personnel.

## **6.16 Prohibition of Forced or Compulsory Labour**

The Contractor shall not employ forced labor, which consists of any work or service, not voluntarily performed, that is exacted from an individual under threat of force or penalty, and includes any kind of

involuntary or compulsory labor, such as indentured labor, bonded laborer similar labor-contracting arrangements.

#### **6.17 Prohibition of Harmful Child Labor**

The Contractor shall not employ children in a manner that is economically exploitative, or is likely to be hazardous, or to interfere with, the child's education, or to be harmful to the child's health or physical, mental, spiritual, moral, or social development. Where the relevant labour laws of Kenya have provisions for employment of minors, the Contractor shall follow those laws applicable to the Contractor. Children below the age of 18 years shall not be employed in dangerous work.

#### **6.18 Employment Records of Workers**

The Contractor shall keep complete and accurate records of the employment of labour at the Site. These records shall include the names, ages, genders, hours worked and wages paid to all workers. These records shall be summarized on a monthly basis and submitted to the Engineer. These records shall be included in the details to be submitted by the Contractor under Sub-Clause 6.10[Records of Contractor's Personnel and Equipment].

#### **6.19 Workers' Organizations**

The Contractor shall comply with the relevant labor laws that recognize workers' rights to form and to join workers' organizations of their choosing without interference.

#### **6.20 Non-Discrimination and Equal Opportunity**

The Contractor shall base the labour employment on the principle of equal opportunity and fair treatment and shall not discriminate with respect to aspects of the employment relationship, including recruitment and hiring, compensation(including wages and benefits),working conditions and terms of employment, access to training, promotion, termination of employment or retirement, and discipline.

### **7. PLANT, MATERIALS AND WORKMANSHIP**

#### **7.1 Manner of Execution**

The Contractor shall carry out the manufacture/assemble of plant, the production and manufacture of Materials, and all other execution of the Works:

- a) In the manner(if any)specified in the Contract,
- b) In a proper workman like and careful manner, in accordance with recognized good practice, and
- c) with properly equipped facilities and non-hazardous Materials, except as otherwise specified in the Contract.

#### **7.2 Samples**

The Contractor shall submit the following samples of Materials, and relevant information, to the Architect for consent prior to using the Materials in or for the Works:

- a) manufacturer's standard samples of Materials and samples specified in the Contract, all at the Contractor's cost, and
- b) Additional samples instructed by the Architect as a Variation.

Each sample shall be labeled as to origin and intended use in the Works. **7.3**

### **Inspection**

7.3.1 The Procuring Entity's Personnel shall at all reasonable times:

- a) Have full access to all parts of the Site and to all places from which natural Materials are being obtained, and
- b) during production, manufacture and construction (at the Site and elsewhere), be entitled to examine, inspect, measure and test the materials and workmanship, and to check the progress of manufacture of Plant and production and manufacture of Materials.

7.3.2 The Contractor shall give the Procuring Entity's Personnel full opportunity to carry out these activities, including providing access, facilities, permissions and safety equipment. No such activity shall relieve the Contractor from any obligation or responsibility.

7.3.3 The Contractor shall give notice to the Architect whenever any work is ready and before it is covered up, put out of sight, or packaged for storage or transport. The Architect shall then either carry out the examination, inspection, measurement or testing without unreasonable delay, or promptly give notice to the Contractor that

the Architect does not require to do so. If the Contractor fails to give the notice, he shall, if and when required by the Engineer, uncover the work and thereafter reinstate and make good, all at the Contractor's cost.

#### **7.4 Testing**

7.2.1 This Sub-Clause shall apply to all tests specified in the Contract.

7.2.2 Except as otherwise specified in the Contract, the Contractor shall provide all apparatus, assistance, documents and other information, electricity, equipment, fuel, consumables, instruments, labor, materials, and suitably qualified and experienced staff, as are necessary to carry out the specified tests efficiently. The Contractor shall agree, with the Engineer, the time and place for the specified testing of any Plant, Materials and other parts of the Works.

7.2.3 The Architect may, under Clause 13 [Variations and Adjustments], vary the location or details of specified tests, or instruct the Contractor to carry out additional tests. If these varied or additional tests show that the tested Plant, Materials or workmanship is not in accordance with the Contract, the cost of carrying out this Variation shall be borne by the Contractor, notwithstanding other provisions of the Contract.

7.2.4 The Architect shall give the Contractor not less than 24 hours' notice of the Architect intention to attend the tests. If the Architect does not attend at the time and place agreed, the Contractor may proceed with the tests, unless otherwise instructed by the Engineer, and the tests shall then be deemed to have been made in the Architect presence.

7.2.5 If the Contractor suffers delay and/or incurs Cost from complying with these instructions or as a result of a delay for which the Procuring Entity is responsible, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:

- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
- b) payment of any such Cost-plus profit, which shall be included in the Contract Price.

7.2.6 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

7.2.7 The Contractor shall promptly forward to the Architect duly certified reports of the tests. When the specified tests have been passed, the Architect shall endorse the Contractor's test certificate, or issue a certificate to him, to that effect. If the Architect has not attended the tests, he shall be deemed to have accepted the readings as accurate.

#### **7.5 Rejection**

7.5.1 If, as a result of an examination, inspection, measurement or testing, any Plant, Materials or workmanship is found to be defective or otherwise not in accordance with the Contract, the Architect may reject the Plant, Materials or workmanship by giving notice to the Contractor, with reasons. The Contractor shall then promptly make good the defect and ensure that the rejected item complies with the Contract.

7.5.2 If the Architect requires this Plant, Materials or workmanship to be retested, the tests shall be repeated under the same terms and conditions. If the rejection and retesting cause the Procuring Entity to incur additional costs, the Contractor shall subject to Sub-Clause 2.5 [Procuring Entity's Claims] pay these costs to the Procuring Entity.

## **7.6 Remedial Work**

- 7.6.1 Notwithstanding any previous test or certification, the Architect may instruct the Contractor to:
- a) Remove from the Site and replace any Plant or Materials which is not in accordance with the Contract,
  - b) Remove and re-execute any other work which is not in accordance with the Contract, and
  - c) execute any work which is urgently required for the safety of the Works, whether because of an accident, unforeseen able event or otherwise.
- 7.6.2 The Contractor shall comply with the instruction within a reasonable time, which shall be the time (if any) specified in the instruction, or immediately if urgency is specified under sub-paragraph(c).
- 7.6.3 If the Contractor fails to comply with the instruction, the Procuring Entity shall be entitled to employ and pay other persons to carry out the work. Except to the extent that the Contractor would have been entitled to payment for the work, the Contractor shall subject to Sub-Clause 2.5 [Procuring Entity's Claims] pay to the Procuring Entity all costs arising from this failure.
- 7.6.4 If the contractor repeatedly delivers defective work, the Procuring Entity may consider termination in accordance with Clause 15.

## **7.7 Ownership of Plant and Materials**

Except as otherwise provided in the Contract, each item of Plant and Materials shall become the property of the Procuring Entity at whichever is the earlier of the following times, free from liens and other encumbrances: a) When it is incorporated in the Works;

- b) When the Contractor is paid the corresponding value of the Plant and Materials under Sub-Clause 8.10 [Payment for Plant and Materials in Event of Suspension].

## **7.8 Royalties**

Unless otherwise stated in the Specification, the Contractor shall pay all royalties, rents and other payments for:

- a) Natural materials obtained from outside the Site, and
- b) The disposal of material from demolitions and excavations and of other surplus material (whether natural or man-made), except to the extent that disposal areas within the Site are specified in the Contract.

## **8. COMMENCEMENT, DELAYS AND SUSPENSION**

### **8.1 Commencement of Works**

- 8.1.1 Except as otherwise specified in the Special Conditions of Contract, the Commencement Date shall be the date at which the following precedent conditions have all been fulfilled and the Architect notification recording the agreement of both Parties on such fulfillment and instructing to commence the Work is received by the Contractor:
- a) Signature of the Contract Agreement by both Parties, and if required, approval of the Contract by relevant authorities of Kenya;
  - b) Except if otherwise specified in the Special Conditions of Contract, effective access to and possession of the Site given to the Contractor together with such permission(s) under (a) of Sub-Clause 1.13 [Compliance with Laws] as required for the commencement of the Works.
  - c) Receipt by the Contractor of the Advance Payment under Sub-Clause 14.2 [Advance Payment] provided that the corresponding bank guarantee has been delivered by the Contractor.
- 8.1.2 If the said Architect instruction is not received by the Contractor within 180 days from his receipt of the Letter of Acceptance, the Contractor shall be entitled to terminate the Contract under Sub-Clause 16.2 [Termination by Contractor].
- 8.1.3 The Contractor shall commence the execution of the Works as soon as is reasonably practicable after the Commencement Date and shall then proceed with the Works with due expedition and without delay.

## 8.2 Time for Completion

The Contractor shall complete the whole of the Works, and each Section (if any), within the Time for Completion for the Works or Section (as the case may be), including: a) Achieving the passing of the Tests on Completion, and

- b) Completing all work which is stated in the Contract as being required for the Works or Section to be considered to be completed for the purposes of taking-over under Sub-Clause 10.1 [Taking Over of the Works and Sections].

## 8.3 Programme

8.3.1 The Contractor shall submit a detailed time programme to the Architect within 14 days after receiving the notice under Sub-Clause 8.1 [Commencement of Works]. The Contractor shall also submit a revised programme whenever the previous programme is inconsistent with actual progress or with the Contractor's obligations. Each programme shall include:

- a) The order in which the Contractor intends to carry out the Works, including the anticipated timing of each stage of design (if any), Contractor's Documents, procurement, manufacture of Plant, delivery to Site, construction, erection and testing,
- b) each of these stages for work by each nominated Subcontractor (as defined in Clause 5 [Nominated Subcontractors]),
- c) the sequence and timing of inspections and tests specified in the Contract, and
- d) a supporting report which includes:
  - i) a general description of the methods which the Contractor intends to adopt, and of the major Stages, in the execution of the Works, and
  - ii) details showing the Contractor's reasonable estimate of the number of each class of Contractor's Personnel and of each type of Contractor's Equipment, required on the Site for each major stage.

8.3.2 Unless the Engineer, within 14 days after receiving a programme, gives notice to the Contractor stating the extent to which it does not comply with the Contract, the Contractor shall proceed in accordance with the programme, subject to his other obligations under the Contract. The Procuring Entity's Personnel shall be entitled to rely upon the programme when planning their activities.

8.3.3 The Contractor shall promptly give notice to the Architect of specific probable future events or circumstances which may adversely affect the work, increase the Contract Price or delay the execution of the Works.

8.3.4 If, at any time, the Architect gives notice to the Contractor that a programme fails (to the extent stated) to comply with the Contractor to be consistent with actual progress and the Contractor's stated intentions, the Contractor shall submit a revised programme to the Architect in accordance with this Sub-Clause.

## 8.4 Extension of Time for Completion

8.4.1 The Contractor shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to an extension of the Time for Completion if and to the extent that completion for the purposes of Sub-Clause 10.1 [Taking Over of the Works and Sections] is or will be delayed by any of the following causes:

- a) a Variation (unless an adjustment to the Time for Completion has been agreed under Sub-Clause 13.3 [Variation Procedure]) or other substantial change in the quantity of an item of work included in the Contract,
- b) a cause of delay giving an entitlement to extension of time under a Sub-Clause of these Conditions, c) exceptionally adverse climatic conditions,
- d) Unforeseeable shortages in the availability of personnel or Goods caused by epidemic or governmental actions, or
- e) any delay, impediment or prevention caused by or attributable to the Procuring Entity, the Procuring Entity's Personnel, or the Procuring Entity's other contractors.

8.4.2 If the Contractor considers itself to be entitled to an extension of the Time for Completion, the Contractor shall give notice to the Architect in accordance with Sub-Clause 20.1 [Contractor's Claims]. When determining each extension of time under Sub-Clause 20.1, the Architect shall review previous determinations and may increase, but shall not decrease, the total extension of time.

## 8.5 Delays Caused by Authorities

If the following conditions apply, namely:

- a) The Contractor has diligently followed the procedures laid down by the relevant legally constituted public authorities in Kenya,
- b) These authorities delay or disrupt the Contractor's work, and
- c) the delay or disruption was Unforeseeable, then this delay or disruption will be considered as a cause of delay under sub-paragraph (b) of Sub-Clause 8.4 [Extension of Time for Completion].

## Rate of Progress

8.5.1 If, at any time:

- a) Actual progress is too slow to complete within the Time for Completion, and/or
- b) Progress has fallen (or will fall) behind the current programme under Sub-Clause 8.3 [Programme], other than as a result of a cause listed in Sub-Clause 8.4 [Extension of Time for Completion], then the Architect may instruct the Contractor to submit, under Sub-Clause 8.3 [Programme], a revised programme and supporting report describing the revised methods which the Contractor proposes to adopt in order to expedite progress and complete within the Time for Completion.

8.5.2 Unless the Architect notifies otherwise, the Contractor shall adopt these revised methods, which may require increases in the working hours and/or in the numbers of Contractor's Personnel and/or Goods, at the risk and cost of the Contractor. If these revised methods cause the Procuring Entity to incur additional costs, the Contractor shall subject to notice under Sub-Clause 2.5 [Procuring Entity's Claims] pay these costs to the Procuring Entity, in addition to delay damages (if any) under Sub-Clause 8.7 below.

8.5.3 Additional costs of revised methods including acceleration measures, instructed by the Architect to reduce delays resulting from causes listed under Sub-Clause 8.4 [Extension of Time for Completion] shall be paid by the Procuring Entity, without generating, however, any other additional payment benefit to the Contractor.

## 8.6 Delay Damages

8.6.1 If the Contractor fails to comply with Sub-Clause 8.2 [Time for Completion], the Contractor shall subject to notice under Sub-Clause 2.5 [Procuring Entity's Claims] pay delay damages to the Procuring Entity for this default. These delay damages shall be the sum stated in the **Special Conditions of Contract**, which shall be paid for every day which shall elapse between the relevant Time for Completion and the date stated in the taking-Over Certificate. However, the total amount due under this Sub-Clause shall not exceed the maximum amount of delay damages (if any) stated in the Special Conditions of Contract.

8.6.2 These delay damages shall be the only damages due from the Contractor for such default, other than in the event of termination under Sub-Clause 15.2 [Termination by Procuring Entity] prior to completion of the Works. These damages shall not relieve the Contractor from his obligation to complete the Works, or from any other duties, obligations or responsibilities which he may have under the Contract.

## 8.7 Suspension of Work

8.7.1 The Architect may at any time instruct the Contractor to suspend progress of part or all of the Works. During such suspension, the Contractor shall protect, store and secure such part or the Works against any deterioration, loss or damage.

8.7.2 The Architect may also notify the cause for the suspension. If and to the extent that the cause is notified and is the responsibility of the Contractor, the following Sub-Clauses 8.9, 8.10 and 8.11 shall not apply.

## 8.8 Consequences of Suspension

- 8.8.1 If the Contractor suffers delay and/or incurs Cost from complying with the Architect instructions under Sub-Clause 8.8 [Suspension of Work] and/or from resuming the work, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1[Contractor's Claims]to:
- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
  - b) Payment of any such Cost, which shall be included in the Contract Price.
- 8.8.2 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations]to agree or determine these matters.
- 8.8.3 The Contractor shall not be entitled to an extension of time for, or to payment of the Cost incurred in, making good the consequences of the Contractor's faulty design, workmanship or materials, or of the Contractor's failure to protect, store or secure in accordance with Sub-Clause 8.8[Suspension of Work].

## **8.9 Payment for Plant and Materials in Event of Suspension**

The Contractor shall be entitled to payment of the value (as at the date of suspension)of Plant and/or

Materials which have not been delivered to Site, if:

- a) The work on Plant or delivery of Plant and/or Materials has been suspended for more than 30 days, and
- b) the Contractor has marked the Plant and/or Materials as the Procuring Entity's property in accordance with the Architect instructions.

## **8.10 Prolonged Suspension**

If the suspension under Sub-Clause 8.8 [Suspension of Work] has continued for more than 84 days, the Contractor may request the Architect permission to proceed. If the Architect does not give permission within 30 days after being requested to do so, the Contractor may, by giving notice to the Engineer, treat the suspension as an omission under Clause 13[Variations and Adjustments] of the affected part of the Works. If the suspension affects the whole of the Works, the Contractor may give notice of termination under Sub Clause 16.2 [Termination by Contractor].

## **8.11 Resumption of Work**

After the permission or instruction to proceed is given, the Contractor and the Architect shall jointly examine the Works and the Plant and Materials affected by the suspension. The Contractor shall make good any deterioration or deflection loss of the Works or Plant or Materials, which has occurred during the suspension after receiving from the Architect an instruction to this effect under Clause 13[Variations and Adjustments].

## **9. TESTS ON COMPLETION**

### **9.1 Contractor's Obligations**

- 9.1.1 The Contractor shall carry out the Tests on Completion in accordance with this Clause and Sub-Clause 7.4 [Testing],after providing the documents in accordance with sub-paragraph(d)of Sub-Clause 4.1[Contractor's General Obligations].
- 9.1.2 The Contractor shall give to the Architect not less than 21days' notice of the date after which the Contractor will be ready to carry out each of the Tests on Completion. Unless otherwise agreed, Tests on Completion shall be carried out within 14 days after this date,on such day or days as the Architect shall instruct.
- 9.1.3 In considering the results of the Tests on Completion, the Architect shall make allowances for the effect of any use of the Works by the Procuring Entity on the performance or other characteristics of the Works. As soon as the Works, or a Section, have passed any Tests on Completion, the Contractor shall submit a certified report of the results of these Tests to the Engineer.

## **9.2 Delayed Tests**

- 9.2.1 If the Tests on Completion are being unduly delayed by the Procuring Entity, Sub-Clause 7.4 [Testing] (fifth paragraph) and/or Sub-Clause 10.3 [Interference with Tests on Completion] shall be applicable.
- 9.2.2 If the Tests on Completion are being unduly delayed by the Contractor, the Architect may by notice require the Contractor to carry out the Tests within 21 days after receiving the notice. The Contractor shall carry out the Tests on such day or days within that period as the Contractor may fix and of which he shall give notice to the Engineer.
- 9.2.3 If the Contractor fails to carry out the Tests on Completion within the period of 21 days, the Procuring Entity's Personnel may proceed with the Tests at the risk and cost of the Contractor. The Tests on Completion shall then be deemed to have been carried out in the presence of the Contractor and the results of the Tests shall be accepted as accurate.

## **9.3 Retesting of related works**

If the Works, or a Section, fail to pass the Tests on Completion, Sub-Clause 7.5 [Rejection] shall apply, and the Architect or the Contractor may require the failed Tests, and Tests on Completion on any related work, to be repeated under the same terms and conditions.

## **9.4 Failure to Pass Tests on Completion**

- 9.4.1 If the Works, or a Section, fail to pass the Tests on Completion repeated under Sub-Clause 9.3 [Retesting], the Architect shall be entitled to:
- a) Order further repetition of Tests on Completion under Sub-Clause 9.3; or
  - b) if the failure deprives the Procuring Entity of substantially the whole benefit of the Works or Section, reject the Works or Section (as the case may be), in which event the Procuring Entity shall have the same remedies as are provided in sub-paragraph (c) of Sub-Clause 11.4 [Failure to Remedy Defects].

## **10. PROCURING ENTITY'S TAKING OVER**

### **10.1 Taking Over of the Works and Sections**

- 10.1.1 Except as stated in Sub-Clause 9.4 [Failure to Pass Tests on Completion], the Works shall be taken over by the Procuring Entity when (i) the Works have been completed in accordance with the Contract, including the matters described in Sub-Clause 8.2 [Time for Completion] and except as allowed in sub-paragraph (a) below, and (ii) a Taking-Over Certificate for the Works has been issued, or is deemed to have been issued in accordance with this Sub-Clause.
- 10.1.2 The Contractor may apply by notice to the Architect for a Taking-Over Certificate not earlier than 14 days before the Works will, in the Contractor's opinion, be complete and ready for taking over. If the Works are divided into Sections, the Contractor may similarly apply for a Taking-Over Certificate for each Section.
- 10.1.3 The Architect shall, within 30 days after receiving the Contractor's application:
- a) Issue the Taking-Over Certificate to the Contractor, stating the date on which the Works or Section were completed in accordance with the Contract, except for any minor outstanding work and defects which will not substantially affect the use of the Works or Section for their intended purpose (either until or whilst this work is completed and these defects are remedied); or
  - b) reject the application, giving reasons and specifying the work required to be done by the Contractor to enable the Taking-Over Certificate to be issued. The Contractor shall then complete this work before issuing a further notice under this Sub-Clause.
- 10.1.4 If the Architect fails either to issue the Taking-Over Certificate or to reject the Contractor's application within the period of 30 days, and if the Works or Section (as the case may be) are substantially in accordance with the Contract, the Taking-Over Certificate shall be deemed to have been issued on the last day of that period.

## **10.2 Taking Over of Parts of the Works**

- 10.2.1 The Architect may, at the sole discretion of the Procuring Entity, issue a Taking-Over Certificate or any part of the Permanent Works.
- 10.2.2 The Procuring Entity shall not use any part of the Works (other than as a temporary measure which is either specified in the Contract or agreed by both Parties) unless and until the Architect has issued a Taking-Over Certificate for this part. However, if the Procuring Entity does use any part of the Works before the Taking Over Certificate is issued:
- a) The part which is used shall be deemed to have been taken over as from the date on which it is used,
  - b) The Contractor shall cease to be liable for the care of such parts from this date, when responsibility shall pass to the Procuring Entity, and
  - c) if requested by the Contractor, the Architect shall issue a Taking-Over Certificate for this part.
- 10.2.3 After the Architect has issued a Taking-Over Certificate for a part of the Works, the Contractor shall be given the earliest opportunity to take such steps as may be necessary to carry out any outstanding Tests on Completion. The Contractor shall carry out these Tests on Completion as soon as practicable before the expiry date of the relevant Defects Notification Period.
- 10.2.4 If the Contractor incurs Cost as a result of the Procuring Entity taking over and/or using a part of the Works, other than such use as is specified in the Contractor agreed by the Contractor, the Contractor shall (i) give notice to the Architect and (ii) be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to payment of any such accrued costs, which shall be included in the Contract Price. After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine this accrued cost.
- 10.2.5 If a Taking-Over Certificate has been issued for a part of the Works (other than a Section), the delay damages thereafter for completion of the remainder of the Works shall be reduced. Similarly, the delay damages for the remainder of the Section (if any) in which this part is included shall also be reduced. For any period of delay after the date stated in this Taking-Over Certificate, the proportional reduction in these delay damages shall be calculated as the proportion which the value of the part so certified bears to the value of the Works or Section (as the case may be) as a whole. The Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these proportions. The provisions of this paragraph shall only apply to the daily rate of delay damages under Sub-Clause 8.7 [Delay Damages] and shall not affect the maximum amount of these damages.

## **10.3 Interference with Tests on Completion**

- 10.3.1 If the Contractor is prevented, for more than 14 days, from carrying out the Tests on Completion by a cause for which the Procuring Entity is responsible, the Procuring Entity shall be deemed to have taken over the Works or Section (as the case may be) on the date when the Tests on Completion would otherwise have been completed.
- 10.3.2 The Architect shall then issue a Taking-Over Certificate accordingly, and the Contractor shall carry out the Tests on Completion as soon as practicable, before the expiry date of the Defects Notification Period. The Architect shall require the Tests on Completion to be carried out by giving 14 days' notice and in accordance with the relevant provisions of the Contract.
- 10.3.3 If the Contractor suffers delay and/or incurs Cost as a result of this delay in carrying out the Tests on Completion, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
  - b) Payment of any such accrued costs, which shall be included in the Contract Price.
- 10.3.4 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

## **10.4 Surfaces Requiring Reinstatement**

Except as otherwise stated in a Taking-Over Certificate, a certificate for a Section or part of the Works shall not be deemed to certify completion of any ground or other surfaces requiring reinstatement.

## **11. DEFECTS LIABILITY**

### **11.1 Completion of Outstanding Work and Remedying Defects**

11.1.1 In order that the Works and Contractor's Documents, and each Section, shall be in the condition required by the Contract (fair wear and tear excepted) by the expiry date of the relevant Defects Notification Period or as soon as practicable thereafter, the Contractor shall:

- a) complete any work which is outstanding on the date stated in a Taking-Over Certificate, within such reasonable time as is instructed by the Engineer, and
- b) execute all work required to remedy defects or damage, as may be notified by (or on behalf of) the Procuring Entity on or before, the expiry date of the Defects Notification Period for the Works or Section (as the case may be).

11.1.2 If a defect appears or damage occurs, the Contractor shall be notified accordingly by the Engineer.

### **11.2 Cost of Remedying Defects**

11.2.1 All work referred to in sub-paragraph (b) of Sub-Clause 11.1 [Completion of Outstanding Work and Remedying Defects] shall be executed at the risk and cost of the Contractor, if and to the extent that the work is attributable to:

- a) Any design for which the Contractor is responsible,
- b) Plant, Materials or workmanship not being in accordance with the Contract, or
- c) Failure by the Contractor to comply with any other obligation.

11.2.2 If and to the extent that such work is attributable to any other cause, the Contractor shall be notified promptly by (or on behalf of) the Procuring Entity, and Sub-Clause 13.3 [Variation Procedure] shall apply.

### **11.3 Extension of Defects Notification Period**

11.3.1 The Procuring Entity shall be entitled subject to Sub-Clause 2.5 [Procuring Entity's Claims] to an extension of the Defects Notification Period for the Works or a Section if and to the extent that the Works, Section or a

major item of Plant (as the case may be, and after taking over) cannot be used for the purposes for which they are intended by reason of a defect or by reason of damage attributable to the Contractor. However, a Defects Notification Period shall not be extended by more than two years.

11.3.2 If delivery and/or erection of Plant and/or Materials was suspended under Sub-Clause 8.8 [Suspension of Work] or Sub-Clause 16.1 [Contractor's Entitlement to Suspend Work], the Contractor's obligations under this Clause shall not apply to any defects or damage occurring more than two years after the Defects Notification Period for the Plant and/or Materials would otherwise have expired.

### **11.4 Failure to Remedy Defects**

11.4.1 If the Contractor fails to remedy any defect or damage within a reasonable time, a date may be fixed by the Engineer, on or by which the defect or damage is to be remedied. The Contractor shall be given reasonable notice of this date.

11.4.2 If the Contractor fails to remedy the defect or damage by this notified date and this remedial work was to be executed at the cost of the Contractor under Sub-Clause 11.2 [Cost of Remedying Defects], the Procuring Entity may (at his option):

- a) Carry out the work itself or by others, in a reasonable manner and at the Contractor's cost, but the Contractor shall have no responsibility for this work; and the Contractor shall subject to Sub-Clause 2.5 [Procuring Entity's Claims] pay to the Procuring Entity the costs reasonably incurred by the Procuring Entity in remedying the defect or damage;

- b) Require the Architect to agree or determine a reasonable reduction in the Contract Price in accordance with Sub-Clause 3.5 [Determinations]; or
- c) if the defect or damage deprives the Procuring Entity of substantially the whole benefit of the Works or any major part of the Works, terminate the Contract as a whole, or in respect of such major part which cannot be put to the intended use. Without prejudice to any other rights, under the Contract or otherwise, the Procuring Entity shall then be entitled to recover all sums paid for the Works or for such part (as the case maybe), plus financing costs and the cost of dismantling the same, clearing the Site and returning Plant and Materials to the Contractor.

## **11.5 Removal of Defective Work**

If the defect or damage cannot be remedied expeditiously on the Site and the Procuring Entity gives consent, the Contractor may remove from the Site for the purposes of repair such items of Plant as a defective or damaged. This consent may require the Contractor to increase the amount of the Performance Security by the full replacement cost of these items, or to provide other appropriate security.

## **11.6 Further Tests**

- 11.6.1 If the work of remedying of any defect or damage may affect the performance of the Works, the Architect may require the repetition of any of the tests described in the Contract. The requirement shall be made by notice within 14 days after the defect or damage is remedied.
- 11.6.2 These tests shall be carried out in accordance with the terms applicable to the previous tests, except that they shall be carried out at the risk and cost of the Party liable, under Sub-Clause 11.2 [Cost of Remedying Defects], for the cost of the remedial work.

## **11.7 Right of Access**

Until the Completion Certificate has been issued, the Contractor shall have such right of access to the Works as is reasonably required in order to comply with this Clause, except as may be inconsistent with the Procuring Entity's reasonable security restrictions.

## **11.8 Contractor to Search**

The Contractor shall, if required by the Engineer, search for the cause of any defect on parts of the works that have already accepted, under the direction of the Engineer. Unless the defect is to be remedied at the cost of the Contractor under Sub-Clause 11.2 [Cost of Remedying Defects], the Cost of the search plus profit shall be agreed or determined by the Architect in accordance with Sub-Clause 3.5 [Determinations] and shall be included in the Contract Price.

## **11.9 Completion Certificate**

- 11.9.1 Performance of the Contractor's obligations shall not be considered to have been completed until the Architect has issued the Completion Certificate to the Contractor, stating the date on which the Contractor completed his obligations under the Contract.
- 11.9.2 The Architect shall issue the Completion Certificate within 30 days after the latest of the expiry dates of the Defects Liability Period, or as soon thereafter as the Contractor has supplied all the Contractor's Documents and completed and tested all the Works, including remedying any defects. A copy of the Completion Certificate shall be issued to the Procuring Entity.
- 11.9.3 Only the Completion Certificate shall be deemed to constitute acceptance of the Works.

- 11.10 **Unfulfilled Obligations** after the Completion Certificate has been issued; each Party shall remain liable for the fulfillment of any obligation which remains unperformed at that time. For the purposes of determining the nature and extent of unperformed obligations, the Contract shall be deemed to remain in force.

## **11.11 Clearance of Site**

- 11.11.1 Upon receiving the Completion Certificate, the Contractor shall remove any remaining Contractor's Equipment, surplus material, wreckage, rubbish and Temporary Works from the Site.
- 11.11.2 If all these items have not been removed within 30days after receipt by the Contractor of the Completion Certificate, the Procuring Entity may sell or otherwise dispose of any remaining items. The Procuring Entity shall be titled to be paid the costs incurred in connection with, or attributable to, such sale or disposal and restoring the Site.
- 11.11.3 Any balance of the moneys from the sale shall be paid to the Contractor. If these moneys are less than the Procuring Entity's costs, the Contractor shall pay the outstanding balance to the Procuring Entity.

## **12. MEASUREMENT AND EVALUATION**

### **12.1 Works to be Measured**

- 12.1.1 The Works shall be measured, and valued for payment, in accordance with this Clause. The Contractor shall show in each application under Sub-Clauses 14.3 [Application for Interim Payment Certificates], 14.10 [Statement on Completion] and 14.11 [Application for Final Payment Certificate] the quantities and other particulars detailing the amounts which he considers to be entitled under the Contract.
- 12.1.2 Whenever the Architect requires any part of the Works to be measured, reasonable notice shall be given to the Contractor's Representative, who shall:
  - a) promptly either attend or send another qualified representative to assist the Architect in making the measurement, and
  - b) Supply any particulars requested by the Engineer.
- 12.1.3 If the Contractor fails to attend or send a representative, the measurement made by the Architect shall be accepted as accurate.
- 12.1.4 Except as otherwise stated in the Contract, wherever any Permanent Works are to be measured from records, these shall be prepared by the Engineer. The Contractor shall, as and when requested, attend to examine and agree the records with the Engineer, and shall sign the same when agreed. If the Contractor does not attend, the records shall be accepted as accurate.
- 12.1.5 If the Contractor examines and disagrees the records, and/or does not sign them as agreed, then the Contractor shall give notice to the Architect of the respects in which the records are asserted to be inaccurate. After receiving this notice, the Architect shall review the records and either confirms or vary them and certify the payment of the undisputed part. If the Contractor does not so give notice to the Architect within 14 days after being requested to examine the records, they shall be accepted as accurate.

### **12.2 Method of Measurement**

Except as otherwise stated in the Contract:

- a) Measurement shall be made of the net actual quantity of each item of the Permanent Works, and
- b) the method of measurement shall be in accordance with the Bill of Quantities or other applicable Schedules.

### **12.3 Evaluation**

- 12.3.1 Except as otherwise stated in the Contract, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine the value of work done by evaluating each item of work, applying the measurement agreed or determined in accordance with the above Sub-Clauses 12.1 and 12.2 and the appropriate rate or price for the item.
- 12.3.2 For each item of work, the appropriate rate or price for the item shall be the rate or price specified for such item in the Contractor, if there is no such item, specified for similar work.
- 12.3.3 Any item of work included in the Bill of Quantities for which no rate or price was specified shall be

considered as included in other rates and prices in the Bill of Quantities and will not be paid for separately.

- 12.3.4 However, for a new item of work, a new rate of price shall be appropriate for such item of work if:
- a) The work is instructed under Clause 13 [Variations and Adjustments],
  - b) No rate or price is specified in the Contract for this item, and
  - c) no specified rate or price is appropriate because the item of work is not of similar character, or is not executed under similar conditions, as any item in the Contract.
- 12.3.5 Each new rate or price shall be derived from any relevant rates or prices in the Contract. If no rates or prices are relevant for the new item of work, it shall be derived from the reasonable Cost of executing such work, prevailing market rates, together with profit, taking account of any other relevant matters.
- 12.3.6 Until such time as an appropriate rate or price is agreed or determined, the Architect shall determine a provisional rate or price for the purposes of Interim Payment Certificates as soon as the concerned work commences.
- 12.3.7 Where the contract price is different from the corrected tender price, in order to ensure the contractor is not paid less or more relative to the contract price (*which would be the tender price*), payment valuation certificates and variation orders on omissions and additions valued based on rates in the Bill of Quantities or schedule of rates in the Tender, will be adjusted by a plus or minus percentage. The percentage already worked out during tender evaluation is worked out as follows :  $(\text{corrected tender price} - \text{tender price}) / \text{tender price} \times 100$ .

## 12.4 Omissions

- Whenever the omission of any work forms part (or all) of a Variation, the value of which has not been agreed, if:
- a) The Contractor will incur (or has incurred) cost which, if the work had not been omitted, would have been deemed to be covered by a sum forming part of the Accepted Contract Amount;
  - b) The omission of the work will result (or has resulted) in this sum not forming part of the Contract Price; and
  - c) This cost is not deemed to be included in the evaluation of any substituted work; then the Contractor shall give notice to the Architect accordingly, with supporting particulars. Upon receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine this cost, which shall be included in the Contract Price.

## 13. VARIATIONS AND ADJUSTMENTS

### 13.1 Right to Vary

- 13.1.1 Variations may be initiated by the Architect at any time prior to issuing the Taking-Over Certificate for the Works, either by an instruction or by a request for the Contractor to submit a proposal. No Variation instructed by the Architect under this Clause shall in anyway vitiate or invalidate the Contract.
- 13.1.2 The Contractor shall execute and be bound by each Variation, unless the Contractor promptly gives notice to the Architect stating (with supporting particulars) that (i) the Contractor cannot readily obtain the Goods required for the Variation, or (ii) such Variation triggers a substantial change in the sequence or progress of the Works. Upon receiving this notice, the Architect shall cancel, confirm or vary the instruction.
- 13.1.3 Each Variation may include:
- a) changes to the quantities of any item of work included in the Contract (however, such changes do not necessarily constitute a Variation),
  - b) changes to the quality and other characteristics of any item of work,
  - c) changes to the levels, positions and/or dimensions of any part of the Works,
  - d) omission of any work unless it is to be carried out by others,
  - e) any additional work, Plant, Materials or services necessary for the Permanent Works, including any associated Tests on Completion, boreholes and other testing and exploratory work, or
  - f) Changes to the sequence or timing of the execution of the Works.
- 13.1.4 The Contractor shall not make any alteration and/or modification of the Permanent Works, unless and until the Architect instructs after obtaining approval of the Procuring Entity.

## **13.2 Variation Order Procedure**

13.2.1 Prior to any Variation Order under Sub-Clause 13.1.4 the Architect shall notify the Contractor of the nature and form of such variation. As soon as possible after having received such notice, the Contractor shall submit to the Engineer:

- a) A description of work, if any, to be performed and a programme for its execution, and
- b) The Contractor's proposals for any necessary modifications to the Programme according to Sub-Clause 8.3 or to any of the Contractor's obligations under the Contract, and
- c) The Contractor's proposals for adjustment to the Contract Price.

Following the receipt of the Contractor's submission the Architect shall, after due consultation with the Employer and the Contractor, decide as soon as possible whether or not the variation shall be carried out. If the Architect decides that the variation shall be carried out, he shall issue a Variation Order clearly identified as such in accordance with the Contractor's submission or as modified by agreement.

If the Architect and the Contractor are unable to agree the adjustment of the Contract Price, the provisions of Sub-Clause 13.2.2 shall apply.

### **13.2.2 Disagreement on Adjustment of the Contract Price**

If the Contractor and the Architect are unable to agree on the adjustment of the Contract Price, the adjustment shall be determined in accordance with the rates specified in the Bills of Materials or Schedule of Day work Prices. If the rates contained in the Bills of Materials or Day work Prices are not directly applicable to the specific work in question, suitable rates shall be established by the Architect reflecting the level of pricing in the Day work Prices. Where rates are not contained in the said Prices, the amount shall be such as is in all the circumstances reasonable, reflecting a market price. Due account shall be taken of any over- or under-recovery of overheads by the Contractor in consequence of the variation. The Contractor shall also be entitled to be paid:

- a) The cost of any partial execution of the Works rendered useless by any such variation,
- b) The cost of making necessary alterations to Plant already manufactured or in the course of manufacture or of any work done that has to be altered in consequence of such a variation,
- c) Any additional costs incurred by the Contractor or by the disruption of the progress of the Works as detailed in the Programme, and
- d) The net effect of the Contractor's finance costs, including interest, caused by the variation.

The Architect shall on this basis determine the rates or prices to enable on-account payment to be included in certificates of payment.

### **13.2.3 Contractor to Proceed**

On receipt of a Variation Order, the Contractor shall forthwith proceed to carry out the variation and be bound to these Conditions in so doing as if such variation was stated in the Contract. The work shall not be delayed pending the granting of an extension of the Time for Completion or an adjustment to the Contract Price under Sub-Clause 31.3.

## **13.3 Value Engineering**

13.3.1 The Contractor may, at any time, submit to the Architect written proposal which (in the Contractor's opinion) will, if adopted, (i) accelerate completion, (ii) reduce the cost to the Procuring Entity of executing, maintaining or operating the Works, (iii) improve the efficiency or value to the Procuring Entity of the completed Works, or

(iv) Otherwise be of benefit to the Procuring Entity.

13.3.2 The proposal shall be prepared at the cost of the Contractor and shall include the items listed in Sub-Clause 13.3 [Variation Procedure].

13.3.3 If a proposal, which is approved by the Engineer, includes a change in the design of part of the Permanent Works, then unless otherwise agreed by both Parties: a) The Contractor shall design this part,

b) sub-paragraphs (a) to (d) of Sub-Clause 4.1 [Contractor's General Obligations] shall apply, and

- c) if this change results in a reduction in the contract value of this part, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine a fee, which shall be included in the Contract Price. This fee shall be half (50%) of the difference between the following amounts:
  - i) Such reduction in contract value, resulting from the change, excluding adjustments under Sub-Clause 13.8 [Adjustments for Changes in Legislation] and Sub-Clause 13.8 [Adjustments for Changes in Cost], and
  - ii) the reduction (if any) in the value to the Procuring Entity of the varied works, taking account of any improvement in quality, anticipated life or operational efficiencies.

13.3.4 However, if the amount established in item 13.2.3 (c) (i) is less than amount established in item 13.2.3 (c) (ii), there shall not be a fee. However, if the amount established in item 13.2.3 (c) (i) is more than amount established in item 13.2.3 (c) (ii), it shall result in a price variation to the Procuring Entity.

#### **13.4 Variation Procedure for Value Engineering proposal**

- 13.4.1 If the Architect requests a proposal, prior to instructing a Variation, the Contractor shall respond in writing as soon as practicable, either by giving reasons why he cannot comply (if this is the case) or by submitting:
  - a) A description of the proposed work to be performed and a programme for its execution,
  - b) the Contractor's proposal for any necessary modifications to the programme according to Sub-Clause 8.3 [Programme] and to the Time for Completion, and
  - c) the Contractor's proposal for evaluation of the Variation.
- 13.4.2 The Architect shall, as soon as practicable after receiving such proposal (under Sub-Clause 13.2 [Value Project Engineering] or otherwise), respond with approval, disapproval or comments. The Contractor shall not delay any work whilst awaiting a response.
- 13.4.3 Each instruction to execute a Variation, with any requirements for the recording of Costs, shall be issued by the Architect to the Contractor, who shall acknowledge receipt.
- 13.4.4 Each Variation shall be evaluated in accordance with Clause 12 [Measurement and Evaluation], unless the Architect instructs or approves otherwise in accordance with this Clause.

#### **13.5 Payment in Applicable Currencies**

If the Contract provides for payment of the Contract Price in more than one currency, then whenever an adjustment is agreed, approved or determined as stated above, the amount payable in each of the applicable currencies shall be specified. For this purpose, reference shall be made to the actual or expected currency proportions of the Cost of the varied work, and to the proportions of various currencies specified for payment of the Contract Price.

#### **13.6 Provisional Sums**

- 13.6.1 Each Provisional Sum shall only be used, in whole or in part, in accordance with the Architect instructions, and the Contract Price shall be adjusted accordingly. The total sum paid to the Contractor shall include only such amounts, for the work, supplies or services to which the Provisional Sum relates, as the Architect shall have instructed. For each Provisional Sum, the Architect May instruct:
  - a) Work to be executed (including Plant, Materials or services to be supplied) by the Contractor and valued under Sub-Clause 13.3 [Variation Procedure]; and/or
  - b) Plant, Materials or services to be purchased by the Contractor, from a nominated Subcontractor (as defined in Clause 5 [Nominated Subcontractors]) or otherwise; and for which there shall be included in the Contract Price:
    - i) The actual amounts paid (or due to be paid) by the Contractor, and
    - ii) A sum for overhead charges and profit, calculated as a percentage of these actual amounts by applying the relevant percentage rate (if any) stated in the appropriate Schedule. If there is no such rate, the percentage rate stated in **the Special Conditions of Contract** shall be applied.
- 13.6.2 The Contractor shall, when required by the Engineer, produce quotations, invoices, vouchers and accounts or receipts in substantiation.

### **13.7 Day works**

- 13.7.1 For work of a minor or incidental nature, the Architect may instruct that a Variation shall be executed on a day work basis. The work shall then be valued in accordance with the Day work Schedule included in the Contract, and the following procedure shall apply. If a Day work Schedule is not included in the Contract, this Sub-Clause shall not apply.
- 13.7.2 Before ordering Goods for the work, the Contractor shall submit quotations to the Engineer. When applying for payment, the Contractor shall submit invoices, vouchers and accounts or receipts for any Goods.
- 13.7.3 Except for any items for which the Day work Schedule specifies that payment is not due, the Contractor shall deliver each day to the Architect accurate statements in duplicate which shall include the following details of the resources used in executing the previous day's work:
- a) The names, occupations and time of Contractor's Personnel,
  - b) The identification, type and time of Contractor's Equipment and Temporary Works, and
  - c) The quantities and types of Plant and Materials used.
- 13.7.4 One copy of each statement will, if correct, or when agreed, be signed by the Architect and returned to the Contractor. The Contractor shall then submit priced statements of these resources to the Engineer, prior to their inclusion in the next Statement under Sub-Clause 14.3 [Application for Interim Payment Certificates].

### **13.8 Adjustments for Changes in Legislation**

- 13.8.1 The Contract Price shall be adjusted to take account of any increase or decrease in Cost resulting from a change in the Laws of Kenya (including the introduction of new Laws and the repeal or modification of existing Laws) or in the judicial or official governmental interpretation of such Laws, made after the Base Date, which affect the Contractor in the performance of obligations under the Contract.
- 13.8.2 If the Contractor suffers (or will suffer) delay and/or incurs (or will incur) additional Cost as a result of these changes into the Laws or in such interpretations, made after the Base Date, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
  - b) Payment of any such Cost, which shall be included in the Contract Price.
- 13.8.3 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.
- 13.8.4 Notwithstanding the foregoing, the Contractor shall not be entitled to an extension of time if the relevant delay has already been taken into account in the determination of a previous extension of time and such Cost shall not be separately paid if the same shall already have been taken into account in the indexing of any inputs to the table of adjustment data in accordance with the provisions of Sub-Clause 13.8 [Adjustments for Changes in Cost].

### **13.9 Adjustments for Changes in Cost**

- 13.9.1 In this Sub-Clause, "table of adjustment data" means the completed table of adjustment data for local and foreign currencies included in the Schedules. If there is no such table of adjustment data, this Sub-Clause shall not apply.
- 13.9.2 If this Sub-Clause applies, the amounts payable to the Contractor shall be adjusted for rises or falls in the cost of labor, Goods and other inputs to the Works, by the addition or deduction of the amounts determined by the formulae prescribed in this Sub-Clause. To the extent that full compensation for any rise or fall in Costs is not covered by the provisions of this or other Clauses, the Accepted Contract Amount shall be deemed to have included amounts to cover the contingency of other rises and falls in costs.

- 3.9.3 The adjustment to be applied to the amount otherwise payable to the Contractor, as valued in accordance with the appropriate Schedule and certified in Payment Certificates, shall be determined from formulae for each of the currencies in which the Contract Price is payable. No adjustment is to be applied to work valued on the basis of Cost or current prices. The formulae shall be of the following general type:

**Price Adjustment Formula** Prices shall be adjusted for fluctuations in the cost of inputs only if **provided for in the SCC**. If so provided, the amounts certified in each payment certificate, before deducting for Advance Payment, shall be adjusted by applying the respective price adjustment factor to the payment amounts due in each currency. A separate formula of the type specified below applies:

$$P = A + B I_m/I_o$$

where:

**P** is the adjustment factor for the portion of the Contract Price payable.

**A** and **B** are coefficients **specified in the SCC**, representing then on adjustable and adjustable portions, respectively, of the Contract Price payable and

**I<sub>m</sub>** is the index prevailing at the end of the month being invoiced and **I<sub>o</sub>** is the index prevailing 30 days before Bid opening for inputs payable.

**NOTE:** The sum of the two coefficients A and B should be 1 (one) in the formula for each currency. Normally, both coefficients shall be the same in the formulae for all currencies, since coefficient A, for the non-adjustable portion of the payments, is a very approximate figure (usually 0.15) to take account of fixed cost elements or other non-adjustable components. The sum of the adjustments for each currency are added to the Contract Price.

- 13.9.4 The cost indices or reference prices stated in the table of adjustment data shall be used. If their source is in doubt, it shall be determined by the Engineer. For this purpose, reference shall be made to the values of the indices at stated dates (quoted in the fourth and fifth columns respectively of the table) for the purposes of clarification of the source; although these dates (and thus these values) may not correspond to the base cost indices.
- 13.9.5 In cases where the “currency of index “is not there Levant currency of payment, each index shall be converted into the relevant currency of payment at the selling rate, established by the Central Bank of Kenya, of this relevant currency on the above date for which the index is required to be applicable.
- 13.9.6 Until such time a search current cost index is available, the Architect shall determine a provisional index for the issue of Interim Payment Certificates. When a current cost index is available, the adjustment shall be recalculated accordingly.
- 13.9.7 If the Contractor fails to complete the Works within the Time for Completion, adjustment of prices thereafter shall be made using either (i) each index or price applicable on the date 49 days prior to the expiry of the Time for Completion of the Works, or (ii) the current index or price, whichever is more favorable to the Procuring Entity.
- 13.9.8 The weightings (co efficient)for each of the factors of cost stated in the table(s)of adjustment data shall only be adjusted if they have been rendered unreasonable, unbalanced or inapplicable, as a result of Variations.

## 14. CONTRACT PRICE AND PAYMENT

### 14.1 The Contract Price

14.1.1 Unless otherwise stated in the Special Conditions:

- a) The value of the payment certificate shall be agreed or determined under Sub-Clause 12.3 [Evaluation] and be subject to adjustments in accordance with the Contract;
- b) The Contractor shall pay all taxes, duties and fees required to be paid by him under the Contract, and the Contract Price shall not be adjusted for any of these costs except as stated in Sub-Clause 13.7 [Adjustments for Changes in Legislation];

- c) Any quantities which may be set out in the Bill of Quantities or other Schedule are estimated quantities and are not to be taken as the actual and correct quantities:
  - i) of the Works which the Contractor is required to execute, or ii) for the purposes of Clause 12 [Measurement and Evaluation]; and
- d) the Contractor shall submit to the Engineer, within 30 days after the Commencement Date, a proposed breakdown of each lump sum price in the Schedules. The Architect may take account of the breakdown when preparing Payment Certificates but shall not be bound by it.

14.1.2 Notwithstanding the provisions of subparagraph (b), Contractor's Equipment, including essential spare parts therefor, imported by the Contractor for the sole purpose of executing the Contract shall not be exempt from the payment of import duties and taxes upon importation.

## 14.2 Advance Payment

14.2.1 The Procuring Entity shall make an advance payment, as an interest-free loan for mobilization and cash flow support, when the Contractor submits a guarantee in accordance with this Clause. The total advance payment, the number and timing of installments (if more than one), and the applicable currencies and proportions, shall be as stated in the **Special Conditions of Contract**.

14.2.2 Unless and until the Procuring Entity receives this guarantee, or if the total advance payment is not stated in the Special Conditions of Contract, this Sub-Clause shall not apply.

14.2.3 The Architect shall deliver to the Procuring Entity and to the Contractor an Interim Payment Certificate for the advance payment or its first installment after receiving a Statement (under Sub-Clause 14.3 [Application for Interim Payment Certificates]) and after the Procuring Entity receives (i) the Performance Security in accordance with Sub-Clause 4.2 [Performance Security] and (ii) a guarantee in amounts and currencies equal to the advance payment. This guarantee shall be issued by a reputable bank or financial institution selected by the Contractor and shall be in the form annexed to the Special Conditions or in another form approved by the Procuring Entity.

14.2.4 The Contractor shall ensure that the guarantee is valid and enforceable until the advance payment has been repaid, but its amount shall be progressively reduced by the amount repaid by the Contractor as indicated in the Payment Certificates. If the terms of the guarantee specify its expiry date, and the advance payment has not been repaid by the date 30 days prior to the expiry date, the Contractor shall extend the validity of the guarantee until the advance payment has been repaid.

14.2.5 Unless stated otherwise in **the Special Conditions of Contract**, the advance payment shall be repaid through percentage deductions from the interim payments determined by the Architect in accordance with Sub-Clause 14.6 [Issue of Interim Payment Certificates], as follows:

- a) Deductions shall commence in the next interim Payment Certificate following that in which the total of all certified interim payments (excluding the advance payment and deductions and repayments of retention) exceeds 30 percent (30%) of the Accepted Contract Amount less Provisional Sums; and
- b) deductions shall be made at the amortization rate stated in the **Special Conditions of Contract** of the amount of each Interim Payment Certificate (excluding the advance payment and deductions for its repayments as well as deductions for retention money) in the currencies and proportions of the advance payment until such time as the advance payment has been repaid; provided that the advance payment shall be completely repaid prior to the time when 90 percent (90%) of the Accepted Contract Amount less Provisional Sums has been certified for payment.

14.2.6 If the advance payment has not been repaid prior to the issue of the Taking-Over Certificate for the Works or prior to termination under Clause 15 [Termination by Procuring Entity], Clause 16 [Suspension and Termination by Contractor] or Clause 19 [Force Majeure] (as the case may be), the whole of the balance then outstanding shall immediately become due and in case of termination under Clause 15 [Termination by Procuring Entity], except for Sub-Clause 14.2.7 [Procuring Entity's Entitlement to Termination for Convenience], payable by the Contractor to the Procuring Entity.

### 14.3 Application for Interim Payment Certificates

- 14.3.1 The Contractor shall submit a Statement (in number of copies indicated in the **Special Conditions of Contract**) to the Architect after the end of each month, in a form approved by the Engineer, showing in detail the amounts to which the Contractor considers itself to be entitled, together with supporting documents which shall include the report on the progress during this month in accordance with Sub-Clause 4.21[Progress Reports].
- 14.3.2 The Statement shall include the following items, as applicable, which shall be expressed in the various currencies in which the Contract Price is payable, in the sequence listed:
- a) the estimated contract value of the Works executed and the Contractor's Documents produced up to the end of the month(including Variations but excluding items described in sub-paragraphs(b)to(g)below);
  - b) any amounts to be added and deducted for changes in legislation and changes in cost, in accordance with Sub-Clause 13.7 [Adjustments for Changes in Legislation] and Sub-Clause 13.8 [Adjustments for Changes in Cost];
  - c) any amount to be deducted for retention, calculated by applying the percentage of retention stated in **the Special Conditions of Contract** to the total of the above amounts, until the amount so retained by the Procuring Entity reaches the limit of Retention Money (if any) stated in **the Special Conditions of Contract**;
  - d) any amounts to be added for the advance payment and(if more than one installment)and to be deducted for its repayments in accordance with Sub-Clause 14.2[Advance Payment];
  - e) any amounts to be added and deducted for Plant and Materials in accordance with Sub-Clause 14.5 [Plant and Materials intended for the Works];
  - f) any other additions or deductions which may have become due under the Contractor Otherwise, including those under Clause 20[Claims, Disputes and Arbitration]; and
  - g) the deduction of amounts certified in all previous Payment Certificates.

### 14.4 Schedule of Payments

- 14.4.1 If the Contract includes a schedule of payments specifying the installments in which the Contract Price will be paid, then unless otherwise stated in this schedule:
- a) The installments quoted in this schedule of payments shall be the estimated contract values for the purposes of sub-paragraph(a)of Sub-Clause 14.3[Application for Interim Payment Certificates];
  - b) Sub-Clause 14.5[Plant and Materials intended for the Works] shall not apply; and
  - c) If these instalments are not defined by reference to the actual progress achieved in executing the Works, and if actual progress is found to be less or more than that on which this schedule of payments was based, then the Architect may proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine revised installments, which shall take account of the extent to which progress is less or more than that on which the installments were previously based.
- 14.4.2 If the Contract does not include a schedule of payments, the Contractor shall submit non-binding estimates of the payments which he expects to become due during each quarterly period. The first estimate shall be submitted within 42 days after the Commencement Date. Revised estimates shall be submitted at quarterly intervals, until the Taking-Over Certificate has been issued for the Works.

### 14.5 Plant and Materials intended for the Works

- 14.5.1 If this Sub-Clause applies, Interim Payment Certificates shall include, under sub-paragraph(e)of Sub-Clause 14.3,(i)an amount for Plant and Materials which have been sent to the Site for incorporation in the Permanent Works, and (ii) a reduction when the contract value of such Plant and Materials is included as part of the Permanent Works under sub-paragraph(a)of Sub-Clause 14.3[Application for Interim Payment Certificates].
- 14.5.2 If the lists referred to in sub-paragraphs (b)(i) or (c)(i) below are not included in the Schedules, this Sub Clause shall not apply.
- 14.5.3 The Architect shall determine and certify each addition if the following conditions are satisfied: a) The Contractor has:

- i) kept satisfactory records (including the orders, receipts, Costs and use of Plant and Materials) which are available for inspection, and
  - (ii) Submitted statement of the Cost of acquiring and delivering the Plant and Materials to the Site, supported by satisfactory evidence; and either:
- b) the relevant Plant and Materials:
  - i) are those listed in the Schedules for payment when shipped, ii) have been shipped to Kenya, enroute to the Site, in accordance with the Contract; and
  - iii) are described in a clean shipped bill of lading or other evidence of shipment, which has been submitted to the Architect together with evidence of payment of freight and insurance, any other documents reasonably required, and a bank guarantee in a form and issued by an entity approved by the Procuring Entity in amounts and currencies equal to the amount due under this Sub Clause: this guarantee may be in a similar form to the form referred to in SubClause14.2[Advance Payment] and shall be valid until the Plant and Materials are properly stored on Site and protected against loss, damage or deterioration; or
- c) the relevant Plant and Materials:
  - i) are those listed in the Schedules for payment when delivered to the Site, and
  - ii) have been delivered to and are properly stored on the Site, are protected against loss, damage or deterioration and appear to be in accordance with the Contract.

14.5.4 The additional amount to be certified shall be the equivalent of eighty percent (80%) of the Architect determination of the cost of the Plant and Materials (including delivery to Site), taking account of the documents mentioned in this Sub-Clause and of the contract value of the Plant and Materials.

14.5.5 The currencies for this additional amount shall be the same as those in which payment will be come due when the contract value is included under sub-paragraph (a) of Sub-Clause 14.3 [Application for Interim Payment Certificates]. At that time, the Payment Certificate shall include the applicable reduction which shall be equivalent to, and in the same currencies and proportions as, this additional amount for the relevant Plant and Materials.

## 14.6 Issue of Interim Payment Certificates

14.6.1 No amount will be certified or paid until the Procuring Entity has received and approved the Performance Security. Thereafter, the Architect shall, within 30 days after receiving a Statement and supporting documents, deliver to the Procuring Entity and to the Contractor an Interim Payment Certificate which shall state the amount which the Architect fairly determines to be due, with all supporting particulars for any reduction or withholding made by the Architect on the Statement if any.

14.6.2 However, prior to issuing the Taking-Over Certificate for the Works, the Architect shall not be bound to issue an Interim Payment Certificate in an amount which would (after retention and other deductions) be less than the minimum amount of Interim Payment Certificates(if any)stated **in the Special Conditions of Contract**. In this event, the Architect shall give notice to the Contractor accordingly.

14.6.3 An Interim Payment Certificate shall not be withheld for any other reason, although:

- a) if anything supplied or work done by the Contractor is not in accordance with the Contract, the cost of rectification or replacement may be withheld until rectification or replacement has been completed; and/or
- b) if the Contractor was or is failing to perform any work or obligation in accordance with the Contract, and had been so notified by the Engineer, the value of this work or obligation may be withheld until the work or obligation has been performed.

4.6.4 The Architect may in any Payment Certificate make any correction or modification that should properly be made to any previous Payment Certificate. A Payment Certificate shall not be deemed to indicate the Architect acceptance, approval, consent or satisfaction.

## **14.7 Payment**

- 14.7.1 The Procuring Entity shall pay to the Contractor:
- a) The advance payment shall be paid within 60 days after signing of the contract by both parties or within 60 days after receiving the documents in accordance with Sub-Clause 4.2[Performance Security] and Sub- Clause 14.2[Advance Payment], whichever is later;
  - b) The amount certified in each Interim Payment Certificate within 60 days after the Architect Issues Interim Payment Certificate; and
  - c) the amount certified in the Final Payment Certificate within 60 days after the Procuring Entity Issues Interim Payment Certificate; or after determination of any disputed amount shown in the Final Statement in accordance with Sub-Clause 16.2[Termination by Contractor].
- 14.7.2 Payment of the amount due in each currency shall be made into the bank account, nominated by the Contractor, in the payment country (for this currency) specified in the Contract.

## **14.8 Delayed Payment**

- 14.8.1 If the Contractor does not receive payment in accordance with Sub-Clause 14.7[Payment], the Contractor shall be entitled to receive financing charges (simple interest) monthly on the amount unpaid during the period of delay. This period shall be deemed to commence on the date for payment specified in Sub-Clause 14.7 [Payment], irrespective (in the case of its sub-paragraph (b) of the date on which any Interim Payment Certificate issued.
- 14.8.2 These financing charges shall be calculated at the annual rate of three percentage points above the mean rate of the Central Bank in Kenya of the currency of payment, or if not available, the interbank offered rate, and shall be paid in such currency.
- 14.8.3 The Contractor shall be entitled to this payment without formal notice and certification, and without prejudice to any other right or remedy.

## **14.9 Payment of Retention Money**

- 14.9.1 When the Taking-Over Certificate has been issued for the Works, the first half of the Retention Money shall be certified by the Architect for payment to the Contractor. If a Taking-Over Certificate is issued for a Section or part of the Works, a proportion of the Retention Money shall be certified and paid. This proportion shall be half (50%) of the proportion calculated by dividing the estimated contract value of the Section or part, by the estimated final Contract Price.
- 14.9.2 Promptly after the latest of the expiry dates of the Defects Liability Periods, the outstanding balance of the Retention Money shall be certified by the Architect for payment to the Contractor. If a Taking over Certificate was issued for a Section, a proportion of the second half of the Retention Money shall be certified and paid promptly after the expiry date of the Defects Notification Period for the Section. This proportion shall be half (50%) of the proportion calculated by dividing the estimated contract value of the Section by the estimated final Contract Price.
- 14.9.3 However, if any work remains to be executed under Clause 11[Defects Liability], the Architect shall be entitled to withhold certification of the estimated cost of this work until it has been executed.
- 14.9.4 When calculating these proportions, no account shall be taken of any adjustments under Sub-Clause 13.7 [Adjustments for Changes in Legislation] and Sub-Clause 13.8 [Adjustments for Changes in Cost].
- 14.9.5 Unless otherwise stated in the Special Conditions, when the Taking-Over Certificate has been issued for the Works and the first half of the Retention Money has been certified for payment by the Engineer, the Contractor shall be entitled to substitute a Retention Money Security guarantee, in the form annexed to the Special Conditions or in another form approved by the Procuring Entity and issued by a reputable bank or financial institution selected by the Contractor, for the second half of the Retention Money.

14.9.6 The Procuring Entity shall return the Retention Money Security guarantee to the Contractor within 14 days after receiving a copy of the Completion Certificate.

#### **14.10 Statement at Completion**

14.10.1 Within 84 days after receiving the Taking-Over Certificate for the Works, the Contractor shall submit to the Architect three copies of a Statement at completion with supporting documents, in accordance with Sub-Clause 14.3 [Application for Interim Payment Certificates], showing:

- a) the value of all work done in accordance with the Contract up to the date stated in the Taking-Over Certificate for the Works,
- b) any further sums which the Contractor considers to be due, and
- c) an estimate of any other amounts which the Contractor considers will become due to him under the Contract. Estimated amounts shall be shown separately in this Statement at completion.

14.10.2 The Architect shall then certify in accordance with Sub-Clause 14.6 [Issue of Interim Payment Certificates].

#### **14.11 Application for Final Payment Certificate**

14.11.1 Within 60 days after receiving the Completion Certificate, the Contractor shall submit, to the Engineer, six copies of a draft final statement with supporting documents showing in detail in a form approved by the Engineer:

- a) The value of all work done in accordance with the Contract, and
- b) Any further sums which the Contractor considers to be due to him under the Contract or otherwise.

14.11.2 If the Architect disagrees with or cannot verify any part of the draft final statement, the Contractor shall submit such further information as the Architect may reasonably require within 30 days from receipt of said draft and shall make such changes in the draft as may be agreed between them. The Contractor shall then prepare and submit to the Architect the final statement as agreed. This agreed statement is referred to in these Conditions as the "Final Statement".

14.11.3 However, if, following discussions between the Architect and the Contractor and any changes to the draft Final statements which are agreed, it becomes evident that a dispute exists, the Architect shall deliver to the Procuring Entity (with a copy to the Contractor) an Interim Payment Certificate for the agreed parts of the draft final statement. Thereafter, if the dispute is finally resolved under Sub-Clause 20.4 [Obtaining Dispute Board's Decision] or Sub-Clause 20.5 [Amicable Settlement], the Contractor shall then prepare and submit to the Procuring Entity (with a copy to the Engineer) a Final Statement.

#### **14.12 Discharge**

When submitting the Final Statement, the Contractor shall submit a discharge which confirms that the total of the Final Statement represents full and final settlement of all moneys due to the Contractor under or in connection with the Contract. This discharge may state that it becomes effective when the Contractor has received the Performance Security and the outstanding balance of this total, in which event the discharge shall be effective on such date.

#### **14.13 Issue of Final Payment Certificate**

14.13.1 Within 30 days after receiving the Final Statement and discharge in accordance with Sub-Clause 14.11 [Application for Final Payment Certificate] and Sub-Clause 14.12 [Discharge], the Architect shall deliver, to the Procuring Entity and to the Contractor, the Final Payment Certificate which shall state: a) The amount which he fairly determines is finally due, and

- b) After giving credit to the Procuring Entity for all amounts previously paid by the Procuring Entity and for all sums to which the Procuring Entity is entitled, the balance (if any) due from the Procuring Entity to the Contractor or from the Contractor to the Procuring Entity, as the case may be.

14.13.2 If the Contractor has not applied for a Final Payment Certificate in accordance with Sub-Clause 14.11 [Application for Final Payment Certificate] and Sub-Clause 14.12 [Discharge], the Architect shall request

the Contractor to do so. If the Contractor fails to submit an application within a period of 30 days, the Architect shall issue the Final Payment Certificate for such amount as he fairly determines to be due.

#### **14.14 Cessation of Procuring Entity's Liability**

14.14.1 The Procuring Entity shall not be liable to the Contractor for any matter or thing under or in connection with the Contract or execution of the Works, except to the extent that the Contractor shall have included an amount expressly for it:

- a) in the Final Statement and also,
- b) (Except for matters or things arising after the issue of the Taking-Over Certificate for the Works) in the Statement at completion described in Sub-Clause 14.10 [Statement at Completion].

14.14.2 However, this Sub-Clause shall not limit the Procuring Entity's liability under his indemnification obligations, or the Procuring Entity's liabilities in any case of fraud, deliberate default or reckless misconduct by the Procuring Entity.

#### **14.15 Currencies of Payment**

The Contract Price shall be paid in the currency or currencies named in the Schedule of Payment Currencies. If more than one currency is so named, payments shall be made as follows: a) If the Accepted Contract Amount was expressed in Local Currency only:

- i) The proportions or amounts of the Local and Foreign Currencies, and the fixed rates of exchange to be used for calculating the payments, shall be as stated in the Schedule of Payment Currencies, except as otherwise agreed by both Parties; ii) payments and deductions under Sub-Clause 13.5 [Provisional Sums] and Sub-Clause 13.7 [Adjustments for Changes in Legislation] shall be made in the applicable currencies and proportions; and
  - iii) other payments and deductions under sub-paragraphs (a) to (d) of Sub-Clause 14.3 [Application for Interim Payment Certificates] shall be made in the currencies and proportions specified in sub-paragraph (a)(i) above;
- b) payment of the damages specified in the Special Conditions of Contract, shall be made in the currencies and proportions specified in the Schedule of Payment Currencies;
  - c) other payments to the Procuring Entity by the Contractor shall be made in the currency in which the sum was expended by the Procuring Entity, or in such currency as may be agreed by both Parties;
  - d) if any amount payable by the Contractor to the Procuring Entity in a particular currency exceeds the sum payable by the Procuring Entity to the Contractor in that currency, the Procuring Entity may recover the balance of this amount from the sums otherwise payable to the Contractor or in other currencies; and
  - e) if no rates of exchange are stated in the Schedule of Payment Currencies, they shall be those prevailing on the Base Date and determined by the Central Bank of Kenya.

### **15. TERMINATION BY PROCURING ENTITY**

#### **15.1 Notice to correct any defects or failures**

If the Contractor fails to carry out any obligation under the Contract, the Architect may by notice require the Contractor to make good the failure and to remedy it within 30 days.

#### **15.2 Termination by Procuring Entity**

15.2.1 The Procuring Entity shall be entitled to terminate the Contract if the Contractor breaches the contract based on following circumstances which shall include but not limited to:

- a) fails to comply with Sub-Clause 4.2 [Performance Security] or with a notice under Sub-Clause 15.1 [Notice to Correct],
- b) abandons the Works or otherwise plainly demonstrates the intention not to continue performance of his obligations under the Contract,
- c) without reasonable excuse fails:  
to proceed with the Works in accordance with Clause 8 [Commencement, Delays and Suspension], or ii) to

comply with a notice issued under Sub-Clause 7.5 [Rejection] or Sub-Clause 7.6 [Remedial Work], within 30 days after receiving it,

- d) subcontracts the major part or whole of the Works or assigns the Contract without the consent of the Procuring Entity,
- e) becomes bankrupt or insolvent, goes into liquidation, has a receiving or administration order made against him, compounds with his creditors, or carries on business under a receiver, trustee or manager for the benefit of his creditors, or if any act is done or event occurs which (under applicable Laws) has a similar effect to any of these acts or events, or
- f) gives or offers to give (directly or indirectly) to any person any bribe, gift, gratuity, commission or other thing of value, as an inducement or reward:
- i) for doing or for bearing to do any action in relation to the Contract, or ii) for showing or for bearing to show favor or disfavor to any person in relation to the Contract, or iii) if any of the Contractor's Personnel, agents or Subcontractors gives or offers to give (directly or indirectly) to any person any such inducement or reward as is described in this subparagraph (f). However, lawful inducements and rewards to Contractor's Personnel shall not entitle termination, or
- g) If the contractor repeatedly fails to remedy delivers defective work,
- h) based on reasonable evidence, has engaged in Fraud and Corruption as defined in paragraph 2.2 of the Appendix B to these General Conditions, in competing for or in executing the Contract.

15.2.2 In any of these events or circumstances, the Procuring Entity may, upon giving 14 days' notice to the Contractor, terminate the Contract and expel the Contractor from the Site. However, in the case of subparagraph (e) or (f) or (g) or (h), the Procuring Entity may by notice terminate the Contract immediately.

15.2.3 The Procuring Entity's election to terminate the Contract shall not prejudice any other rights of the Procuring Entity, under the Contract otherwise.

15.2.4 The Contractor shall then leave the Site and deliver any required Goods, all Contractors' Documents, and other design documents made by or for him, to the Engineer. However, the Contractor shall use his best efforts to comply immediately with any reasonable instructions included in the notice (i) for the assignment of any subcontract, and (ii) for the protection of life or property or for the safety of the Works.

15.2.5 After termination, the Procuring Entity may complete the Works and/or arrange for any other entities to do so. The Procuring Entity and these entities may then use any Goods, Contractor's Documents and other design documents made by or on behalf of the Contractor.

15.2.6 The Procuring Entity shall then give notice that the Contractor's Equipment and Temporary Works will be released to the Contractor at or near the Site. The Contractor shall promptly arrange their removal, at the risk and cost of the Contractor. However, if by this time the Contractor has failed to make a payment due to the Procuring Entity, these items may be sold by the Procuring Entity in order to recover this payment. Any balance of the proceeds shall then be paid to the Contractor.

### **15.3 Valuation at Date of Termination**

As soon as practicable after a notice of termination under Sub-Clause 15.2 [Termination by Procuring Entity] has taken effect, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine the value of the Works, Goods and Contractor's Documents, and any other sums due to the Contractor for work executed in accordance with the Contract.

### **15.4 Payment after Termination**

After a notice of termination under Sub-Clause 15.2 [Termination by Procuring Entity] has taken effect, the Procuring Entity may:

- a) Proceed in accordance with Sub-Clause 2.5 [Procuring Entity's Claims],
- b) withhold further payments to the Contractor until the costs of execution, completion and remedying of any defects, damages for delay in completion (if any), and all other costs incurred by the Procuring Entity, have been established, and/or
- c) recover from the Contractor any losses and damages incurred by the Procuring Entity and any extra costs of completing the Works, after allowing for any sum due to the Contractor under Sub-Clause 15.3

[Valuation at Date of Termination]. After recovering any such losses, damages and extra costs, the Procuring Entity shall pay any balance to the Contractor.

## **15.5 Procuring Entity's Entitlement to Termination for Convenience**

The Procuring Entity shall be entitled to terminate the Contract, at any time at the Procuring Entity's convenience, by giving notice of such termination to the Contractor. The termination shall take effect 30 days after the later of the dates on which the Contractor receives this notice or the Procuring Entity returns the Performance Security. The Procuring Entity shall not terminate the Contract under this Sub-Clause in order to execute the Works itself or to arrange for the Works to be executed by another contractor or to avoid a termination of the Contract by the Contractor under Clause 16.2 [Termination by Contractor]. After this termination, the Contractor shall proceed in accordance with Sub-Clause 16.3 [Cessation of Work and Removal of Contractor's Equipment] and shall be paid in accordance with Sub-Clause 16.4 [Payment on Termination].

## **15.6 Fraud and Corruption**

The Contractor shall ensure compliance with the Kenya Government's Anti-Corruption Laws and its prevailing sanctions.

## **15.7 Corrupt gifts and payments of commission**

15.7.1 The Contractor shall not;

- a) Offer or give or agree to give to any person in the service of the Procuring Entity any gift or consideration of any kind as an inducement or reward for doing or for bearing to do or for having done or for borne to do any act in relation to the obtaining or execution of this or any other Contract for the Procuring Entity or for showing or for bearing to show favor or disfavor to any person in relation to this or any other contract for the Procuring Entity.
- b) Enter into this or any other contract with the Procuring Entity in connection with which commission has been paid or agreed to be paid by him or on his behalf for to his knowledge, unless before the Contract is made particulars of any such commission and of the terms and conditions of any agreement for the payment thereof have been disclosed in writing to the Procuring Entity.

15.7.2 Any breach of this Condition by the Contractor or by anyone employed by him or acting on his behalf (whether with or without the knowledge of the Contractor) shall be an offence under the provisions of the Public Procurement and Asset Disposal Act (2015) and the Anti-Corruption and Economic Crimes Act (2003) of the Laws of Kenya.

## **16. SUSPENSION AND TERMINATION BY CONTRACTOR**

### **16.1 Contractor's Entitlement to Suspend Work**

16.1.1 If the Architect fails to certify in accordance with Sub-Clause 14.6 [Issue of Interim Payment Certificates] or Sub-Clause 14.7 [Payment], or not receiving instructions that would enable the contractor to proceed with the works in accordance with the program, the Contractor may, after giving not less than 30 days' notice to the Procuring Entity, suspend work (or reduce the rate of work) unless and until the Contractor has received the Payment Certificate, reasonable evidence or payment, as the case may be and as described in the notice.

16.1.2 The Contractor's action shall not prejudice his entitlements to financing charges under Sub-Clause 14.8 [Delayed Payment] and to termination under Sub-Clause 16.2 [Termination by Contractor].

16.1.3 If the Contractor subsequently receives such Payment Certificate, evidence or payment (as described in the relevant Sub-Clause and in the above notice) before giving a notice of termination, the Contractor shall resume normal working as soon as is reasonably practicable.

16.1.4 If the Contractor suffers delay and/or incurs Cost as a result of suspending work (or reducing the rate of work) in accordance with this Sub-Clause, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:

- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4

[Extension of Time for Completion], and

- b) Payment of any such Cost-plus profit, which shall be included in the Contract Price.

**16.2** After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

### **16.3 Termination by Contractor**

16.3.1 The Contractor shall be entitled to terminate the Contract if:

- a) the Architect fails, within 60 days after receiving a Statement and supporting documents, to issue the relevant Payment Certificate,
- b) the Contractor does not receive the amount due under an Interim Payment Certificate within 90 days after the expiry of the time stated in Sub-Clause 14.7 [Payment] within which payment is to be made (Except for deductions in accordance with Sub-Clause 2.5 [Procuring Entity's Claims]),
- c) the Procuring Entity substantially fails to perform his obligations under the Contract in such manner as to materially and adversely affect the economic balance of the Contract and/or the ability of the Contractor to perform the Contract,
- d) a prolonged suspension affects the whole of the Works as described in Sub-Clause 8.11 [Prolonged Suspension], or
- e) the Procuring Entity becomes bankrupt or insolvent, goes into liquidation, has a receiving or administration order made against him, compounds with his creditors, or carries on business under a receiver, trustee or manager for the benefit of his creditors, or if any act is done or event occurs which (under applicable Laws) has a similar effect to any of these acts or events.
- f) the Contractor does not receive the Architect instruction recording the agreement of both Parties on the fulfilment of the conditions for the Commencement of Works under Sub-Clause 8.1 [Commencement of Works].

16.3.2 In any of these events or circumstances, the Contractor may, upon giving 14 days' notice to the Procuring Entity, terminate the Contract. However, in the case of sub-paragraph (f) or (g), the Contractor may by notice terminate the Contract immediately.

16.3.3 The Contractor's election to terminate the Contract shall not prejudice any other rights of the Contractor, under the Contract or otherwise.

### **16.4 Cessation of Work and Removal of Contractor's Equipment**

After a notice of termination under Sub-Clause 15.5 [Procuring Entity's Entitlement to Termination for Convenience], Sub-Clause 16.2 [Termination by Contractor] or Sub-Clause 19.6 [Optional Termination, Payment and Release] has taken effect, the Contractor shall promptly:

- a) cease all further work, except for such work as may have been instructed by the Architect for the protection of life or property or for the safety of the Works,
- b) hand over Contractor's Documents, Plant, Materials and other work, for which the Contractor has received payment, and
- c) remove all other Goods from the Site, except as necessary for safety, and leave the Site.

### **16.5 Payment on Termination**

After a notice of termination under Sub-Clause 16.2 [Termination by Contractor] has taken effect, the Procuring Entity shall promptly:

- a) Return the Performance Security to the Contractor,
- b) pay the Contractor in accordance with Sub-Clause 19.6 [Optional Termination, Payment and Release], and
- c) pay to the Contractor the amount of any loss or damage sustained by the Contractor as a result of this termination.

## **17. RISK AND RESPONSIBILITY**

### **17.1 Indemnities**

- 17.1.1 The Contractor shall indemnify and hold harmless the Procuring Entity, the Procuring Entity's Personnel, and their respective agents, against and from all claims, damages, losses and expenses (including legal fees and expenses) in respect of:
- a) Bodily injury, sickness, disease or death, of any person whatsoever arising out of or in the course of or by reason of the Contractor's design(if any), the execution and completion of the Works and the remedying of any defects, unless attributable to any negligence, willful act or breach of the Contract by the Procuring Entity, the Procuring Entity's Personnel, or any of the irrelative agents, and
  - b) Damage to or loss of any property, real or personal (other than the Works), to the extent that such damage or loss arises out of or in the course of or by reason of the Contractor's design (if any), the execution and completion of the Works and the remedying of any defects, unless and to the extent that any such damage or loss is attributable to any negligence, willful actor breach of the Contract by the Procuring Entity, the Procuring Entity's Personnel, their respective agents, or anyone directly or indirectly employed by any of them.
- 17.1.2 The Procuring Entity shall indemnify and hold harmless the Contractor, the Contractor's Personnel, and their respective agents, against and from all claims, damages, losses and expenses (including legal fees and expenses) in respect of (1) bodily injury, sickness, disease or death, which is attributable to any negligence, willful act or breach of the Contract by the Procuring Entity, the Procuring Entity's Personnel, or any of their respective agents, and(2)the matters for which liability may be excluded from insurance cover, as described in sub-paragraphs (d)(i), (ii) and (iii) of Sub-Clause 18.3 [Insurance Against Injury to Persons and Damage to Property],unless and to the extent that any such damage or loss is attributable to any negligence, willful actor breach of the Contract by the contractor, the contractor's Personnel, their respective agents, or anyone directly or indirectly employed by any of them.

### **17.2 Contractor's Care of the Works**

- 17.2.1 The Contractor shall take full responsibility for the care of the Works and Goods from the Commencement Date until the Taking-Over Certificate is issued (or is deemed to be issued under Sub-Clause 10.1 [Taking Over of the Works and Sections]) for the Works, when responsibility for the care of the Works shall pass to the Procuring Entity. If a Taking-Over Certificate is issued (or is so deemed to be issued) for any Section or part of the Works, responsibility for the care of the Section or part shall then pass to the Procuring Entity.
- 17.2.2 After responsibility has accordingly passed to the Procuring Entity, the Contractor shall take responsibility for the care of any work which is outstanding on the date stated in a Taking-Over Certificate, until this outstanding work has been completed.
- 17.2.3 If any loss or damage happens to the Works, Goods or Contractor's Documents during the period when the Contractor is responsible for their care, from any cause not listed in Sub-Clause 17.3[Procuring Entity's Risks], the Contractor shall rectify the loss or damage at the Contractor's risk and cost, so that the Works, Goods and Contractor's Documents conform with the Contract.
- 17.2.4 The Contractor shall be liable for any loss or damage caused by any actions performed by the Contractor after a Taking-Over Certificate has been issued. The Contractor shall also be liable for any loss or damage which occurs after a Taking-Over Certificate has been issued and which arose from a previous event for which the Contractor was liable.

### **17.3 Procuring Entity's Risks**

The risks referred to in Sub-Clause 17.4 [Consequences of Procuring Entity's Risks] below, in so far as they directly affect the execution of the Works in Kenya, are: a) War hostilities(whether war be declared or not),

- b) rebellion, riot, commotion or disorder, terrorism, sabotage by persons other than the Contractor's Personnel,
- c) explosive materials, ionizing gradiation or contamination by radio-activity, except as may be attributable to the Contractor's use of such explosives, radiation or radio-activity,
- d) pressure waves caused by aircraft or other aerial devices traveling at sonic or supersonic speeds,

- e) use or occupation by the Procuring Entity of any part of the Permanent Works, except as may be specified in the Contract,
- f) design of any part of the Works by the Procuring Entity's Personnel or by others for whom the Procuring Entity is responsible, and
- g) any operation of the forces of nature which is Unforeseeable or against which an experienced contractor could not reasonably have been expected to have taken adequate preventive precautions.

#### **17.4 Consequences of Procuring Entity's Risks**

- 17.4.1 If and to the extent that any of the risks listed in Sub-Clause 17.3 above results in loss or damage to the Works, Goods or Contractor's Documents, the Contractor shall promptly give notice to the Architect and shall rectify this loss or damage to the extent required by the Engineer.
- 17.4.2 If the Contractor suffers delay and/or incurs Cost from rectifying this loss or damage, the Contractor shall give a further notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
- (a) An extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
  - (b) Payment of any such Cost, which shall be included in the Contract Price. In the case of sub-paragraphs (e) and (g) of Sub-Clause 17.3 [Procuring Entity's Risks], Accrued Costs shall be payable.
- 17.4.3 After receiving this further notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

#### **17.5 Intellectual and Industrial Property Rights**

- 17.5.1 In this Sub-Clause, "infringement" shall refer to an infringement (or alleged infringement) of any patent, registered design, copyright, trade mark, trade name, trade secret or other intellectual or industrial property right relating to the Works; and "claim" shall refer to a claim (or proceedings pursuing a claim) alleging an infringement.
- 17.5.2 Whenever a Party does not give notice to the other Party of any claim within 30 days of receiving the claim, the first Party shall be deemed to have waived any right to indemnity under this Sub-Clause.
- 17.5.3 The Procuring Entity shall indemnify and hold the Contractor harmless against and from any claim alleging an infringement which is or was:
- a) An unavoidable result of the Contractor's compliance with the Contract, or
  - b) A result of any Works being used by the Procuring Entity:
    - i) for a purpose other than that indicated by, or reasonably to be inferred from, the Contract, or
    - ii) in conjunction with anything not supplied by the Contractor, unless such use was disclosed to the Contractor prior to the Base Date or is stated in the Contract.
- 17.5.4 The Contractor shall indemnify and hold the Procuring Entity harmless against and from any other claim which arises out of or in relation to (i) the manufacture, use, sale or import of any Goods, or (ii) any design for which the Contractor is responsible.
- 17.5.5 If a Party is entitled to be indemnified under this Sub-Clause, the indemnifying Party may (at its cost) conduct negotiations for the settlement of the claim, and any litigation or arbitration which may arise from it. The other Party shall, at the request and cost of the indemnifying Party, assist in contesting the claim. This other Party (and its Personnel) shall not make any admission which might be prejudicial to the indemnifying Party, unless the indemnifying Party failed to take over the conduct of any negotiations, litigation or arbitration upon being requested to do so by such other Party.
- 17.5.6 For operation and maintenance of any plant or equipment installed, the contractor shall grant a non-exclusive and non-transferable license to the Procuring Entity under the patent, utility models, or other intellectual rights owned by the contractor or a third-party from whom the contractor has received the rights to grant sub-licenses and shall also grant to the Procuring Entity a non-exclusive and non-transferable right (without the rights to sub-license) to use the know-how and other technical information disclosed to the contractor under the contract. Nothing contained here-in shall be construed as transferring ownership of any patent, utility

model, trademark, design, copy right, know-how or other intellectual rights from the contractor or any other third party to the Procuring Entity.

## **17.6 Limitation of Liability**

- 17.6.1 Neither Party shall be liable to the other Party for loss of use of any Works, loss of profit, loss of any contractor for any indirect or consequential loss or damage which may be suffered by the other Party in connection with the Contract, other than as specifically provided in Sub-Clause 8.7 [Delay Damages]; Sub-Clause 11.2 [Cost of Remedying Defects]; Sub-Clause 15.4 [Payment after Termination]; Sub-Clause 16.4 [Payment on Termination]; Sub-Clause 17.1 [Indemnities]; Sub-Clause 17.4(b) [Consequences of Procuring Entity's Risks] and Sub-Clause 17.5 [Intellectual and Industrial Property Rights].
- 17.6.2 The total liability of the Contractor to the Procuring Entity, under or in connection with the Contract other than under Sub-Clause 4.19 [Electricity, Water and Gas], Sub-Clause 4.20 [Procuring Entity's Equipment and Free-Issue Materials], Sub-Clause 17.1 [Indemnities] and Sub-Clause 17.5 [Intellectual and Industrial Property Rights], shall not exceed the sum resulting from the application of a multiplier (less or greater than one) to the Accepted Contract Amount, as stated in **the Special Conditions of Contract**, or (if such multiplier or other sum is not so stated) the Accepted Contract Amount.
- 17.6.3 This Sub-Clause shall not limit liability in any case of fraud, deliberate default or reckless misconduct by the defaulting Party.

## **17.7 Use of Procuring Entity's Accommodation/Facilities**

- 17.7.1 The Contractor shall take full responsibility for the care of the Procuring Entity provided accommodation and facilities, if any, as detailed in the Specification, from the respective dates of hand-over to the Contractor until cessation of occupation (where hand-over or cessation of occupation may take place after the date stated in the Taking-Over Certificate for the Works).
- 17.7.2 If any loss or damage happens to any of the above items while the Contractor is responsible for their care arising from any cause whatsoever other than those for which the Procuring Entity is liable, the Contractor shall, at his own cost, rectify the loss or damage to the satisfaction of the Engineer.

## **18. INSURANCE**

### **18.1 General Requirements for Insurances**

- 18.1.1 In this Clause, "insuring Party" means, for each type of insurance, the Party responsible for effecting and maintaining the insurance specified in the relevant Sub-Clause.
- 18.1.2 Wherever the Contractor is the insuring Party, each insurance shall be effected with insurers and in terms approved by the Procuring Entity. These terms shall be consistent with any terms agreed by both Parties before the date of the Letter of Acceptance. This agreement of terms shall take precedence over the provisions of this Clause.
- 18.1.3 Wherever the Procuring Entity is the insuring Party, each insurance shall be effected with insurers and in terms acceptable to the Contractor. These terms shall be consistent with any terms agreed by both Parties before the date of the Letter of Acceptance. This agreement of terms shall take precedence over the provisions of this Clause.
- 18.1.4 If a policy is required to indemnify joint insured, the cover shall apply separately to each insured as though a separate policy had been issued for each of the joint insured. If a policy indemnifies additional joint insured, namely in addition to the insured specified in this Clause, (i) the Contractor shall act under the policy on behalf of these additional joint insured except that the Procuring Entity shall act for Procuring Entity's Personnel, (ii) additional joint insured shall not be entitled to receive payments directly from the insurer or to have any other direct dealings with the insurer, and (iii) the insuring Party shall require all additional joint insured to comply with the conditions stipulated in the policy.
- 18.1.5 Each policy insuring against loss or damage shall provide for payments to be made in the currencies

required to rectify the loss or damage. Payments received from insurers shall be used for the rectification of the loss or damage.

- 18.1.6 The relevant insuring Party shall, within the respective periods stated in **the Special Conditions of Contract** (calculated from the Commencement Date), submit to the other Party:
- a) Evidence that the insurances described in this Clause have been affected, and
  - b) copies of the policies for the insurances described in Sub-Clause 18.2 [Insurance for Works and Contractor's Equipment] and Sub-Clause 18.3 [Insurance against Injury to Persons and Damage to Property].
- 18.1.7 When each premium is paid, the insuring Party shall submit evidence of payment to the other Party. Whenever evidence or policies are submitted, the insuring Party shall also give notice to the Engineer.
- 18.1.8 Each Party shall comply with the conditions stipulated in each of the insurance policies. The insuring Party shall keep the insurers informed of any relevant changes to the execution of the Works and ensure that insurance is maintained in accordance with this Clause.
- 18.1.9 Neither Party shall make any material alteration to the terms of any insurance without the prior approval of the other Party. If an insurer makes (or attempts to make) any alteration, the Party first notified by the insurer shall promptly give notice to the other Party.
- 18.1.10 If the insuring Party fails to effect and keep in force any of the insurances it is required to effect and maintain under the Contract, the other Party may (at its option and without prejudice to any other right or remedy) effect insurance for the relevant coverage and pay the premiums due. The insuring Party shall pay the amount of these premiums to the other Party, and the Contract Price shall be adjusted accordingly.
- 18.1.11 Nothing in this Clause limits the obligations, liabilities or responsibilities of the Contractor or the Procuring Entity, under the terms of the Contract otherwise. Any amounts not insured or not recovered from the insurers shall be borne by the Contractor and/or the Procuring Entity.
- 18.1.12 Procuring Entity in accordance with these obligations, liabilities or responsibilities. However, if the insuring Party fails to effect and keep in force an insurance which is available and which it is required to effect and maintain under the Contract, and the other Party neither approves the omission nor effects insurance for the coverage relevant to this default, any moneys which should have been recoverable under this insurance shall be paid by the insuring Party.
- 18.1.13 Payments by one Party to the other Party shall be subject to Sub-Clause 2.5 [Procuring Entity's Claims] or Sub-Clause 20.1 [Contractor's Claims], as applicable.
- 18.1.14 The Contractor shall be entitled to place all insurance relating to the Contract (including, but not limited to the insurance referred to in Clause 18) with insurers from any eligible source country.

## **18.2 Insurance for Works and Contractor's Equipment**

- 18.2.1 The insuring Party shall insure the Works, Plant, Materials and Contractor's Documents for not less than the full reinstatement cost including the costs of demolition, removal of debris and professional fees and profit. This insurance shall be effective from the date by which the evidence is to be submitted under subparagraph (a) of Sub-Clause 18.1 [General Requirements for Insurances], until the date of issue of the Taking-Over Certificate for the Works.
- 18.2.2 The insuring Party shall maintain this insurance to provide cover until the date of issue of the Performance Certificate, for loss or damage for which the Contractor is liable arising from a cause occurring prior to the issue of the Taking-Over Certificate, and for loss or damage caused by the Contractor in the course of any other operations (including those under Clause 11 [Defects Liability]).
- 18.2.3 The insuring Party shall insure the Contractor's Equipment for not less than the full replacement value, including delivery to Site. For each item of Contractor's Equipment, the insurance shall be effective while it is being transported to the Site and until it is no longer required as Contractor's Equipment.

18.2.4 Unless otherwise stated in the Special Conditions, insurances under this Sub-Clause:

- a) Shall be effected and maintained by the Contractor as insuring Party,
- b) shall be in the joint names of the Parties, who shall be jointly entitled to receive payments from the insurers, payments being held or allocated to the Party actually bearing the costs of rectifying the loss or damage,
- c) shall cover all loss and damage from any cause not listed in Sub-Clause 17.3 [Procuring Entity's Risks],
- d) shall also cover, to the extent specifically required in the tendering documents of the Contract, loss or damage to a part of the Works which is attributable to the use or occupation by the Procuring Entity of another part of the Works, and loss or damage from the risks listed in sub-paragraphs (c), (g) and (h) of Sub-Clause 17.3 [Procuring Entity's Risks], excluding (in each case) risks which are not insurable at commercially reasonable terms, with deductibles per occurrence of not more than the amount stated in **the Special Conditions** of Contract (if an amount is not so stated, this sub-paragraph (d) shall not apply), and
- e) may however exclude loss of, damage to, and reinstatement of:
  - i) a part of the Works which is in a defective condition due to a defect in its design, materials or workmanship (but cover shall include any other parts which are lost or damaged as a direct result of this defective condition and not as described in sub-paragraph (ii) below),
  - ii) a part of the Works which is lost or damaged in order to reinstate any other part of the Works if this other part is in a defective condition due to a defect in its design, materials or workmanship,
  - iii) a part of the Works which has been taken over by the Procuring Entity, except to the extent that the Contractor is liable for the loss or damage, and
  - iv) Goods while they are not in Kenya, subject to Sub-Clause 14.5 [Plant and Materials intended for the Works].

18.2.5 If, more than one year after the Base Date, the cover described in sub-paragraph (d) above ceases to be available at commercially reasonable terms, the Contractor shall (as insuring Party) give notice to the Procuring Entity, with supporting particulars. The Procuring Entity shall then (i) be entitled subject to Sub-Clause 2.5 [Procuring Entity's Claims] to payment of an amount equivalent to such commercially reasonable terms as the Contractor should have expected to have paid for such cover, and (ii) be deemed, unless he obtains the cover at commercially reasonable terms, to have approved the omission under Sub-Clause 18.1 [General Requirements for Insurances].

### 18.3 Insurance against Injury to Persons and Damage to Property

18.3.1 The insuring Party shall insure against each Party's liability for any loss, damage, death or bodily injury which may occur to any physical property (except things insured under Sub-Clause 18.2 [Insurance for Works and Contractor's Equipment]) or to any person (except persons insured under Sub-Clause 18.4 [Insurance for Contractor's Personnel]), which may arise out of the Contractor's performance of the Contract and occurring before the issue of the Performance Certificate.

18.3.2 This insurance shall be for a limit per occurrence of not less than the amount stated in **the Special Conditions of Contract**, with no limit on the number of occurrences. If an amount is not stated in the **Special Conditions of Contract**, this Sub-Clause shall not apply.

18.3.3 Unless otherwise stated in the Special Conditions, the insurances specified in this Sub-Clause:

- a) Shall be effected and maintained by the Contractor as insuring Party,
- b) Shall be in the joint names of the Parties,
- c) shall be extended to cover liability for all loss and damage to the Procuring Entity's property (except things insured under Sub-Clause 18.2) arising out of the Contractor's performance of the Contract, and
- d) may however exclude liability to the extent that it arises from:
  - i) the Procuring Entity's right to have the Permanent Works executed on, over, under, in or ii) through any land, and to occupy this land for the Permanent Works,
  - iii) damage which is a non-avoidable result of the Contractor's obligations to execute the iv) Works and remedy any defects, and
  - iv) a cause listed in Sub-Clause 17.3 [Procuring Entity's Risks], except to the extent that cover is available at commercially reasonable terms.

## **18.4 Insurance for Contractor's Personnel**

- 18.4.1 The Contractor shall effect and maintain insurance against liability for claims, damages, losses and expenses (including legal fees and expenses) arising from injury, sickness, disease or death of any person employed by the Contractor or any other of the Contractor's Personnel.
- 18.4.2 The insurance shall cover the Procuring Entity and the Architect against liability for claims, damages, losses and expenses (including legal fees and expenses) arising from injury, sickness, disease or death of any person employed by the Contractor or any other of the Contractor's Personnel, except that this insurance may exclude losses and claims to the extent that they arise from any act or neglect of the Procuring Entity or of the Procuring Entity's Personnel.
- 18.4.3 The insurance shall be maintained in full force and effect during the whole time that these personnel are assisting in the execution of the Works. For a Subcontractor's employees, the insurance may be effected by the Subcontractor, but the Contractor shall be responsible for compliance with this Clause.

## **19. FORCE MAJEURE**

### **19.1 Definition of Force Majeure**

- 19.1.1 In this Clause, "Force Majeure" means an exceptional event or circumstance:
- a) Which is beyond a Party's control,
  - b) Which such Party could not reasonably have provided against be for entering into the Contract,
  - c) which, having arisen, such Party could not reasonably have avoided or overcome, and
  - d) which is not substantially attributable to the other Party.
- 19.1.2 Force Majeure may include, but is not limited to, exceptional events or circumstances of the kind listed below, so long as conditions (a) to (d) above are satisfied:
- a) war, hostilities (whether war be declared or not), invasion, act of foreign enemies,
  - b) rebellion, terrorism, sabotage by persons other than the Contractor's Personnel, revolution, insurrection, military or usurped power, or civil war,
  - c) riot, commotion, disorder, strike or lockout by persons other than the Contractor's Personnel,
  - d) munitions of war, explosive materials, ionizing radiation or contamination by radio-activity, except as may be attributable to the Contractor's use of such munitions, explosives, radiation or radio-activity, and
  - e) natural catastrophes such as earthquake, hurricane, typhoon or volcanic activity.

### **19.2 Notice of Force Majeure**

- 19.2.1 If a Party is or will be prevented from performing its substantial obligations under the Contract by Force Majeure, then it shall give notice to the other Party of the event or circumstances constituting the Force Majeure and shall specify the obligations, the performance of which is or will be prevented. The notice shall be given within 14 days after the Party became aware, or should have become aware, of the relevant event or circumstance constituting Force Majeure.
- 19.2.2 The Party shall, having given notice, be excused performance of its obligations for so long as such Force Majeure prevents it from performing them.
- 19.2.3 Notwithstanding any other provision of this Clause, Force Majeure shall not apply to obligations of either Party to make payments to the other Party under the Contract

### **19.3 Duty to Minimize Delay**

Each Party shall at all times use all reasonable endeavors to minimize any delay in the performance of the Contract as a result of Force Majeure. A Party shall give notice to the other Party when it ceases to be affected by the Force Majeure.

## **19.4 Consequences of Force Majeure**

19.4.1 If the Contractor is prevented from performing his substantial obligations under the Contract by Force Majeure of which notice has been given under Sub-Clause 19.2 [Notice of Force Majeure], and suffers delay and/or incurs Cost by reason of such Force Majeure, the Contractor shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:

- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
- b) if the event or circumstance is of the kind described in sub-paragraphs (i) to (iv) of Sub-Clause 19.1 [Definition of Force Majeure] and, in sub-paragraphs (ii) to (iv), occurs in Kenya, payment of any such Cost, including the costs of rectifying or replacing the Works and/or Goods damaged or destroyed by Force Majeure, to the extent they are not indemnified through the insurance policy referred to in Sub-Clause 18.2 [Insurance for Works and Contractor's Equipment].

19.4.2 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

## **19.5 Force Majeure Affecting Subcontractor**

If any Subcontractor is entitled under any contract or agreement relating to the Works to relief from force majeure on terms additional to or broader than those specified in this Clause, such additional or broader force majeure events or circumstances shall not excuse the Contractor's non-performance or entitle him to relief under this Clause.

## **19.6 Optional Termination, Payment and Release**

19.6.1 If the execution of substantially all the Works in progress is prevented for a continuous period of 84 days by reason of Force Majeure of which notice has been given under Sub-Clause 19.2 [Notice of Force Majeure], or for multiple periods which total more than 140 days due to the same notified Force Majeure, the neither Party may give to the other Party a notice of termination of the Contract. In this event, the termination shall take effect 7 days after the notice is given, and the Contractor shall proceed in accordance with Sub-Clause 16.3 [Cessation of Work and Removal of Contractor's Equipment].

19.6.2 Upon such termination, the Architect shall determine the value of the work done and issue a Payment Certificate which shall include:

- a) The amounts payable for any work carried out for which a price is stated in the Contract;
- b) the Cost of Plant and Materials ordered for the Works which have been delivered to the Contractor, or of which the Contractor is liable to accept delivery: this Plant and Materials shall become the property of (and bear the risk of) the Procuring Entity when paid for by the Procuring Entity, and the Contractor shall place the same at the Procuring Entity's disposal;
- c) other Cost or liabilities which in the circumstances were reasonably and necessarily incurred by the Contractor in the expectation of completing the Works;
- d) the Cost of removal of Temporary Works and Contractor's Equipment from the Site and their turn of these items to the Contractor's works in his country (or to any other destination at no greater cost); and
- e) the Cost of repatriation of the Contractor's staff and labor employed wholly in connection with the Works at the date of termination.

## **19.7 Release from Performance**

Notwithstanding any other provision of this Clause, if any event or circumstance outside the control of the Parties (including, but not limited to, Force Majeure) arises which makes it impossible or unlawful for either or both Parties to fulfil its or their contractual obligations or which, under the law governing the Contract, entitles the Parties to be released from further performance of the Contract, then upon notice by either Party to the other Party of such event or circumstance:

- a) The Parties shall be discharged from further performance, without prejudice to their rights of either Party in respect of any previous breach of the Contract, and
- b) The sum payable by the Procuring Entity to the Contractor shall be the same as would have been payable under Sub-Clause 19.6 [Optional Termination, Payment and Release] if the Contract had been terminated

under Sub-Clause 19.6.

## **20. SETTLEMENT OF CLAIMS AND DISPUTES**

### **20.1 Contractor's Claims**

- 20.1.1 If the Contractor considers itself to be entitled to any extension of the Time for Completion and/or any additional payment, under any Clause of these Conditions or otherwise in connection with the Contract, the Contractor shall give Notice to the Engineer, describing the event or circumstance giving rise to the claim. The notice shall be given as soon as practicable, and not later than 30 days after the Contractor became aware, or should have become aware, of the event or circumstance.
- 20.1.2 If the Contractor fails to give notice of a claim within such period of 30 days, the Time for Completion shall not be extended, the Contractor shall not be entitled to additional payment, and the Procuring Entity shall be discharged from all liability in connection with the claim. Otherwise, the following provisions of this Sub-Clause shall apply.
- 20.1.3 The Contractor shall also submit any other notices which are required by the Contract, and supporting particulars for the claim, all as relevant to such event or circumstance.
- 20.1.4 The Contractor shall keep such contemporary records as may be necessary to substantiate any claim, either on the Site or at another location acceptable to the Engineer. Without admitting the Procuring Entity's liability, the Architect may, after receiving any notice under this Sub-Clause, monitor the record-keeping and/or instruct the Contractor to keep further contemporary records. The Contractor shall permit the Architect to inspect all these records and shall (if instructed) submit copies to the Engineer.
- 20.1.5 Within 42 days after the Contractor became aware (or should have become aware) of the event or circumstance giving rise to the claim, or within such other period as may be proposed by the Contractor and approved by the Engineer, the Contractor shall send to the Architect fully detailed claim which includes full supporting particulars of the basis of the claim and of the extension of time and/or additional payment claimed. If the event or circumstance giving rise to the claim has a continuing effect:
- a) This fully detailed claim shall be considered as interim;
  - b) The Contractor shall send further interim claims at monthly intervals, giving the accumulated delay and/or amount claimed, and such further particulars as the Architect may reasonably require; and
  - c) The Contractor shall send a final claim within 30 days after the end of the effects resulting from the event or circumstance, or within such other period as may be proposed by the Contractor and approved by the Engineer.
- 20.1.6 Within 42 days after receiving a Notice of a claim or any further particulars supporting a previous claim, or within such other period as may be proposed by the Architect and approved by the Contractor, the Architect shall respond with approval, or with disapproval and detailed comments. He may also request any necessary further particulars but shall nevertheless give his response on the principles of the claim within the above defined time period.
- 20.1.7 Within the above defined period of 42 days, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) the extension (if any) of the Time for Completion (before or after its expiry) in accordance with Sub-Clause 8.4 [Extension of Time for Completion], and/or (ii) the additional payment (if any) to which the Contractor is entitled under the Contract.
- 20.1.8 Each Payment Certificate shall include such additional payment for any claim as has been reasonably substantiated as due under the relevant provision of the Contract. Unless and until the particulars supplied are sufficient to substantiate the whole of the claim, the Contractor shall only be entitled to payment for such part of the claim as he has been able to substantiate.

- 20.1.9 If the Architect does not respond within the time frame defined in this Clause, either Party may consider that the claim is rejected by the Architect and any of the Parties may refer the dispute for amicable settlement in accordance with Clause 20.3.
- 20.1.10 The requirements of this Sub-Clause are in addition to those of any other Sub-Clause which may apply to a claim. If the Contractor fails to comply with this or another Sub-Clause in relation to any claim, any extension of time and/or additional payment shall take account of the extent (if any) to which the failure has prevented or prejudiced proper investigation of the claim, unless the claim is excluded under the second paragraph of this Sub-Clause 20.3.

## **20.2 Procuring Entity's Claims**

- 20.2.1 If the Procuring Entity considers itself to be entitled to any payment under any Clause of these Conditions or otherwise in connection with the Contract, and/or to any extension of the Defects Notification Period, the Procuring Entity or the Architect shall give notice and particulars to the Contractor. However, notice is not required for payments due under Sub-Clause 4.19 [Electricity, Water and Gas], under Sub-Clause 4.20 [Procuring Entity's Equipment and Free-Issue Materials], or for other services requested by the Contractor.
- 20.2.2 The notice shall be given as soon as practicable and no longer than 30 days after the Procuring Entity became aware, or should have become aware, of the event or circumstances giving rise to the claim. A notice relating to any extension of the Defects Notification Period shall be given before the expiry of such period.
- 20.2.3 The particulars shall specify the Clause or other basis of the claim and shall include substantiation of the amount and/or extension to which the Procuring Entity considers itself to be entitled in connection with the Contract. The Architect shall then proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) the amount (if any) which the Procuring Entity is entitled to be paid by the Contractor, and/or (ii) the extension (if any) of the Defects Notification Period in accordance with Sub-Clause 11.3 [Extension of Defects Notification Period].
- 20.2.4 This amount may be included as a deduction in the Contract Price and Payment Certificates. The Procuring Entity shall only be entitled to set off against or make any deduction from an amount certified in a Payment Certificate, or to otherwise claim against the Contractor, in accordance with this Sub-Clause.

## **20.3 Amicable Settlement**

Where a notice of a claim has been given, both Parties shall attempt to settle the dispute amicably before the commencement of arbitration. However, unless both Parties agree otherwise, the Party giving a notice of a claim in accordance with Sub-Clause 20.1 above should move to commence arbitration after 60 days from the day on which a notice of a claim was given, even if no attempt at an amicable settlement has been made.

## **20.4 Matters that maybe referred to arbitration**

Notwithstanding anything stated herein the following matters may be referred to arbitration before the practical completion of the Works or abandonment of the Works or termination of the Contract by either party:

- a) Whether or not the issue of an instruction by the Architect is empowered by these Conditions.
- b) Whether or not a certificate has been improperly withheld or is not in accordance with these Conditions.
- c) Any dispute arising in respect risks arising from matters referred to in Clause 17.3 and Clause 19.
- e) All other matters shall only be referred to arbitration after the completion or alleged completion of the Works or termination or alleged termination of the Contract, unless the Procuring Entity and the Contractor agree otherwise in writing.

## **20.5 Arbitration**

- 20.5.1 Any claim or dispute between the Parties arising out of or in connection with the Contract not settle amicably in accordance with Sub-Clause 20.3 shall be finally settled by arbitration.

- 20.5.2 No arbitration proceedings shall be commenced on any claim or dispute where notice of a claim or dispute has not been given by the applying party within ninety days of the occurrence or discovery of the matter or issue giving rise to the dispute.
- 20.5.3 Notwithstanding the issue of a notice as stated above, the arbitration of such a claim or dispute shall not Commence unless an attempt has in the first instance been made by the parties to settle such claim or dispute amicably with or without the assistance of third parties. Proof of such attempt shall be required.
- 20.5.4 The Arbitrator shall, without prejudice to the generality of his powers, have powers to direct such measurements, computations, tests or valuations as may in his opinion be desirable in order to determine the rights of the parties and assess and award any sums which ought to have been the subject of or included in any certificate.
- 20.5.5 The Arbitrator shall, without prejudice to the generality of his powers, have powers to open up, review and revise any certificate, opinion, decision, requirement or notice and to determine all matters in dispute which shall be submitted to him in the same manner as if no such certificate, opinion, decision requirement or notice had been given.
- 20.5.6 The arbitrators shall have full power to open up, review and revise any certificate, determination, instruction, opinion or valuation of the Engineer, relevant to the dispute. Nothing shall disqualify representatives of the Parties and the Architect from being called as a witness and giving evidence before the arbitrators on any matter whatsoever relevant to the dispute.
- 20.5.7 Neither Party shall be limited in the proceedings before the arbitrators to the evidence, or to the reasons for dissatisfaction given in its Notice of Dissatisfaction.
- 20.5.7 Arbitration may be commenced prior to or after completion of the Works. The obligations of the Parties, and the Architect shall not be altered by reason of any arbitration being conducted during the progress of the Works.
- 20.5.8 The terms of the remuneration of each or all the members of Arbitration shall be mutually agreed upon by the Parties when agreeing the terms of appointment. Each Party shall be responsible for paying one-half of this remuneration.

## **20.6 Arbitration with National Contractors**

- 20.6.1 If the Contract is with national contractors, arbitration proceedings will be conducted in accordance with the Arbitration Laws of Kenya. In case of any claim or dispute, such claim or dispute shall be notified in writing by either party to the other with a request to submit it to arbitration and to concur in the appointment of an Arbitrator within thirty days of the notice. The dispute shall be referred to the arbitration and final decision of a person to be agreed between the parties. Failing agreement to concur in the appointment of an Arbitrator, the Arbitrator shall be appointed, on the request of the applying party, by the Chairman or Vice Chairman of any of the following professional institutions; i) Architectural Association of Kenya ii) Institute of Quantity Surveyors of Kenya iii) Association of Consulting Engineers of Kenya iv) Chartered Institute of Arbitrators (Kenya Branch) v) Institution of Engineers of Kenya
- 20.6.2 The institution written to first by the aggrieved party shall take precedence over all other institutions.

## **20.7 Arbitration with Foreign Contractors**

- 20.7.1 Arbitration with foreign contractors shall be conducted in accordance with the arbitration rules of the United Nations Commission on International Trade Law (UNCITRAL); or with proceedings administered by the International Chamber of Commerce (ICC) and conducted under the ICC Rules of Arbitration; by one or more arbitrators appointed in accordance with said arbitration rules.
- 20.7.2 The place of arbitration shall be a location specified in the SCC; and the arbitration shall be conducted in the language for communications defined in Sub-Clause 1.4[Law and Language].

## 20.8 Alternative Arbitration Proceedings

Alternatively, the Parties may refer the matter to the Nairobi Centre for International Arbitration (NCIA) which offers a neutral venue for the conduct of national and international arbitration with commitment to providing institutional support to the arbitral process.

## 20.9 Failure to Comply with Arbitrator's Decision

20.9.1 The award of such Arbitrator shall be final and binding upon the parties.

20.9.2 In the event that a Party fails to comply with a final and binding Arbitrator's decision, then the other Party may, without prejudice to any other rights it may have, refer the matter to a competent court of law.

## 20.10 Contract operations to continue

Notwithstanding any reference to arbitration herein,

1.1.1 the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and the Procuring Entity shall pay the Contractor any monies due the Contractor.

## Section VI - Special Conditions of Contract

THE EMPLOYER IS

Name: COUNTY GOVERNMENT OF EMBU

Address: P.O BOX 36-60100 EMBU

The Project Manager is

Name: CHIEF OFFICER-MEDICAL SERVICES

Address: P.O BOX 36-60100 EMBU

The following Particular Conditions shall supplement the GCC. Whenever there is a conflict, the provisions herein shall prevail over those in the GCC

Conditions	Sub- Clause	Data
<b>Part A - Contract Data</b>		
Procuring Entity's name and address	Heading	<b>EMBU COUNTY GOVERNMENT (ECG) P.O. BOX 36-60100, EMBU</b>
Name and Reference No. of the Contract	Heading and 1.1	<b>PROPOSED RENOVATIONS AND ALTERATIONS AT ISHIARA LEVEL 4 HOSPITAL TENDER REF: - CGE/HMS/T/05/MYR-2025/2026</b>
Engineers Name and address	Heading and 3.1.1	Roads Transport & Public Works
Contractor's Representative's name	4.3.1	<i>[insert the name of the Contractor's Representative agreed by the Procuring Entity prior to Contract signature]</i>
Key Personnel names	16.9.1	<i>[insert the name of each Key Personnel agreed by the Procuring Entity prior to Contract signature]</i>

Time for Completion	1.1.	<u>..... WEEKS</u> <i>If Sections are to be used, refer to Table: Summary of Sections below</i>
Defects Notification Period	1.1	<u>6 MONTHS</u>
Sections	1.1	<i>If Sections are to be used, refer to Table: Summary of Sections below</i>
Electronic transmission systems	1.3	N/A
Time for the Parties entering into a Contract Agreement	1.6	Within 30days
Period for commencement, from Engineer's order to commence	8.1.1	14 Days
Time for access to the Site	2.1.1	No later than the Commencement Date, and not later than <u>      </u> 14 <u>      </u> days after Commencement Date

Performance Security	4.2.1	The performance security will be in the form of a bank guarantee, from Insurance company approved by IRA, any other financial institution approved by Central Bank of Kenya <u>5%</u> percent of the Accepted Contract Amount and in the same currency(ies) of the Accepted Contract Amount.
Normal working hours	6.5	Specify
Delay damages for the Works	8.7 & 14.15(b)	<u>0.005</u> % of the Contract Price per day. <i>If Sections are to be used, refer to Table: Summary of Sections below</i>
Maximum amount of delay damages	8.7.1	<u>0.1</u> % of the final Contract Price.
Provisional Sums	13.6. (b)(ii)	<i>[If there are Provisional Sums, insert a percentage for adjustment of Provisional Sums]</i> <u>        </u> %
<b>Conditions</b>	<b>Sub- Clause</b>	<b>Data</b>
Adjustments for Changes in Cost	13.9	Period “n” applicable to the adjustment multiplier “Pn”: <u>        </u> <i>[Insert the period if different from one (1) month; if period “n” is one (1) month, insert “not applicable”]</i>
Total advance payment	14.2.1	% Percentage of the Accepted Contract Amount payable in the currencies and proportions in which the Accepted Contract Amount is payable <i>[Insert number and timing of installments if applicable]</i> N/A
Repayment amortization rate of advance payment	14.2.5 (b)	<u>        </u> %
Percentage of Retention	14.3.2 (c)	<u>10</u> %
Limit of Retention Money	14.3.2 (c)	<u>5</u> % of the Accepted Contract Amount
Plant and Materials	14.5.3(b)(i)	If Sub-Clause 14.5 applies: Plant and Materials for payment Free on Board <u>        </u> <i>[list]</i> .
	14.5.3(c)(i)	Plant and Materials for payment when delivered to the Site <u>        </u> <i>[list]</i> .
Minimum Amount of Interim Payment Certificates	14.6.2	<u>10</u> % of the Accepted Contract Amount.
Publishing source of commercial interest rates for financial charges in case of delayed payment	14.8	Specify <u>0.05</u> % rate per month of delayed payment.
Maximum total liability of the Contractor to the Procuring Entity	17.6.2	<i>[Select one of the two options below as appropriate]</i> The product of <u>        </u> <i>[insert a multiplier less or greater than one]</i> times the Accepted Contract Amount, <i>or</i> <u>        </u> <i>[insert amount of the maximum total liability]</i>
Periods for submission of insurance: a. evidence of insurance.	18.1.6	<i>[Insert period for submission of evidence of insurance and policy. Period may be from 14 days to 30days.]</i> <u>30</u> days

b. relevant policies		<u>30</u> days
Maximum amount of deductibles for insurance of the Procuring Entity's risks	18.2.4 (d)	<i>[Insert maximum amount of deductibles]-KSHS 500,000.00</i>
Minimum amount of third-party insurance	18.3.2	<i>[Insert amount of third-party insurance]-KSHS 500,000.00</i>
The place of arbitration	20.7.2	Chairman, Chartered Institute of Arbitrators-Kenya Chapter

## **SECTION VII - CONTRACT FORMS**

FORM No. 1 - NOTIFICATION OF INTENTION TO AWARD

FORM NO. 2 – REQUEST FOR REVIEW

FORM No. 3-LETTER OF AWARD

FORM No. 4 - CONTRACT AGREEMENT

FORM No. 5 - PERFORMANCE SECURITY [Option 1 - Unconditional Demand Bank Guarantee]

FORM No. 6- PERFORMANCE SECURITY [Option 2– Performance Bond]

FORM No. 7 - ADVANCE PAYMENT SECURITY

FORM No. 8 - RETENTION MONEY SECURITY

**FORM No 1: NOTIFICATION OF INTENTION TO AWARD OF CONTRACT**

This Notification of Award shall be sent to each Tenderer that submitted a Tender and was not successful. Send this Notification to the Tenderer's Authorized Representative named in the Tender Information Form on the format below.

**FORMAT**

1. For the attention of Tenderer's Authorized Representative

- i) Name: *[insert Authorized Representative's name]* ii) Address: *[insert Authorized Representative's Address]* iii) Telephone: *[insert Authorized Representative's telephone/fax numbers]* iv) Email Address: *[insert Authorized Representative's email address]*

*[IMPORTANT: insert the date that this Notification is transmitted to Tenderers. The Notification must be sent to all Tenderers simultaneously. This means on the same date and as close to the same time as possible.]*

2. Date of transmission: *[email]* on *[date]* (local time)

This Notification is sent by *(Name and designation)* \_\_\_\_\_

3. Notification of Award

- i) Procuring Entity: *[insert the name of the Procuring Entity]*
- ii) Project: *[insert name of project]* iii) Contract title: *[insert the name of the contract]*
- iv) ITT No: *[insert ITT reference number from Procurement Plan]*

This Notification of Intention to Award (Notification) notifies you of our decision to award the above contract. The transmission of this Notification begins the Standstill Period. During the Standstill Period, you may:

4. Request a debriefing in relation to the evaluation of your tender by submitting a Procurement-related Complaint in relation to the decision to award the contracts.

- a) The successful tenderers

- i) Name of successful Tender \_\_\_\_\_

- ii) Address of the successful Tender \_\_\_\_\_

\_\_\_\_\_

- iii) Contract price of the successful Tender Kenya Shillings \_\_\_\_\_  
(in words \_\_\_\_\_)

- b) The reasons for your tender being unsuccessful are as follows:

- c) Other Tenderers

Names of all Tenderers that submitted a Tender. If the Tender's price was Evaluated include the evaluated price as well as the Tender price as read out.

SNo	Name of Tender	Tender Price as read out	Tender's evaluated price (Note a)	One Reason Why Not Evaluated
1				
2				
3				
4				
5				

(Note a) State NE if not evaluated

## 5. How to request a debriefing

- a) DEADLINE: The deadline to request a debriefing expires at midnight on *[insert date]* (local time).
- b) You may request a debriefing in relation to the results of the evaluation of your Tender. If you decide to request a debriefing your written request must be made within five (5) Business Days of receipt of this Notification of Intention to Award.
- c) Provide the contract name, reference number, name of the Tenderer, contact details; and address the request for debriefing as follows:
  - i) Attention: *[insert full name of person, if applicable]*
  - ii) Title/position: *[insert title/position]* iii) Agency: *[insert name of Procuring Entity]*
  - iv) Email address: *[insert email address]*
- d) If your request for a debriefing is received within the 3 Days deadline, we will provide the debriefing within five (5) Business Days of receipt of your request. If we are unable to provide the debriefing within this period, the Standstill Period shall be extended by five (5) Days after the date that the debriefing is provided. If this happens, we will notify you and confirm the date that the extended Standstill Period will end.
- e) The debriefing may be in writing, by phone, videoconference call or in person. We shall promptly advise you in writing how the debriefing will take place and confirm the date and time.
- f) If the deadline to request a debriefing has expired, you may still request a debriefing. In this case, we will provide the debriefing as soon as practicable, as and normally no later than fifteen (15) Days from the date of publication of the Contract Award Notice.

## 6. How to make a complaint

- a) Period: Procurement-related Complaint challenging the decision to award shall be submitted by midnight, *[insert date]* (local time).
- b) Provide the contract name, reference number, name of the Tenderer, contact details; and address the Procurement-related Complaint as follows:
  - i) Attention: *[insert full name of person, if applicable]* ii) Title/position: *[insert title/position]* iii) Agency: *[insert name of Procuring Entity]* iv) Email address: *[insert email address]*
- c) At this point in the procurement process, you may submit a Procurement-related Complaint challenging the decision to award the contract. You do not need to have requested, or received, a debriefing before making this complaint. Your complaint must be submitted within the Standstill Period and received by us before the Standstill Period ends.
- d) Further information: For more information refer to the Public Procurement and Disposals Act 2015 and its Regulations available from the Website [www.ppra.go.ke](http://www.ppra.go.ke).

You should read these documents before preparing and submitting your complaint.

- e) There are four essential requirements:
  - i) You must be an 'interested party'. In this case, that means a Tenderer who submitted a Tender in this tendering process and is the recipient of a Notification of Intention to Award.
  - ii) The complaint can only challenge the decision to award the contract.
  - iii) You must submit the complaint within the period stated above.
  - iv) You must include, in your complaint, all of the information required to support your complaint.

**7. Standstill Period**

- i) DEADLINE: The Stand still Period is due to end at midnight on [*insert date*] (local time).
- ii) The Standstill Period lasts fourteen (14) Days after the date of transmission of this Notification of Intention to Award.
- iii) The Standstill Period may be extended as stated in paragraph Section 5(d) above.

If you have any questions regarding this Notification please do not hesitate to contact us.  
On behalf of the Procuring Entity:

**Signature:** \_\_\_\_\_

**Name:** \_\_\_\_\_

**Title/position:** \_\_\_\_\_

\_\_\_\_\_

**Telephone:** \_\_\_\_\_

\_\_\_\_\_

**FORM NO. 2- REQUEST FOR REVIEW**

**FORM FOR REVIEW (r.203 (1))**

**PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD**

**APPLICATION NO..... OF.....20 ..... BETWEEN**

**..... APPLICANT**

**AND**

**.....RESPONDENT (Procuring Entity)**

Request for review of the decision of the..... (Name of the Procuring Entity of ..... dated the...day of .....20.....in the matter of Tender No.....of .....20.... for..... (Tender description).

**REQUEST FOR REVIEW**

I/We....., the above-named Applicant(s), of address: Physical address ..... P. O. Box No..... Tel. No..... Email ....., hereby request the Public Procurement Administrative Review Board to review the whole/part of the above-mentioned decision on the following grounds, namely:

- 1.
- 2.

By this memorandum, the Applicant requests the Board for an order/order that:

- 1.
- 2.

SIGNED ..... (Applicant) Dated on..... day of ...../...20.....

---

FOR OFFICIAL USE ONLY Lodged with the Secretary Public Procurement Administrative Review Board on.....day of .....20.....

**SIGNED**

**Board Secretary**

**FORM NO 3: LETTER OF AWARD**

*letterhead paper of the Procuring Entity]*

*[date]*

To: *[name and address of the Contractor]*

This is to notify you that your Tender dated *[date]* for execution of the *[name of the Contract and identification number, as given in the Contract Data]* for the Accepted Contract Amount *[amount in numbers and words]* *[name of currency]*, as corrected and modified in accordance with the Instructions to Tenderers, is hereby accepted by ..... *(name of Procuring Entity)*.

You are requested to furnish the Performance Security within in accordance with the Conditions of Contract, using, for that purpose, one of the Performance Security Forms included in Section VIII, Contract Forms, of the Tender Document.

Authorized Signature: .....

Name and Title of Signatory: .....

Name of Procuring Entity: .....

Attachment: *Contract Agreement*: .....

**FORM NO 4: CONTRACT AGREEMENT**

THIS AGREEMENT made the day of..... 20....., between.....  
.....of.....(hereinafter “the Procuring Entity”), of the one part, and \_\_\_of\_\_\_(herein after “the Contractor”), of the other part:

WHEREAS the Procuring Entity desires that the Works known as\_\_\_\_\_should be executed by the Contractor, and has accepted a Tender by the Contractor for the execution and completion of these Works and the remedying of any defects therein,

The Procuring Entity and the Contractor agree as follows:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Contract documents referred to.
2. The following documents shall be deemed to form and be read and construed as part of this Agreement. This Agreement shall prevail over all other Contract documents.
  - a) The Notification of Award
  - b) The Form of Tender
  - c) The addenda Nos\_\_\_\_\_(if any)
  - d) The Special Conditions of Contract
  - e) The General Conditions of Contract;
  - f) The Specifications
  - g) The Drawings; and
  - h) The completed Schedules and any other documents forming part of the contract.
3. In consideration of the payments to be made by the Procuring Entity to the Contractor as specified in this Agreement, the Contractor hereby covenants with the Procuring Entity to execute the Works and to remedy defects therein in conformity in all respects with the provisions of the Contract.
4. The Procuring Entity hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS where of the parties here to have caused this Agreement to be executed in accordance with the Laws of Kenya on the day, month and year specified above.

Signed and sealed by\_\_\_\_\_ (for the Procuring Entity)

Signed and sealed by\_\_\_\_\_ (for the Contractor).

**FORM NO. 5 - PERFORMANCE SECURITY**

**[Option 1 - Unconditional Demand Bank Guarantee]**

*[Guarantor letterhead]*

**Beneficiary:** *[insert name and Address of Procuring Entity]*

**Date:** \_\_\_\_\_ *[Insert date of issue]*

**Guarantor:** *[Insert name and address of place of issue, unless indicated in the letterhead]*

1. We have been informed that \_\_\_\_\_ (hereinafter called "the Contractor") has entered into Contract No. \_\_\_\_\_ dated \_\_\_\_\_ with (name of Procuring Entity) \_\_\_\_\_ (the Procuring Entity as the Beneficiary), for the execution of \_\_\_\_\_ (herein after called "the Contract").
2. Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.
3. At the request of the Contractor, we as Guarantor, here by irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of *(in words)*, <sup>5</sup> such sum being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating that the Applicant is in breach of its obligation(s) under the Contract, without the Beneficiary needing to prove or to show grounds for your demand or the sum specified therein.
4. This guarantee shall expire, no later than the.....Day of.....,2.....<sup>6</sup>, and any demand for payment under it must be received by us at the office indicated above on or before that date.
5. The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed *[six months]* *[one year]*, in response to the Beneficiary's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee." .....

*[Name of Authorized Official, signature(s) and seals/stamps]*

**Note:** *All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.*

<sup>5</sup> *The Guarantor shall insert an amount representing the percentage of the Accepted Contract Amount specified in the Letter of Acceptance, less provisional sums, if any, and denominated either in the currency of the Contract or a freely convertible currency acceptable to the Beneficiary.*

<sup>6</sup> *Insert the date twenty-eight days after the expected completion date as described in GC Clause 11.9. The Procuring Entity should note that in the event of an extension of this date for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request*

*must be inwriting and must be made prior to the expiration date established in the guarantee.*

FORM No.6-PERFORMANCE SECURITY

**[Option 2– Performance Bond]**

*[Note: Procuring Entities are advised to use Performance Security–Unconditional Demand Bank Guarantee instead of Performance Bond due to difficulties involved in calling Bond holder to action]*

*[Guarantor letterhead or SWIFT identifier code]*

**Beneficiary:** *[insert name and Address of Procuring Entity]*

**Date:** \_\_\_\_\_ *[Insert date of issue]*

**PERFORMANCE BOND No.:** \_\_\_\_\_

**Guarantor:** *[Insert name and address of place of issue, unless indicated in the letterhead]*

1. By this Bond \_\_\_\_\_ as Principal (hereinafter called “the Contractor”) and \_\_\_\_\_ ] as Surety (herein after called “the Surety”), are held and firmly bound unto] as Oblige (herein after called “the Procuring Entity”) in the amount of for the payment of which sum well and truly to be made in the types and proportions of currencies in which the Contract Price is payable, the Contractor and the Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.
2. WHEREAS the Contractor has entered into a written Agreement with the Procuring Entity dated the \_day of \_20 \_\_\_\_\_, for in accordance with the documents, plans, specifications, and amendments there to, which to the extent herein provided for, are by reference made part here of and are herein after referred to as the Contract.
3. NOW, THEREFORE, the Condition of this Obligation is such that, if the Contractor shall promptly and faithfully perform the said Contract (including any amendments thereto), then this obligation shall be null and void; otherwise, it shall remain in full force and effect. Whenever the Contractor shall be, and declared by the Procuring Entity to be, in default under the Contract, the Procuring Entity having performed the Procuring Entity's obligations there under, the Surety may promptly remedy the default, or shall promptly:
  - a) Complete the Contract in accordance with its terms and conditions; or
  - b) Obtain a tender or tenders from qualified tenderers for submission to the Procuring Entity for completing the Contract in accordance with its terms and conditions, and upon determination by the Procuring Entity and the Surety of the lowest responsive Tenderers, arrange for a Contract between such Tenderer, and Procuring Entity and make available as work progresses (even though there should be a default or a succession of defaults under the Contract or Contracts of completion arranged under this paragraph) sufficient funds to pay the cost of completion less the Balance of the Contract Price; but not exceeding, including other costs and damages for which the Surety may be liable here under, the amount set forth in the first paragraph hereof. The term “Balance of the Contract Price, “as used in this paragraph, shall mean the total amount payable by Procuring Entity to Contract or under the Contract, less the amount properly paid by Procuring Entity to Contractor; or
  - c) Pay the Procuring Entity the amount required by Procuring Entity to complete the Contract in accordance with its terms and conditions up to a total not exceeding the amount of this Bond.
4. The Surety shall not be liable for a greater sum than the specified penalty of this Bond.
5. Any suit under this Bond must be instituted before the expiration of one year from the date of the issuing of the Taking-Over Certificate. No right to faction shall accrue on this Bond to or for the use of any person or corporation other than the Procuring Entity named here in or the heirs, executors, administrators, successors, and assigns of the Procuring Entity.
6. In testimony where of, the Contractor has hereunto set his hand and affixed his seal, and the Surety has caused these presents to be sealed with his corporate seal duly attested by the signature of his legal representative, this day \_\_\_\_\_ of \_\_\_\_\_ 20 \_\_\_\_\_  
SIGNED ON \_\_\_\_\_ on behalf of \_\_\_\_\_ by \_\_\_\_\_ In the capacity of \_\_\_\_\_

In the presence of \_\_\_\_\_ SIGNED ON \_\_\_\_\_ on behalf of \_\_\_\_\_ By \_\_\_\_\_

in the capacity of \_\_\_\_\_ In the presence of \_\_\_\_\_

FORM NO. 7 - ADVANCE PAYMENT SECURITY

**[Demand Bank Guarantee]**

*[Guarantor letterhead]*

**Beneficiary:** *[Insert name and Address of Procuring Entity]*

**Date:** \_\_\_\_\_ *[Insert date of issue]*

**ADVANCE PAYMENT GUARANTEE No.:** *[Insert guarantee reference number]*

**Guarantor:** *[Insert name and address of place of issue, unless indicated in the letterhead]*

1. We have been informed that \_\_\_\_\_ (hereinafter called "the Contractor") has entered into Contract No. \_\_\_\_\_ dated \_\_\_\_\_ with the Beneficiary, for the execution of \_\_\_\_\_ (herein after called "the Contract").
2. Furthermore, we understand that, according to the conditions of the Contract, an advance payment in the sum \_\_\_\_\_ (in words \_\_\_\_\_) is to be made against an advance payment guarantee.
3. At the request of the Contractor, we as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of \_\_\_\_\_<sup>7</sup> upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating either that the Applicant:
  - a) Has used the advance payment for purposes other than the costs of mobilization in respect of the Works; or
  - b) Has failed to repay the advance payment in accordance with the Contract conditions, specifying the amount which the Applicant has failed to repay.
4. A demand under this guarantee may be presented as from the presentation to the Guarantor of a certificate from the Beneficiary's bank stating that the advance payment referred to above has been credited to the Contractor on its account number \_\_\_\_\_ at \_\_\_\_\_.
5. The maximum amount of this guarantee shall be progressively reduced by the amount of the advance payment repaid by the Contractor as specified in copies of interim statements or payment certificates which shall be presented to us. This guarantee shall expire, at the latest, upon our receipt of a copy of the interim payment certificate indicating that ninety (90) percent of the Accepted Contract Amount, less provisional sums, has been certified for payment, or on the \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_<sup>8</sup> whichever is earlier. Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date.
6. The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed *[six months]* *[one year]*, in response to the Beneficiary's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee.

---

*[Name of Authorized Official, signature(s) and seals/stamps]*

**Note:** *All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.*

---

<sup>7</sup>The Guarantor shall insert an amount representing the amount of the advance payment and denominated either in the currency of the advance payment as specified in the Contract.

<sup>8</sup>Insert the expected expiration date of the Time for Completion. The Procuring Entity should note that in the event of an extension of the time for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the

*Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.*

**FORM NO.8– RETENTION MONEY SECURITY**

**[Demand Bank Guarantee]**

*[Guarantor letterhead]*

**Beneficiary:** \_\_\_\_\_ *[Insert name and Address of Procuring Entity]*

**Date:** \_\_\_\_\_ *[Insert date of issue]*

**Advance payment guarantee no.** *[Insert guarantee reference number]*

**Guarantor:** *[Insert name and address of place of issue, unless indicated in the letterhead]*

1. We have been informed that \_\_\_\_\_ *[insert name of Contractor, which in the case of a joint venture shall be the name of the joint venture]* (herein after called” the Contractor”) has entered into Contract No. \_\_\_\_\_ *[insert reference number of the contract]* dated \_\_\_\_\_ with the Beneficiary, for the execution of \_\_\_\_\_ *[insert name of contract and brief description of Works]* (herein after called” the Contract”).
2. Furthermore, we understand that, according to the conditions of the Contract, the Beneficiary retains money upto the limit set forth in the Contract (“the Retention Money”), and that when the Taking-Over Certificate has been issued under the Contract and the first half of the Retention Money has been certified for payment, and payment of *[insert the second half of the Retention Money]* is to be made against a Retention Money guarantee.
3. At the request of the Contractor ,we, as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of *[insert amount in figures]* \_\_\_\_\_ *([insert amount in words \_\_\_\_\_])*<sup>1</sup> upon receipt by us of the Beneficiary “complying demand supported by the Beneficiary’s statement, whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating that the Contractor is in breach of its obligation(s) under the Contract, without your needing to prove or showground’s for your demand or the sum specified therein.
4. A demand under this guarantee may be presented as from the presentation to the Guarantor of a certificate from the Beneficiary’s bank stating that the second half of the Retention Money as referred to above has been credited to the Contractor on its account number at \_\_\_\_\_ *[insert name and address of Applicant’s bank]*.
5. This guarantee shall expire no later than the.....Day of.....<sup>2</sup>, and any demand for payment under it must be received by us at the office indicated above on or before that date.
6. The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed *[six months]* *[one year]*, in response to the Beneficiary’s written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee.

---

*[Name of Authorized Official, signature(s) and seals/stamps]*

**Note:** *All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.*

<sup>1</sup>*The Guarantor shall insert an amount representing the amount of the second half of the Retention Money.*

<sup>2</sup>*Insert a date that is twenty-eight days after the expiry of retention period after the actual completion date of the contract. The Procuring Entity should note that in the event of an extension of this date for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.*

# BENEFICIAL OWNERSHIP DISCLOSURE FORM

(Amended and issued pursuant to PPRA CIRCULAR No. 02/2022)

**INSTRUCTIONS TO TENDERERS: DELETE THIS BOX ONCE YOU HAVE COMPLETED THE FORM**

*This Beneficial Ownership Disclosure Form ("Form") is to be completed by the successful tenderer pursuant to Regulation 13 (2A) and 13 (6) of the Companies (Beneficial Ownership Information) Regulations, 2020. In case of joint venture, the tenderer must submit a separate Form for each member. The beneficial ownership information to be submitted in this Form shall be current as of the date of its submission.*

*For the purposes of this Form, a Beneficial Owner of a Tenderer is any natural person who ultimately owns or controls the legal person (tenderer) or arrangements or a natural person on whose behalf a transaction is conducted, and includes those persons who exercise ultimate effective control over a legal person (Tenderer) or arrangement.*

Tender Reference No.: \_\_\_\_\_ [insert identification no]

Name of the Tender Title/Description: \_\_\_\_\_ [insert name of the assignment] to:  
\_\_\_\_\_ [insert complete name of Procuring Entity]

In response to the requirement in your notification of award dated [insert date of notification of award] to furnish additional information on beneficial ownership: [select one option as applicable and delete the options that are not applicable]

- I) We here by provide the following beneficial ownership information.  
We here by provide the following beneficial ownership information.

### Details of beneficial ownership

<b>Identity of Beneficial Owner</b>	<b>Directly or indirectly holding 25% or more of the shares (Yes / No)</b>	<b>Directly or indirectly holding 25 % or more of the Voting Rights (Yes / No)</b>	<b>Directly or indirectly having the right to appoint a majority of the board of the directors or an equivalent governing body of the Tenderer (Yes / No)</b>
[include full name (last, middle, first), nationality, country of residence]			

OR

- i) We declare that there is no Beneficial Owner meeting one or more of the following conditions: directly or indirectly holding 25% or more of the shares. Directly or indirectly holding 25% or more of the voting rights. Directly or indirectly having the right to appoint a majority of the board of directors or equivalent governing body of the Tenderer.

OR

We declare that we are unable to identify any Beneficial Owner meeting one or more of the following conditions. [If

*this option is selected, the Tenderer shall provide explanation on why it is unable to identify any Beneficial Owner]*

*Directly or indirectly holding 25% or more of the shares. Directly or indirectly holding 25% or more of the voting rights.*

*Directly or indirectly having the right to appoint a majority of the board of directors or equivalent governing body of the Tenderer]”*

*Name of the Tenderer..... \*[insert complete name of the Tenderer]\_\_\_\_\_*

*Name of the person duly authorized to sign the Tender on behalf of the Tenderer: \*\* [insert complete name of person duly authorized to sign the Tender]*

*Title of the person signing the Tender..... [insert complete title of the person signing the Tender]*

*Signature of the person named above ..... [insert signature of person whose name and capacity are shown above]*

*Date signed ..... [insert date of signing] day of..... [Insert month], [insert year]*

---

**PART III - WORKS REQUIREMENTS**

---

## **SECTION VIII: SPECIFICATIONS**

### **INTRODUCTION**

#### **1.0 GENERALLY**

All work to be carried out in accordance with the Ministry of Public Works General Specifications for Building Works issued in 1976 or as qualified or amended.

#### **MANUFACTURES' NAMES**

Whereas manufactures' names and catalogue references are given for guidance to quality and standards only, alternative manufacturer of equal quality will be accepted at the discretion of the Project Manager.

#### **1.2 WALLING**

All pre-cast blocks shall be manufactured by the methods and to the sizes specified in the Ministry of Works "Specification for Metric Sized Concrete Blocks for Building (1972). Walling of 150mm thickness or under shall be reinforced with hoop iron in every alternate course. Prices for walling must allow for costs in preparing, packing and sending sample blocks for testing as and when required by the Project Manager.

#### **1.3 CARPENTRY**

The grading rules for cypress shall be the same as podo-carpus and all timber used for structural work shall be select (second grade). All structural timber must conform to the minimum requirements for moisture content and preservative treatment and timber prices must allow for preparing, packing and sending samples for testing when required. Prices must also include for nails and fasteners.

#### **1.4 JOINERY**

Cypress for joinery shall be second grade in accordance with the latest grading rules of the Kenya Government. Where mahogany is specified, this refers to grading only. The Contractor may with the approval of the Project Manager, use either Msharagi or Mvuli in lieu of Mahogany but such approval will only be given in the case of shortages of the hardwoods specified. Plugging shall be carried out by drilling walling or concrete with masonry drill and filling with propriety plugs of the correct sizes. Cutting with hammer or chisel will not be allowed. Prices for joinery must include for pencil arises, protection against damage, nails, screws, framing and bedding in cement mortar as required. Sizes given for joinery items are nominal sizes and exact dimensions of doors, etc, must be ascertained on site.

#### **1.5 IRON MONGERY**

Ironmongery shall be specified in the Bill of Quantities or equal and approved. Prices must include for removing and refixing during and after painting, labeling all keys, and for fixing to hardwood, softwood, concrete or block work. Catalogue references given for ironmongery are for purposes of indicating quality and sizes of item(s). Should the Contractor wish to substitute the specified item(s) with other equal quality, he must inform the Project Manager and obtain approval in writing.

## **1.5 STRUCTURAL STEELWORK**

All structural steelwork shall comply with the Ministry of Works „Structural Steelwork Specification (1973)“ and shall be executed by an approved Subcontractor.

## **1.7 PLASTERWORKS AND OTHER FINISHES**

All finishing shall be as described in the General Specifications and the Bill of Quantities. Prices for pavings are to include for brushing concrete clean, wetting and coating with cement and sand grout (1:1). Rates for glazed wall tiling are to include for a 12mm cement and sand (1:4) backing screed unless otherwise specified in the Bills of Quantities.

## **1.8 GLAZING**

Where polished plate glass is specified, this refers to general glazing quality. Prices for glazing shall include priming of rebates before placing putty. The Contractor will be responsible for replacing any broken or scratched glass and handing over in perfect condition.

## **1.9 PAINTING**

All painting shall be 1st quality „Crown Solo“ or other equal and approved. Painting shall be applied in accordance with the manufactures“ written instruction. Prices of painting are to include for scaffolding, preparatory work, priming coats, protection of other works, and for cleaning upon completion. Prices of painting on galvanized metal are to include for mordant solutions as necessary.

## **DETAILED SPECIFICATIONS**

**The Contractor should read carefully the following specification for workmanship prepared in accordance with the Standard Specification for Building Works 1976 Edition Prepared by Ministry of Works.**

### **A. GENERAL ITEMS**

#### **A.1 Materials Generally**

All materials used in the works shall be new and of the qualities and kinds specified herein and equal to approved samples. Deliveries shall be made sufficiently in advance to enable samples to be taken and tested as required. No material shall be used until approved and all materials not approved or which are damaged, contaminated or have deteriorated in any way or do not comply in any way with the requirement of this specification shall be rejected and immediately removed from the site at Contractor’s own expense.

#### **A.2 Material for which there is a Kenya Bureau of Standard (KBS) Specification.**

All materials used in the works for which a Kenya Bureau of Standard Specification has been published shall conform to the latest edition thereof in every way. The Project Manager has the right to demand that the Contractor obtains at his own expense a certificate in respect of any material stating that it conforms to KBS Specifications.

### **A.3 Materials for which there is no KBS Specifications**

All materials used in the works for which no KBS Specifications has been published shall conform to British Standard (BS) Specifications for such materials. If there are no published standards as specified for any materials, the quality of such a material shall be of a standard equal to those for which there is a KBS or BS Specifications.

## SECTION IX - BILLS OF QUANTITIES

# SECTION V – DRAWINGS

REPUBLIC OF KENYA



EMBU COUNTY GOVERNMENT

**PROPOSED RENOVATIONS AND ALTERATIONS AT  
ISHIARA LEVEL 4 HOSPITAL**

---

**BILLS OF QUANTITIES**

---

**Prepared by:**

Department of Public Works  
P.O. Box 29 - EMBU.

EMBU COUNTY

---

# **PRELIMINARIES**

---

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<p><b><u>PROPOSED ABLUTION BLOCK, SENTRY AND GATE, WAITING BAYS AND EXTERNAL WORKS AT SIAKAGO LEVEL 4 HOSPITAL</u></b></p> <p style="text-align: center;"><b><u>Preliminaries</u></b></p> <p><b><u>CONCRETE TESTS</u></b></p> <p>Concrete test cubes, i.e. per set of four as described, including testing fee, labour and materials, making moulds, transport and handling, etc.</p> <p>Successful tests only (PROVISIONAL): Sets of four: No. @..... (Tenderer must insert rate and extend)</p> <p>The Contractor is to organise with the testing laboratory that copies of the Test Cube Reports are forwarded direct to the Structural Engineer.</p> <p>The accurate record of all test cubes taken and crushed must be kept on site and the Contractor will only be reimbursed for successful tests upon production of laboratory certificates.</p> <p>Note: The price per set inserted by the Tenderer is to include for making of the four cubes, curing, transporting and handling and crushing of one, two, three or four cubes in order to obtain a satisfactory results.</p>				
	<b>Total Carried to Collection</b>				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<p><b><u>PRELIMINARIES</u></b></p> <p><b><u>Site Preparation (Hoarding, Site Office, Site Storage)</u></b></p> <p>A Temporary hoarding shall be provided all around the site. The hoarding shall be made up of hoarding iron sheets. The tenderers amount for hoarding shall be deemed to be inclusive of all legally demandable fees for the temporary hoarding by the Local and Central Authorities.</p> <p>The Contractor shall allow for thoroughly maintaining the hoarding, shed nets and gates throughout the contract and clearing away and making good disturbed ground on completion. All materials arising will remain the property of the Contractor and he should allow credit against this.</p> <p>B Allow for provision of a Site office through hiring or constructing. The office shall be maintained for use by the Employer, the Contractor, the Consultants, and the Clerk of Works. The Contractor shall dismantle the office and make good disturbed surfaces upon completion of the works to the satisfaction of the Project Manager</p> <p>C The contractor shall provide sheds or facilities for storage accommodation for all goods and materials liable to suffer damage from exposure to sunlight or inclement weather. The Contractor shall dismantle any temporary structures and make good disturbed surfaces upon completion of the works to the satisfaction of the Project Manager</p>				
	<b>Total Carried to Collection</b>				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<p><b><u>Preliminaries (Cont'd)</u></b></p> <p><b><u>Insurance for the Works</u></b></p> <p>A Allow for acquisition of insurance cover for Contractor's employees and workmen on site (WIBA Insurance)</p> <p>B Allow for acquisition of insurance cover for works on site (CAR Insurance)</p> <p><b><u>Performance Security</u></b></p> <p>C Allow for provision of a performance security (bond) in the form of a bank guarantee or insurance bond in the amount of 10% of the Contract Sum. Note that no payment on account of the works executed will be made to the Contractor until he has submitted the Performance Bond to the Project Manager duly signed, sealed, and stamped from an approved bank or insurance agency approved by PPRA</p> <p><b><u>Sign Board</u></b></p> <p>D The Contractor shall provide and erect where directed and maintain during the whole period of the building operation and remove at completion one approved temporary notice board to the Architect's standard design giving a brief description of the works and showing the names of the employer, Contractor and the consultants, with sufficient space to append the names of the sub-contractors and suppliers when known. The lettering concerning the Architect, Quantity Surveyor and Engineer is not to be more than 50mm high</p>				
	<b>Total Carried to Collection</b>				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<p>No other signboards or advertising will be permitted without the written authority of the Employer and Project Manager and this rule is to be observed throughout the course of the Contract.</p> <p><b><u>Site Security</u></b></p> <p>Allow for provision of security of all works, stores, materials, plant, personnel etc. both the Main Contractor and sub-contractors. The contractor shall also provide all necessary watching, lighting, and other precautions as necessary to ensure the security, the safety and protection of the public.</p> <p><b><u>Health and Safety</u></b></p> <p>The Contractor shall allow for providing for the safety, health and welfare of work people and for complying with any relevant Ordinances, Regulations or Union Agreement.</p> <p>In addition to complying with the requirements of the Occupational Safety &amp; Health Act 2007 and the Factories Act, the Contractor and Sub-Contractors shall be required to comply in all respects with the Factories (Building Operations and Work of Engineering Construction) rules together with the Construction Safety Plan in compliance with International Labour Organizations (ILO) Regulations.</p> <p>The Contractor will also be required to provide approved good quality hard hats, gumboots and other necessary protective gear for all workers on site including Sub-Contractors workers and also for the exclusive use by the Clerk of Works and representatives of the Employer and Consultants.</p> <p>The Employer reserves the right to hold back the amount priced against this Clause either in full or in part due to any non-performance by the Contractor under this Clause.</p>				
	<b>Total Carried to Collection</b>				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<p><b><u>Preliminaries (Cont'd)</u></b></p> <p>Adequate temporary Notices and Signs shall be posted to indicate e.g. that building operations are in progress and entry is at one's own risk or trespassers are liable to be prosecuted or such other Notices and Signs as the Architect may consider necessary from time to time. The design and location of such signs will be to the approval of the Architect</p> <p><b><u>Materials, Tools, Plant, and Scaffoldings</u></b></p> <p>A All materials and workmanship used in the execution of the works shall be of the best quality and description. Any materials for the works condemned by the Architect shall immediately be removed from the site at the Contractor's expense.</p> <p>All materials and workmanship shall unless otherwise specified or described conform to the appropriate British Standards Institution specification current at the date of tender</p> <p>The works throughout shall be executed by skilled workmen well versed in their respective trades.</p> <p>B The contractor shall be responsible for the provision of all materials, hoists, Tower cranes, tackle, plant, vehicles, tools and appliances scaffolding, transport and workmen required for the works except in so far as may be stated otherwise herein and he shall allow for the provision of the foregoing</p> <p>No timber used for scaffolding, formwork or similar purpose shall be used afterwards in the permanent works.</p> <p>The Contractor shall allow for all costs related to hoisting his or his Sub-Contractor's materials for fixing at any level within the limits shown on the drawings or included in the general description of the works.</p>				
	<b>Total Carried to Collection</b>				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
A	<p><b><u>Preliminaries (Cont'd)</u></b>  All such plant, tools and scaffolding shall comply with all regulations whether general or local in force throughout the period of the contract and shall be required as may be necessary to comply with any amendments in or additions to such regulations</p> <p><b><u>Water for the Works</u></b>  The contractor shall provide at his own risk and cost all water for use in connection with the works including the work of sub-contractors whether through arrangements with the local authority or water suppliers or the institution. He shall also provide temporary storage tanks and tubing etc. as he may consider necessary and clear away at completion or when no longer required. All water shall be fresh, clean and pure, free from earthly vegetable or organic matter, acid or alkaline substance in solution or suspension. No claims for lack of water or water pressure will be entertained.</p> <p><b><u>Lighting and Power</u></b>  The contractor shall provide at his own risk and cost all temporary artificial lighting and power for use on the works including all sub-contractors and specialists' requirements and including all temporary connections, wiring, fittings etc. and clearing away on completion. The Contractor shall pay all fees, bills and obtain all permits in connection therewith without charge to subcontractors. No claims due to lack of electricity or due to power fluctuations will be accepted.</p> <p><b><u>Licenses and Statutory Approvals</u></b>  Allow for liasing and obtaining of relevant licences and statutory approvals for the works from the local authorities</p>				
	<b>Total Carried to Collection</b>				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
A	<p><b><u>Preliminaries (Cont'd)</u></b></p> <p><b><u>Material Samples</u></b></p> <p>The contractor shall furnish at the earliest possible opportunity before work commences and at his own cost any samples of materials or workmanship that may be called for by the Architect for his approval or rejection until such samples are approved to be the minimum standard for the work to which they apply. The Contractor shall ensure their protection against theft, loss or damage.</p>				
B	Allow for preparation of working drawings "As installed" record drawings.				
C	Allow for preparation and submission of all operation manuals, test reports among other handover documents				
<b>Total Carried to Collection</b>					
<b><u>COLLECTION</u></b>					
From Page 1					
From Page 2					
From Page 3					
From Page 4					
From Page 5					
From Page 6					
From Page 7					
<b>TOTAL FOR PRELIMINARIES</b>					

---

**OPD**

---

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>ELEMENT NO. 1:</u></b>				
	<b><u>DEMOLITIONS (ALL PROVISIONAL)</u></b>				
A	Carefully demolish the existing pitched roofing comprising corrugated iron sheets on timber purlins; trusses consisting of rafters, ties, struts and ceiling joists; wallplate; including all rainwater goods; fascia boards and eaves roof overhangs		ITEM		
B	Carefully remove existing 900 x 2400mm high solid core flush door faced both sides with 3mm thick ordinary veneer complete with frame including ironmongery and fixed to plastered and painted masonry wall and cart away		ITEM		
C	Carefully demolish existing floors finish complete with skirting and prepare floor to receive terrazzo floor finish		ITEM		
D	Carefully remove existing water closets complete with all the accessories including all connections to the services, waste, jointing to water supply overflow, supports and all plugging and screwing to walls and floors		ITEM		
E	Carefully demolish existing wall finish and prepare wall to receive backing for wall tiles and cart away debris		ITEM		
	<b>Total Amount Carried to Summary</b>				

Item	Description	Quantity	Unit	Rate	Amount
	<b>ELEMENT NO. 2:</b>				
	<b><u>SUBSTRUCTURES</u></b>				
	<u>Excavations:</u>				
A	Excavate oversite top soil average 200mm deep: cart away where directed.	15	SM		
B	Excavate in mass; trenches for strip foundation. Return, fill and ram	16	CM		
	<u>Filling:</u>				
C	300mm Thick approved hardcore filling well compacted in layers	15	SM		
D	50 mm Thick Quarry dust blinding to surfaces of hardcore filling.	15	SM		
	<u>Anti-Termite Treatment:</u>				
E	Chemical anti-termite treatment to surfaces of hardcore	15	SM		
	<u>Damp proof mebrane:</u>				
F	Single layer of 1000 gauge polythene sheeting	15	SM		
	<u>Plain concrete class 15:-</u>				
G	Strip footing.	10	SM		
	<u>Vibrated Reinforced Concrete Class 20 in:</u>				
H	Foundation strip footing	2	CM		
I	150 mm Thick horizontal floor bed	15	SM		
	<u>Reinforcement;</u>				
J	Assorted reinforcement bars	229	KG		
K	Mesh fabric reinforcement Ref A142.	15	SM		
	<u>Foundation Walling</u>				
L	200mm thick approved natural stone	22	SM		
	<b>Total Amount Carried to Summary</b>				

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>ELEMENT NO.3</u></b>				
	<b><u>WALLING</u></b>				
	<u>Machine cut local stone walling in 200mm course heights, bedded and jointed in cement sand mortar (1:3), reinforced with 20 gauge x 25mm wide hoop iron reinforcement and column wall ties in every alternate course</u>				
A	200 mm Thick walling.	49	SM		
	<u>Three- ply bituminous felt damp proof course</u>				
B	200mm wide under walls	17	LM		
	<u>Precast concrete (class 20/20) coping: maximum vertical height 75mm High: edges 40mm High: weathered and throated to approval: bedded, jointed and pointed in cement sand (1:4) mortar: all to detail as described:</u>				
C	375mm wide coping to walls	7	LM		
	<b>Total Amount Carried to Summary</b>				

ISHIARA HOSPITAL RENOVATION

Item	Description	Quantity	Unit	Rate	Amount
	<b>ELEMENT NO.4</b>				
	<b>ROOFING AND RAINWATER DISPOSAL</b>				
	<b>ROOF COVERING</b>				
	<u>Galvanized roofing sheets</u>				
A	GCI Roofing sheets gauge 28 prepainted	25	SM		
B	Matching rige cap	7	LM		
	<b>ROOF CONSTRUCTION</b>				
	<u>The following nailed celcured sawn and treated second grade cypress roof trusses or other equal approved including plates,cleats and hoisting in position approximately 3.0 Metres above existing ground level</u>				
C	100 x 50mm Tie beams	11	LM		
D	100 x 50mm Rafters	18	LM		
E	100 x 50mm Ties and struts	9	LM		
	<u>The following in celcured sawn second grade cypress</u>				
F	100 x 50mm Wall plates	14	LM		
G	75 x 50mm Purlins	42	LM		
	<u>Wrot general grade cypress as described:</u>				
H	200 x 25mm Fascia or badge boards	21	LM		
	<u>Knot, prime, stop and apply two undercoats and one gloss finishing coat of oil paint on wood work</u>				
I	Surfaces of fascia boards 200 - 300mm girth	21	LM		
	<u>Rain water drainage</u>				
J	1000mm girth gauge 26 mild steel fascia gutter complete with 4No. Down pipe 100mm Diameter 3.0m High; including all necessary accessories	14	LM		
	<b>Total Amount Carried to Summary</b>				

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>ELEMENT NO.5</u></b>				
	<b><u>DOORS</u></b>				
	<b><u>Solid Flush doors</u></b>				
	<u>Supply and Fix 45 mm (finished) solid core flush door faced on both sides with 5mm Thick mahogany veneer and 15 mm x 15 mm hardwood beadings pinned and glued to door on both faces to form grids to architect's details and approval: hardwood lipped on all edges to approval:</u>				
A	Single leaf door size 900 x 2400mm High.	3	NO		
	<b><u>Frames &amp; Finishings</u></b>				
	<u>Supply and Fix Wrot Cypress; plugged, screwed and pelleted</u>				
B	150 x 50mm frame with three labours : moulded screwed and pelleted.	17	LM		
C	Architrave to detail size, 75 x 25mm	17	LM		
D	Quadrant bead, diameter 25mm	17	LM		
	<b><u>Ironmongery</u></b>				
	<u>Supply and fix the following ironmongery including all necessary matching screws.</u>				
E	Heavy duty stainless steel hinges with washers	5	PRS		
F	40mm Diameter rubber door stops	3	NO		
G	Bathroom locks with Zinc handle	3	NO		
H	240 x 50mm door signage in printed vinyls	3	NO		
	<b>Carried Forward</b>				



ISHIARA HOSPITAL RENOVATION

Item	Description	Quantity	Unit	Rate	Amount
	<b>ELEMENT NO.6</b>				
	<b>FINISHES:</b>				
	<b>FLOOR FINISHES</b>				
	<u>Cement and sand (1:3) as described in:</u>				
A	20 mm Thick to receive terrazzo paving	21	SM		
	<u>Polished terrazzo consisting of cement and sand (1:3) screed (m.s)or backing finished with a layer of white cement with approved colour additive, sand and approved marble/granite chippings (1:4:2), trowelled to a smooth and even finish, machine polished and waxed to approval:</u>				
B	20 mm Thick paving	21	SM		
C	100 x 25 mm covered terrazzo skirting	15	LM		
D	30 x 5 mm plastic dividing strip	4	LM		
	<b>INTERNAL WALL FINISHES</b>				
	<u>12 mm (minimum) two-coat plaster; 9 mm first coat of cement and sand (1:6), 3 mm second coat of cement and lime putty (1:10); steel trowelled smooth to:</u>				
E	Walls and beams	11	SM		
	<u>Backing; cement and sand 1:3 with approved integral dust proofing additive wood floated to:</u>				
F	15 mm Thick to receive ceramic tiles(m/s)	32	SM		
	<u>200 x 300 x 8 mm Thick coloured Ceramic wall tiles or other equal and approved: jointed and pointed with matching cement mortar as described on:</u>				
G	Walls	32	SM		
	<b>Carried Forward</b>				

ISHIARA HOSPITAL RENOVATION

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>Brought Forward</u></b>				
	<b><u>EXTERNAL WALL FINISHES</u></b>				
	<u>Render; 18mm Thick, 1 No. coatwork of cement and sand (1:3); wood floated to concrete or stone work base generally to: -</u>				
A	Walls	46	SM		
	<b><u>Painting and Decorating</u></b>				
	<u>Skimming</u>				
B	Carefully prepare the plastered/rendered surfaces by sanding and skimming with gysum powder to achieve the smooth surface.	57	SM		
	<u>Apply three coats of premium quality silk vinyl paint to Plastered:-</u>				
C	Walls and beams	39	SM		
	<u>Prepare and apply three coats of "Crown Solo Ultra Super gloss" paint to rendered surfaces:</u>				
D	Rendered stone wall and concrete surfaces	84	SM		
	<b>Total Amount Carried to Summary</b>				

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>ELEMENT NO. 8</u></b>				
	<b><u>ELECTRICAL WORKS</u></b>				
	<b><u>Supply, install, test and commission the following items:</u></b>				
<b>A</b>	<b><u>Lighting Points</u></b> Lighting points wired in 3x1.5 mm <sup>2</sup> sc pvc copper cables drawn in 20 mm diameter heavy gauge pvc conduits concealed in building fabric including all accessories but without lighting switches and fittings for: a) One way switching	2	NO		
<b>B</b>	<b><u>Switches</u></b> 10 amps lighting switches as first quality or any other approved equivalent a) 1gang 2 way	2	NO		
<b>C</b>	<b><u>Lighting Fittings</u></b> Lighting fittings complete with bulbs and tubes of appropriate wattage and colour rendering a) 1200mm, 36W LED fluorescent fitting as Thorn PP136 or equal and approved equivalent.	6	NO		
<b>D</b>	<b><u>Sub Mains Cables</u></b>				
<b>(i)</b>	Sub-mains comprising 3x 10mm <sup>2</sup> sc pvc copper cables drawn in 25mm O HG conduits concealed in building fabrics all other necessary accessories included.	10	LM		
<b>(ii)</b>	Electrical connection to the existing loop-in box to the Engineer's approval	1	ITEM		
<b>E</b>	Contingencies	1	ITEM		
	<b>Total Amount Carried to Summary</b>		Shs		

Item	Description	Quantity	Unit	Rate	Amount
	<p><b><u>ELEMENT NO. 9</u></b></p> <p><b><u>MECHANICAL WORKS</u></b></p> <p><b><u>SANITARY FITTINGS</u></b></p> <p><u>Supply, deliver, install and fix the following sanitary fittings including all materials and jointing to supply, waste/soil and overflow pipes.</u></p> <p><u>Twyfords Ltd products are specified only as an indication of equity. equal and approved appliances may be supplied. where trade names are mentioned , the ref. no is intended only as a guide to the type and quality of fittings.</u></p> <p><u>Water Closet (WC)</u></p> <p><b>A</b> Squatting water closet suite comprising of white ceramic floor mounted squatting pan with 7.5 litre dual flush ceramic cistern and integral foot threads,'P' or 'S' trap connector. All to be as approved</p> <p><u>Wash Hand Basin (WHB)</u></p> <p><b>B</b> Wash hand basin set in white vitreous china with overflow and single tap hole size 520 x 420 x 1850mm and comprising basin, 1No. Chrome plated mixer tap with chrome plated waste extension pipe and wall flange, silicon sealant, and fixings to approval</p>	3	NO		
		2	NO		
	<b>Carried Forward</b>				

ISHIARA HOSPITAL RENOVATION

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>Brought Forward</u></b>				
	<b><u>Urinal Cistern</u></b>				
<b>A</b>	7.5 liters automatic ceramic cistern, and fitting including Siphone ball Valve, Cistern Support and drip tap in brass, chrome plated bottle trap, chrome plated flush pipe and spreader with all connection, wall hanger/ Support. To be as approved	1	NO		
	<b><u>Mirrors</u></b>				
<b>B</b>	6mm thick polished plate glass, silver backed mirror, size 610 x 497mm plugged and screwed to wall	2	NO		
	<b><u>Flexible Connectors</u></b>				
<b>C</b>	15mm diameter x 300mm long flexible connectors complete with integral chrome plated angle valve for connecting the sanitary fitting to water supply. To be as approved.	6	NO		
	<b>Carried Forward</b>				

ISHIARA HOSPITAL RENOVATION

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>Brought Forward</u></b>				
	<b><u>INTERNAL PLUMBING</u></b>				
	<u>Supply, deliver and install pipes, tubing and fittings as described and shown on the drawings. The pipes shall be PN 20 PPR pipes. To the Engineers approval, pipe jointing shall be by polyfusion or use of electric coupling. Rates must allow for all metal/plastic threaded adaptors where required for the connection of sanitary fixtures, valves, sockets sliding and fixed joints.</u>				
A	<u>PPR Pipes</u> 32mm dia	20	LM		
B	<u>Bends</u> 32mm dia	9	NO		
C	<u>Tees</u> 32mm dia	11	NO		
D	<u>Threaded Fittings</u> 32mm x 3/4" dia. female threaded 900 bend	9	NO		
E	<u>Gate valve</u> 32mm dia. approved medium pressure screw down full way non- rising stem wedge gate valve to BS 1952, with wheel and head joints to steel tubing. The gate valve to be as approved	2	NO		
F	<u>Testing and Commisioning</u> Allow for setting to work, testing and commisioningg of the whole plumbing system to the satisfaction of the Engineer		ITEM		
	<b><u>Carried Forward</u></b>				

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>Brought Forward</u></b>				
	<b><u>INTERNAL DRAINAGE</u></b>				
	<u>Supply, deliver and install the following UPVC, MUPVC, soil and waste systems. Tenderers must allow in their pipework prices for all the couplings, clippings, connectors, joints etc. as required in the running lengths of pipework and also where necessary, for pipe fixing clips, holder bats plugged and screwed for the proper and satisfactory functioning of the system.</u>				
	<u>MuPVC and uPVC Waste and Soil pipework</u>				
A	100mm diameter heavy gauge golden brown UPVC pipe	12	LM		
B	32mm diameter waste pipe	16	LM		
	<u>Bends</u>				
C	100mm dia sweep bend	4	NO		
D	32mm dia	5	NO		
	<u>Access cap</u>				
E	32mm dia	4	NO		
	<u>Sockets</u>				
F	100 mm diameter WC connector	4	NO		
	<u>Traps</u>				
G	100mm floor gully complete with cover	5	NO		
H	100mm vent cowl	1	NO		
I	100mm diameter weathering slate and apron	1	NO		
J	Standard inspection chamber	3	NO		
	<u>Testing and Commisioning</u>				
K	Allow for setting to work, testing and commisioningg of the whole plumbing system to the satisfaction of the Engineer		ITEM		
	<b>Total Amount Carried to Summary</b>				

ISHIARA HOSPITAL RENOVATION

Item	Description	Quantity	Unit	Rate	Amount
	<b>ABLUTION BLOCK SUMMARY:</b>				
	<b>Element No:</b>				
1	DEMOLITIONS		Shs		
2	SUBSTRUCTURES		Shs		
3	WALLING		Shs		
4	ROOFING AND RAINWATER DISPOSAL		Shs		
5	DOORS		Shs		
6	FINISHES		Shs		
7	ELECTRICAL WORKS		Shs		
8	MECHANICAL WORKS		Shs		
	<b>TOTAL SPECIAL ABLUTION CARRIED TO OPD WORK SUMMARY</b>		Shs		

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<b><u>ELEMENT NO 1</u></b>				
	<b><u>SUBSTRUCTURES (RETAINING WALL)</u></b>				
	<u>Filling</u>				
A	300mm Thick approved hardcore filling well compacted in layers not exceeding 150mm thick	CM	15		
B	50mm Murram blinding	SM	8		
	<u>In situ concrete mix (1:4:8): in;</u>				
C	50 mm thick blinding under strip foundations	SM	5		
	<u>Reinforced concrete class 20/20 (20mm aggregate in:-)</u>				
D	Strip foundations	CM	1		
E	150mm Thick floor slab	SM	8		
F	50mm Thick floor slab to verandah	SM	11		
	<u>Deformed reinforcement bars to B.S 4449 cut, bent and placed in position including all necessary binding wire and spacer blocks:</u>				
G	Assorted Bars	KG	135		
H	BRC Mesh fabric reinforcement type No. A65	SM	8		
	<u>Formwork to:</u>				
I	Edges of beds etc., 75 to 150mm high	LM	8		
	<u>Natural stone walling in cement and sand, mortar (1:4) with 26 gauge hoop iron in every alternate course</u>				
J	200mm Thick walling	SM	15		
	<u>Damp-proof membrane</u>				
K	1000 Gauge polythene sheet laid under surface beds (measured net - no allowance given for overlaps)	SM	8		
	<u>Anti-termite treatment</u>				
L	Chemical anti-termite treatment executed by an approved specialist under a ten-year guarantee to surfaces of hardcore, etc..	SM	8		
	<b>ELEMENT NO. 1                      TOTAL CARRIED</b>				
	<b>SUBSTRUCT..                      TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 2</u></b>				
	<b><u>R.C. SUPERSTRUCTURE</u></b>				
	<u>Vibrated reinforced concrete class 20/20</u>				
A	Ring beams	CM	1		
	<u>Reinforcement</u>				
	<u>Deformed reinforcement bars to B.S 4449 cut, bent and placed in position including all necessary binding wire and spacer blocks:</u>				
B	Assorted Bars	KG	142		
	<u>Sawn formwork to:</u>				
C	Sides of ring beams	SM	9		
	<b>ELEMENT NO. 2 TOTAL CARRIED TO</b>				
	<b>R.C. SUPERSTRUCT. SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 3</u></b>				
	<b><u>WALLING</u></b>				
	<u>Fine dressed stone walling bedded and jointed in cement and sand mortar (1:3) reinforced with and including 25mm wide x 26 gauge hoop iron at alternate courses</u>				
A	200mm Thick walling (External walls)	SM	8		
B	200mm Thick walling (Internal walls)	SM	44		
C	Carefully demolish existing natural stone masonry walling with and including reinforced concrete ring beam plastered and painted both sides and cart away debris	SM	34		
	<b>ELEMENT NO.3</b>				
	<b>WALLING</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b>ELEMENT NO. 4</b>				
	<b>ROOFING (ALL PROVISIONAL)</b>				
	<u>Galvanized Iron roofing sheets</u>				
A	GCI Roofing sheets gauge 28 prepainted	SM	33		
B	Carefully takedown existing defective roofing sheets comprising corrugated iron sheets on steel purlins	SM	33		
C	Carefully remove, take down existing 2No. BOILERS complete with all the accessories and cart away as directed	ITEM			
D	Carefully remove, take down existing INCINERATOR complete with all the accessories and cart away as directed	ITEM			
E	Carefully remove, take down and cart away all plumbing and drainage connections to Item (C) above	ITEM			
	<u>Rain Water Disposal</u>				
F	18 Gauge 150 x 250mm Fascia gutters fixed onto steel purlins complete with 2No. Down pipes 100mm Diameter 3.0m High; including all necessary accessories	LM	14		
	<b>ELEMENT NO. 4</b>				
	<b>ROOFING</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 5</u></b>				
	<b><u>EXTERNAL FINISHES</u></b>				
	<b><u>FLOOR FINISHES</u></b>				
A	<u>Cement and sand (1:3) as described in:</u> 20 mm Thick to receive terrazzo paving	SM	19		
B	<u>Polished terrazzo consisting of cement and sand (1:3) screed (m.s) or backing finished with a layer of white cement with approved colour additive, sand and approved marble/granite chippings (1:4:2), trowelled to a smooth and even finish, machine polished and waxed to approval.</u> 20 mm Thick paving	SM	19		
C	100 x 25 mm coved terrazzo skirting	LM	13		
D	30 x 5 mm plastic dividing strip	LM	17		
	<b><u>WALL FINISHES</u></b>				
D	<u>Cement and sand (1:4)</u> 15mm Thick rendering to concrete or walls	SM	8		
E	<u>Prepare and apply three coats first quality plastic emulsion paint to rendered surfaces</u> Rendered columns or beams or masonry	SM	102		
	<b>ELEMENT NO. 5</b>				
	<b>EXTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b>ELEMENT NO. 6</b>				
	<b>INTERNAL FINISHES</b>				
	<b>FLOOR FINISHES</b>				
A	<u>Cement and sand (1:3) as described in:</u> 20 mm Thick to receive terrazzo paving	SM	80		
B	Carefully demolish existing floors finish complete with skirting and prepare floor to receive terrazzo floor finish	SM	80		
	<u>Polished terrazzo consisting of cement and sand (1:3) screed (m.s)or backing finished with a layer of white cement with approved colour additive, sand and approved marble/granite chippings (1:4:2), trowelled to a smooth and even finish, machine polished and waxed to approval:</u>				
C	20 mm Thick paving	SM	80		
D	100 x 25 mm coved terrazzo skirting	LM	95		
E	30 x 5 mm plastic dividing strip	LM	111		
	<b>WALL FINISHES</b>				
	<u>Cement and sand (1:1:6) lime plaster</u>				
F	12mm Thick two coat plaster	SM	98		
	<u>Prepare and apply three coats of first quality silk vinyl paint to:</u>				
G	Plastered walls and concrete surfaces	SM	308		
	Carried forward			KShs.	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 6</u></b>				
	<b><u>INTERNAL FINISHES-cont'd</u></b>				
	Brought forward		KShs		
	<b><u>CEILING FINISHES</u></b>				
	<u>Gypsum dry board ceilings</u>				
A	12mm thick gypsum ceiling with seamless joints complete with and including proprietary 40 x 40mm galvanized steel framing complete with metal hangers and stepped to architect's detail	SM	89		
	<u>Skim, prepare and apply one undercoat and two finishing coats of Crown Silk Vinyl paint to:-</u>				
B	Gypsum surfaces	SM	89		
	<u>Moulded cornice</u>				
C	100 x 75mm moulded cornice	LM	95		
	<b>ELEMENT NO. 6</b>				
	<b>INTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO</b>				
	<b>SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 7</u></b>				
	<b><u>WINDOWS</u></b>				
	<u>Supply and fix the following steel casement windows with permanent ventilation along the full length: finished with one coat red lead oxide primer, complete with 75mm heavy duty hinges, 300mm long heavy duty window stays, and polished heavy duty brass fasteners, including cutting, fixing lugs to walling and bedding all round frame in cement and sand (1:3) mortar all as per Architect's Drawing attached</u>				
A	Window size 1000 x 1000mm high	NO	1		
B	Window size 1600 x 1000mm high	NO	5		
C	Window size 2000 x 1000mm high	NO	2		
	<u>6mm Clear glass and glazing to metal frame with putty</u>				
D	In panes not exceeding 0.10 square metres	SM	14		
	<u>Prepare and touch up primer, apply one undercoat and two finishing coats gloss paint; on metal</u>				
E	Glazed casement windows (measured flat overall both sides)	SM	28		
	<u>Supply and fix double metal curtain rods from "Challenge Engineering" or other equal and approved comprising of 25mm diameter wrought iron front, 16mm diameter rear rail complete with fixing brackets, curtain holding rings and decorative end stops all necessary</u>				
F	Window curtain rods	SM	15		
	<u>Window Curtains</u>				
G	Hospital washable PVC curtains to approval	SM	31		
	<b><u>ELEMENT NO. 7</u></b>				
	<b><u>WINDOWS</u></b>				
	<b>CARRIED TO SECTION SUMMARY</b>				
				<b>KSHS</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 8</u></b>				
	<b><u>DOORS</u></b>				
	<u>Mild steel doors</u>				
A	Mild steel size 1200 x 2400mm high complete with heavy duty hinges; one coat red oxide primer and locking latch. all to satisfaction	NO	4		
B	Carefully remove existing 1800 x 2400mm high metal door faced both sides with 3mm thick mild sheet complete with frame including ironmongery and fixed to plastered and painted masonry wall and cart away	NO	3		
	<u>Prepare and apply one undercoat and two finishing coats gloss paint; on metal</u>				
C	Metal doors (measured flat overall both sides)	SM	23		
	<u>Supply and Fix 45 mm (finished) solid core flush door faced on both sides with 5mm Thick mahogany veneer and 15 mm x 15 mm hardwood beadings pinned and glued to door on both faces to form grids to architect's details and approval: hardwood lipped on all edges to approval.</u>				
D	Single leaf door size 900 x 2400mm High.	NO	2		
E	Double leaf door size 1200 x 2400mm High.	NO	2		
F	Double leaf door size 1600 x 2400mm High.	NO	1		
	<u>Supply and Fix Wrot Cypress; plugged, screwed and pelleted</u>				
G	150 x 50mm frame with three labours : moulded screwed and pelleted.	LM	30		
H	Architrave to detail size, 75 x 25mm	LM	30		
I	Quadrant bead, diameter 25mm	LM	30		
	Carried forward			KShs.	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	Brought forward		KShs		
	<u>Supply and fix the following ironmongery including all necessary matching screws.</u>				
A	Heavy duty stainless steel hinges with washers	PRS	12		
B	40mm Diameter rubber door stops	NO	16		
C	3 Lever Mortice lock with handle	NO	5		
	<u>Prepare and apply one undercoat and two finishing coats high quality polyurethane clear lacquer to wooden surfaces as supplied by an approved Manufacturer : internally and/or externally : to</u>				
D	General surfaces of wood work (m.o.b.s)	SM	28		
E	Frames; over 100mm-200mm girth;	LM	30		
F	Frames not exceeding 100mm girth; internal.	LM	60		
	<u>Prime backs of wood before fixing with aluminium or other approved primer on:</u>				
G	Surfaces exceeding 100- 200 mm girth	LM	30		
	<b>ELEMENT NO. 8</b>				
	<b>DOORS</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 9</u></b>				
	<b><u>JOINERY FITTINGS AND FIXTURES</u></b>				
	<b><u>Worktops</u></b>				
A	100mm Thick concrete 1:3:6 plinths	SM	10		
B	100mm Thick concrete 1:2:4 top work top slab	SM	10		
	<b><u>Reinforcement</u></b>				
C	A98 BRC mesh fabric reinforcement	SM	10		
	<b><u>Sawn formwork to:</u></b>				
D	Soffits of solid slabs	SM	10		
E	Edges of beds and slab 75 - 150mm high	LM	14		
	<b><u>Cement and sand (1:2) bed</u></b>				
F	15mm Thick to receive tiles	SM	10		
G	6mm Thick tiles with and including with bull-nosed edges fixed on backing (measured separately)	SM	10		
H	Ditto 100mm high fascia with bull-nosed edges	LM	14		
	<b><u>Cement and sand (1:2) backing</u></b>				
I	100mm Thick stone support walls	SM	5		
J	12mm Cement sand plaster to walls	SM	10		
K	Prepare and apply three coats of first quality silk vinyl paint	SM	10		
	<b>ELEMENT NO. 9</b>				
	<b>JOINERY FITT...</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>SPECIAL CLINICS SUMMARY</u></b>				
	<b><u>ELEMENT NO. / NAME</u></b>				
1	Substructures (All provisional)				
2	R.C Superstructure				
3	Walling				
4	Roofing				
5	External finishes				
6	Internal finishes				
7	Windows				
8	Doors				
9	Joinery fittings and fixtures				
	<b>SECTION</b>				
	<b>SPECIAL CLINICS</b>				
	<b>TOTAL CARRIED TO</b>				
	<b>OPD SUMMARY</b>				

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Unit	Qty	Rate	KShs
<b>DEMOLITION OF RAMP TO REDUCE THE SLOPE</b>					
A	<u>Demolitions</u> Carefully demolish existing 150mm thick concrete floor slab complete with and including; 200mm thick natural stone retaining walls; BRC A142; and 500mm thick hardcore below and cart away debris	SM	36		
<u>Reinforced concrete class 20/20 (20mm aggregate in:-)</u>					
B	150mm Thick floor slab	SM	36		
<u>Reinforcement</u>					
C	BRC Mesh fabric reinforcement type No. A65	SM	36		
<u>Formwork to:</u>					
D	Edges of beds etc., 75 to 150mm high	LM	31		
<u>Cement and sand (1:3) as described in:</u>					
E	20 mm Thick to receive terrazzo paving	SM	36		
<u>Polished terrazzo consisting of cement and sand (1:3) screed (m.s)or backing finished with a layer of white cement with approved colour additive, sand and approved marble/granite chippings (1:4:2), trowelled to a smooth and even finish, machine polished and waxed to approval:</u>					
F	20 mm Thick paving	SM	36		
G	25 mm wide non-slip carborundum	LM	90		
H	30 x 5 mm plastic dividing strip	LM	76		
<b>SECTION 01</b>		<b>TOTAL CARRIED TO</b>			
<b>SPECIAL CLINICS RAMP</b>		<b>OPD SUMMARY</b>			

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<p><b><u>ELEMENT NO. 1</u></b></p> <p><b><u>WALLING</u></b></p> <p><u>2950mm High partition comprising 200 x 75 x 2mm thick "heavy duty" anodised powdered coated aluminium framework to BS10 B15 spaced at maximum 600mm vertically divided into two panels; 1200mm bottom panel infilled vennered MDF panels and 1600mm High top panel in 6mm thick sand blasted clear glazing fitted with film complete with all the necessary frames, beadings, glazing strip</u></p>				
A	75mm Thick walls.	SM	21		
B	Carefully demolish existing natural stone masonry walling plastered and painted both sides to create opening for 900 x 2400mm high door and cart away debris	SM	2		
	<p><b>ELEMENT NO.1</b></p> <p><b>WALLING</b></p>				
	<p><b>TOTAL CARRIED</b></p> <p><b>TO SECTION SUMMARY</b></p>				
				<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 2</u></b>				
	<b><u>DOORS AND WINDOWS</u></b>				
	<b><u>DOORS</u></b>				
	<b><u>Mild steel doors</u></b>				
A	Mild steel size 900 x 2400mm high complete with heavy duty hinges; one coat red oxide primer and locking latch, all to satisfaction with and including finishes to reveals and iambs	NO	1		
	<b><u>Prepare and apply one undercoat and two finishing coats gloss paint; on</u></b>				
B	Doors (measured flat overall both sides)	SM	23		
	<b><u>WINDOWS</u></b>				
	<b><u>Mild steel window screen mesh comprising of stainless steel net fixed to window frames as per the Architect's Approval</u></b>				
C	Window netting; insect proof wire mesh	SM	13		
	<b><u>Patterned mild steel window grille comprising of 25 x 25 x 2mm SHS horizontal members at 200mm centres and 25 x 25 x 2mm SHS vertical members at 100mm centres as per the Architect's Approval</u></b>				
D	Assorted windows	SM	13		
	<b><u>Prepare and touch up primer, apply one undercoat and two finishing coats gloss paint; on metal</u></b>				
E	Glazed casement windows (measured flat overall both sides)	SM	26		
	<b><u>Supply and fix double metal curtain rods from "Challenge Engineering" or other equal and approved comprising of 25mm diameter wrought iron front, 16mm diameter rear rail complete with fixing brackets, curtain holding rings and decorative end stops all necessary</u></b>				
F	Window curtain rods	LM	15		
	<b><u>Window Curtains</u></b>				
G	Hospital washable PVC curtains to approval	SM	30		
	<b><u>ELEMENT NO.2 TOTAL CARRIED</u></b>				
	<b><u>DOORS AND WINDOWS TO SECTION SUMMARY</u></b>				

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<b><u>ELEMENT NO. 3</u></b> <b><u>FINISHES</u></b>				
	<b><u>FLOOR FINISHES</u></b>				
A	<u>Cement and sand (1:3) as described in:</u> 20 mm Thick to receive terrazzo paving	SM	38		
B	Carefully demolish existing floors finish complete with skirting and prepare floor to receive terrazzo floor finish	SM	38		
	<u>Polished terrazzo consisting of cement and sand (1:3) screed (m.s)or backing finished with a layer of white cement with approved colour additive, sand and approved marble/granite chippings (1:4:2), trowelled to a smooth and even finish, machine polished and waxed to approval:</u>				
C	20 mm Thick paving	SM	38		
D	100 x 25 mm coved terrazzo skirting	LM	25		
E	30 x 5 mm plastic dividing strip	LM	44		
	<b><u>WALL FINISHES</u></b>				
	<u>Prepare and apply three coats of first quality silk vinyl paint to:</u>				
F	Plastered walls and concrete surfaces	SM	141		
	<u>Prepare and apply three coats first quality plastic emulsion paint to rendered surfaces</u>				
G	Rendered columns or beams or masonry	SM	101		
	Carried forward				
			KShs.		

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<b><u>ELEMENT NO. 6</u></b>				
	<b><u>INTERNAL FINISHES-cont'd</u></b>				
	Brought forward				KShs
	<b><u>CEILING FINISHES</u></b>				
	<u>Gypsum dry board ceilings</u>				
A	12mm thick gypsum ceiling with seamless joints complete with and including proprietary 40 x 40mm galvanized steel framing complete with metal hangers and stepped to architect's detail	SM	38		
	<u>Skim, prepare and apply one undercoat and two finishing coats of Crown Silk Vinyl paint to:-</u>				
B	Ceiling surfaces	SM	70		
	<u>Moulded cornice</u>				
C	100 x 75mm moulded cornice	LM	25		
	<b><u>ELEMENT NO. 3</u></b>				
	<b><u>FINISHES</u></b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				<b>KSHS.</b>

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 4</u></b>				
	<b><u>JOINERY FITTINGS AND FIXTURES</u></b>				
	<b><u>Worktops</u></b>				
A	100mm Thick concrete 1:3:6 plinths	SM	9		
B	100mm Thick concrete 1:2:4 top work top slab	SM	9		
C	Cut 75 mm deep x 75 mm wide groove in stone walling for worktop	LM	11		
	<b><u>Reinforcement</u></b>				
D	A98 BRC mesh fabric reinforcement	SM	9		
	<b><u>Sawn formwork to:</u></b>				
E	Soffits of solid slabs	SM	9		
F	Edges of beds and slab 75 - 150mm high	LM	36		
	<b><u>Cement and sand (1:2) bed</u></b>				
G	15mm Thick to receive tiles	SM	9		
H	6mm Thick tiles with and including with bull-nosed edges fixed on backing (measured separately)	SM	9		
I	Ditto 100mm high fascia with bull-nosed edges	LM	18		
	<b><u>Cement and sand (1:2) backing</u></b>				
J	100mm Thick stone support walls	SM	7		
K	12mm Cement sand plaster to walls	SM	14		
L	Prepare and apply three coats of first quality silk vinyl paint	SM	14		
	<b><u>18mm Thick Medium density fibreboard, hardwood</u></b>				
	lipped on all edges in:-				
M	Doors, sides, dividers and shelvings; 100mm brass D-handles, pair of malpa hinges and approved lock	SM	15		
	<b><u>Shelves</u></b>				
N	Shelves overall size 1800 x 300 x 800mm high divided into 6 No. equal units comprising 25mm thick MDF (veneered both sides) sides, dividers and shelvinas	NO	3		
	<b>ELEMENT NO. 4</b>	<b>TOTAL CARRIED TO</b>			
	<b>JOINERY FITT...</b>	<b>SECTION SUMMARY</b>		<b>KSHS</b>	

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<b><u>LABORATORY SUMMARY</u></b>				
	<b><u>ELEMENT NO. / NAME</u></b>				
1	Walling				
2	Doors and Windows				
3	Finishes				
4	Joinery Fittings and Fixtures				
	<b>SECTION</b>				
	<b>LABORATORY</b>				
	<b>TOTAL CARRIED TO</b>				
	<b>OPD SUMMARY</b>				

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO 1</u></b>				
	<b><u>SUBSTRUCTURES (ALL PROVISIONAL)</u></b>				
	<u>Site preparation</u>				
<b>A</b>	Clear site of all shrubs and small trees; dispose as directed arising debries	SM	48		
	<u>Excavations and Earthworks</u>				
<b>B</b>	Oversite excavation to reduce levels depth 200mm average; set aside for use arising materials	SM	48		
<b>C</b>	Excavate foundation trenches not exceeding 1.50m deep commencing from reduced level	CM	29		
	<u>Disposal</u>				
<b>D</b>	Return, fill and ram selected approved excavated material around the foundations	CM	18		
<b>E</b>	Load and spread on site surplus excavated material	CM	11		
	<u>Filling</u>				
<b>F</b>	Approved hardcore filling well compacted under floor slabs exceeding 300mm thick	CM	22		
<b>G</b>	300mm Thick approved hardcore filling well compacted in layers not exceeding 150mm thick	SM	43		
<b>H</b>	50mm Murram blinding	SM	43		
	<u>Insitu concrete mix (1:4:8): in;</u>				
<b>I</b>	50 mm thick blinding under strip foundations	SM	19		
	<u>Reinforced concrete class 20/20 (20mm aggregate in:-)</u>				
<b>J</b>	Strip foundations	CM	4		
<b>K</b>	150mm Thick floor slab	SM	48		
	Carried forward			KShs.	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 1</u></b>				
	<b><u>SUBSTRUCTURES</u></b>				
	Brought forward			KShs.	
	<u>Deformed reinforcement bars to B.S 4449 cut, bent and placed in position including all necessary binding wire and spacer blocks:</u>				
<b>A</b>	Assorted Bars	KG	570		
<b>B</b>	BRC Mesh fabric reinforcement type No. A65	SM	48		
	<u>Formwork to:</u>				
<b>C</b>	Edges of beds etc., 75 to 150mm high	LM	22		
	<u>Natural stone walling in cement and sand, mortar (1:4) with 26 gauge hoop iron in every alternate course</u>				
<b>D</b>	200mm Thick walling	SM	48		
	<u>Damp-proof membrane</u>				
<b>E</b>	1000 Gauge polythene sheet laid under surface beds (measured net - no allowance given for overlaps)	SM	48		
	<u>Bituminous felt damp proof courses to BS 743 Type A, laid on and including leveling screed of cement mortar (1:3)</u>				
<b>F</b>	200mm Wide in walling	LM	28		
	<u>Anti-termite treatment</u>				
<b>G</b>	Chemical anti-termite treatment executed by an approved specialist under a ten-year guarantee to surfaces of hardcore, etc..	SM	48		
	<b>ELEMENT NO. 1</b>				
	<b>SUBSTRUCT..</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
				<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 2</u></b>				
	<b><u>R.C. SUPERSTRUCTURE</u></b>				
	<u>Vibrated reinforced concrete class 20/20</u>				
<b>A</b>	Ring beams	CM	2		
	<u>Reinforcement</u>				
	<u>Deformed reinforcement bars to B.S 4449 cut, bent and placed in position including all necessary binding wire and spacer blocks:</u>				
<b>B</b>	Assorted Bars	KG	285		
	<u>Sawn formwork to:</u>				
<b>C</b>	Sides of ring beams	SM	19		
	<b>ELEMENT NO. 2</b>				
	<b>R.C. SUPERSTRUCT.</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 3</u></b>				
	<b><u>WALLING</u></b>				
	<u>Fine dressed stone walling bedded and jointed in cement and sand mortar (1:3) reinforced with and including 25mm wide x 26 gauge hoop iron at alternate courses</u>				
<b>A</b>	200mm Thick walling (External walls)	SM	54		
<b>B</b>	200mm Thick walling (Internal walls)	SM	23		
<b>C</b>	Carefully demolish existing natural stone masonry walling plastered and painted both sides to create opening for 900 x 2400mm high door and cart away debris	SM	2		
	<b>ELEMENT NO.3</b>				
	<b>WALLING</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 4</u></b> <b><u>ROOFING (ALL PROVISIONAL)</u></b>				
	<u>Demolitions</u>				
<b>A</b>	Carefully demolish the existing pitched roofing in adjoining boardroom comprising iron sheets on timber members and associated accessories	SM	18		
	<u>Galvanized roofing sheets</u>				
<b>B</b>	GCI Roofing sheets gauge 28 prepainted	SM	93		
<b>C</b>	Matching ridge cap	LM	12		
	<u>The following nailed celcured sawn and treated second grade cypress roof trusses or other equal approved including plates,cleats and hoisting in position approximately 3.0 Metres above existing ground level</u>				
<b>D</b>	100 x 50mm Tie beams	LM	48		
<b>E</b>	100 x 50mm Rafters	LM	64		
<b>F</b>	100 x 50mm Ties and struts	LM	72		
	<u>The following in celcured sawn second grade cypress</u>				
<b>G</b>	100 x 50mm Wall plates	LM	22		
<b>H</b>	75 x 50mm Purlins	LM	116		
	<u>Wrot general grade cypress as described:</u>				
<b>I</b>	200 x 25mm Fascia or badge boards	LM	31		
	<u>Knot, prime, stop and apply two undercoats and one gloss finishing coat of oil paint on wood work</u>				
<b>J</b>	Surfaces of fascia boards 200 - 300mm girth	LM	31		
	<u>Rain water drainge</u>				
<b>K</b>	Gauge 26 GI sheet 1000mm girth fascia gutter four times bent and dressed under sheets complete with 4No. Down pipe 100mm Diameter 3.0m High; including all necessarv accessories	LM	24		
	<b>ELEMENT NO. 4</b>				
	<b>ROOFING</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 5</u></b>				
	<b><u>EXTERNAL FINISHES</u></b>				
	<b><u>WALL FINISHES</u></b>				
	<u>Cement and sand (1:4)</u>				
<b>A</b>	15mm Thick rendering to concrete or walls	SM	71		
	<u>Prepare and apply three coats first quality plastic emulsion paint to rendered surfaces</u>				
<b>B</b>	Rendered columns or beams or masonry	SM	119		
	<b>ELEMENT NO. 5</b>				
	<b>EXTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 6</u></b> <b><u>INTERNAL FINISHES</u></b>				
	<b><u>FLOOR FINISHES</u></b>				
	<u>Cement and sand (1:4) screed trowelled smooth: beds to receive flooring</u>				
<b>A</b>	32mm Thick to receive ceramic tile flooring	SM	43		
<b>B</b>	100mm x 12mm Thick skirting ditto	LM	39		
	<u>Non-slip local coloured floor tiles as manufactured</u> Locally or other equal and approved				
<b>C</b>	6mm Thick ceramic floor tiles size 300 x 300mm pointed and jointed in matching coloured cement and sand mortar	SM	43		
	<b><u>WALL FINISHES</u></b>				
	<u>Cement and sand (1:1:6) lime plaster</u>				
<b>D</b>	12mm Thick two coat plaster	SM	124		
	<u>Prepare and apply three coats of first quality silk vinyl paint to:</u>				
<b>E</b>	Plastered walls and concrete surfaces	SM	187		
	Carried forward		KShs.		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 6</u></b>				
	<b><u>INTERNAL FINISHES-cont'd</u></b>				
	Brought forward		KShs		
	<b><u>CEILING FINISHES</u></b>				
	<u>Gypsum dry board ceilings</u>				
<b>A</b>	12mm thick gypsum ceiling with seamless joints complete with and including proprietary 40 x 40mm galvanized steel framing complete with metal hangers and stepped to architect's detail	SM	43		
	<u>Skim, prepare and apply one undercoat and two finishing coats of Crown Silk Vinyl paint to:-</u>				
<b>B</b>	Gypsum surfaces	SM	77		
<b>C</b>	Extra over gypsum for access trap door overall size 600 x 600mm including 75 x 50mm sawn cypress trimming painted and set loose	NO	2		
	<u>Moulded cornice</u>				
<b>D</b>	100 x 75mm moulded cornice	LM	39		
	<b>ELEMENT NO. 6</b>				
	<b>INTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO</b>				
	<b>SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 7</u></b>				
	<b><u>WINDOWS</u></b>				
	<u>Supply and fix the following steel casement windows with permanent ventilation along the full length: finished with one coat red lead oxide primer, complete with 75mm heavy duty hinges, 300mm long heavy duty window stays, and polished heavy duty brass fasteners, including cutting, fixing lugs to walling and bedding all round frame in cement and sand (1:3) mortar</u>				
<b>A</b>	Window size 1600 x 1400mm high	NO	4		
<b>B</b>	<u>6mm Clear glass and glazing to metal frame with putty</u> In panes not exceeding 0.10 square metres	SM	9		
<b>C</b>	<u>Prepare and touch up primer, apply one undercoat and two finishing coats gloss paint; on metal</u> Glazed casement windows (measured flat overall both sides)	SM	36		
<b>D</b>	<u>Mild steel window screen mesh comprising of stainless steel net fixed to window frames as per the Architect's Approval</u> Window netting; insect proof wire mesh	SM	9		
<b>E</b>	<u>Patterned mild steel window grille comprising of 25 x 25 x 2mm SHS horizontal members at 200mm centres and 25 x 25 x 2mm SHS vertical members at 100mm centres as per the Architect's Approval</u> Assorted windows	SM	18		
<b>F</b>	<u>Supply and fix double metal curtain rods from "Challenge Engineering" or other equal and approved comprising of 25mm diameter wrought iron front, 16mm diameter rear rail complete with fixing brackets, curtain holding rings and decorative end stops all necessary</u> Paintwork Window curtain rods	LM	15		
<b>G</b>	<u>Window Blinds</u> Vertical fibre fabric window blinds in 100mm width strips complete with anodized aluminium railing runners, hooks, alignment slips as silent gliss or equal and approved	SM	30		
	<b><u>ELEMENT NO. 7</u></b>				
	<b><u>WINDOWS</u></b>	<b>CARRIED TO SECTION SUMMARY</b>		<b>KSHS</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 8</u></b> <b><u>DOORS</u></b>				
	<u>Mild steel doors</u>				
<b>A</b>	Mild steel size 900 x 2400mm high complete with heavy duty hinges; one coat red oxide primer and locking latch, all to satisfaction	NO	1		
	<u>Prepare and apply one undercoat and two finishing coats gloss paint; on metal</u>				
<b>B</b>	Metal doors (measured flat overall both sides)	SM	10		
	<u>Supply and Fix 45 mm (finished) solid core flush door faced on both sides with 5mm Thick mahogany veneer and 15 mm x 15 mm hardwood beadings pinned and glued to door on both faces to form grids to architect's details and approval: hardwood lipped on all edges to approval</u>				
<b>C</b>	Single leaf door size 900 x 2400mm High.	NO	1		
	<u>Supply and Fix Wrot Cypress; plugged, screwed and pelleted</u>				
<b>D</b>	150 x 50mm frame with three labours : moulded screwed and pelleted.	LM	6		
<b>E</b>	Architrave to detail size, 75 x 25mm	LM	6		
<b>F</b>	Quadrant bead, diameter 25mm	LM	6		
	<u>Supply and fix the following ironmongery including all necessary matching screws.</u>				
<b>G</b>	Heavy duty stainless steel hinges with washers	PRS	12		
<b>H</b>	40mm Diameter rubber door stops	NO	16		
<b>I</b>	3 Lever Mortice lock with handle	NO	5		
	<u>Prepare and apply one undercoat and two finishing coats high quality polyurethane clear lacquer to wooden surfaces as supplied by an approved Manufacturer : internally and/or externally : to</u>				
<b>J</b>	General surfaces of wood work (m.o.b.s)	SM	4		
<b>K</b>	Frames; over 100mm-200mm girth;	LM	6		
<b>L</b>	Frames not exceeding 100mm girth; internal.	LM	12		
	<u>Prime backs of wood before fixing with aluminium or other approved primer on:</u>				
<b>M</b>	Surfaces exceeding 100- 200 mm girth	LM	6		
	<b><u>ELEMENT NO. 8</u></b>				
	<b><u>DOORS</u></b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
<b>MED SUPP OFFICE EXTENSION AND BOARDROOM SUMMARY</b>					
<b><u>ELEMENT NO. NAME</u></b>					
1	Substructures (All provisional)				
2	R.C Superstructure				
3	Walling				
4	Roofing				
5	External finishes				
6	Internal finishes				
7	Windows				
8	Doors				
<b>SECTION MED SUP OFFICE</b>	<b>TOTAL CARRIED TO OPD SUMMARY</b>				

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO 1</u></b>				
	<b><u>SUBSTRUCTURES (ALL PROVISIONAL)</u></b>				
	<u>Site preparation</u>				
<b>A</b>	Clear site of all shrubs and small trees; dispose as directed arising debries	SM	58		
	<u>Excavations and Earthworks</u>				
<b>B</b>	Oversite excavation to reduce levels depth 200mm average; set aside for use arising materials	SM	58		
<b>C</b>	Excavate foundation trenches not exceeding 1.50m deep commencing from reduced level	CM	29		
	<u>Disposal</u>				
<b>D</b>	Return, fill and ram selected approved excavated material around the foundations	CM	18		
<b>E</b>	Load and spread on site surplus excavated material	CM	11		
	<u>Filling</u>				
<b>F</b>	Approved hardcore filling well compacted under floor slabs exceeding 300mm thick	CM	26		
<b>G</b>	300mm Thick approved hardcore filling well compacted in layers not exceeding 150mm thick	SM	50		
<b>H</b>	50mm Murram blinding	SM	50		
	<u>Insitu concrete mix (1:4:8): in;</u>				
<b>I</b>	50 mm thick blinding under strip foundations	SM	24		
	<u>Reinforced concrete class 20/20 (20mm aggregate in:-)</u>				
<b>J</b>	Strip foundations	CM	5		
<b>K</b>	150mm Thick floor slab	SM	58		
	Carried forward			KShs.	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 1</u></b>				
	<b><u>SUBSTRUCTURES</u></b>				
	Brought forward			KShs.	
	<u>Deformed reinforcement bars to B.S 4449 cut, bent and placed in position including all necessary binding wire and spacer blocks:</u>				
<b>A</b>	Assorted Bars	KG	732		
<b>B</b>	BRC Mesh fabric reinforcement type No. A65	SM	58		
	<u>Formwork to:</u>				
<b>C</b>	Edges of beds etc., 75 to 150mm high	LM	23		
	<u>Natural stone walling in cement and sand, mortar (1:4) with 26 gauge hoop iron in every alternate course</u>				
<b>D</b>	200mm Thick walling	SM	64		
	<u>Damp-proof membrane</u>				
<b>E</b>	1000 Gauge polythene sheet laid under surface beds (measured net - no allowance given for overlaps)	SM	58		
	<u>Bituminous felt damp proof courses to BS 743 Type A, laid on and including leveling screed of cement mortar (1:3)</u>				
<b>F</b>	200mm Wide in walling	LM	27		
	<u>Anti-termite treatment</u>				
<b>G</b>	Chemical anti-termite treatment executed by an approved specialist under a ten-year guarantee to surfaces of hardcore, etc..	SM	58		
	<b>ELEMENT NO. 1</b>				
	<b>SUBSTRUCT..</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 2</u></b>				
	<b><u>R.C. SUPERSTRUCTURE</u></b>				
	<u>Vibrated reinforced concrete class 20/20</u>				
<b>A</b>	Ring beams	CM	2		
	<u>Reinforcement</u>				
	<u>Deformed reinforcement bars to B.S 4449 cut, bent and placed in position including all necessary binding wire and spacer blocks:</u>				
<b>B</b>	Assorted Bars	KG	276		
	<u>Sawn formwork to:</u>				
<b>C</b>	Sides of ring beams	SM	18		
	<u>Structural Steel</u>				
<b>D</b>	75 x 3mm diameter CHS column to Structural Engineers details	LM	23		
	<u>Knot, prime, stop and apply two undercoats and one gloss finishing coat of oil paint on;</u>				
<b>E</b>	CHS columns	LM	23		
	<b>ELEMENT NO. 2                      TOTAL CARRIED TO</b>				
	<b>R.C. SUPERSTRUCT.              SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 3</u></b>				
	<b><u>WALLING</u></b>				
	<u>Fine dressed stone walling bedded and jointed in cement and sand mortar (1:3) reinforced with and including 25mm wide x 26 gauge hoop iron at alternate courses</u>				
<b>A</b>	200mm Thick walling (External walls)	SM	50		
<b>B</b>	200mm Thick walling (Internal walls)	SM	23		
<b>C</b>	Carefully demolish existing natural stone masonry walling plastered and painted both sides and cart away debris	SM	12		
	<b>ELEMENT NO.3</b>				
	<b>WALLING</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 4</u></b> <b><u>ROOFING (ALL PROVISIONAL)</u></b>				
	<u>Demolitions</u>				
<b>A</b>	Carefully demolish the existing pitched roofing in adjoining boardroom comprising iron sheets on timber members and associated accessories	SM	18		
	<u>Galvanized roofing sheets</u>				
<b>B</b>	GCI Roofing sheets gauge 30 prepainted	SM	109		
<b>C</b>	Matching ridge cap	LM	12		
	<u>The following nailed celcured sawn and treated second grade cypress roof trusses or other equal approved including plates,cleats and hoisting in position approximately 3.0 Metres above existing ground level</u>				
<b>D</b>	100 x 50mm Tie beams	LM	58		
<b>E</b>	100 x 50mm Rafters	LM	75		
<b>F</b>	100 x 50mm Ties and struts	LM	87		
	<u>The following in celcured sawn second grade cypress</u>				
<b>G</b>	100 x 50mm Wall plates	LM	22		
<b>H</b>	75 x 50mm Purlins	LM	116		
	<u>Wrot general grade cypress as described:</u>				
<b>I</b>	200 x 25mm Fascia or badge boards	LM	33		
	<u>Knot, prime, stop and apply two undercoats and one gloss finishing coat of oil paint on wood work</u>				
<b>J</b>	Surfaces of fascia boards 200 - 300mm girth	LM	33		
	<u>Rain water drainge</u>				
<b>K</b>	Gauge 26 GI sheet 1000mm girth fascia gutter four times bent and dressed under sheets complete with 4No. Down pipe 100mm Diameter 3.0m High; including all necessarv accessories	LM	24		
	<b>ELEMENT NO. 4</b>				
	<b>ROOFING</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
				<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 5</u></b>				
	<b><u>EXTERNAL FINISHES</u></b>				
	<b><u>WALL FINISHES</u></b>				
	<u>Cement and sand (1:4)</u>				
<b>A</b>	15mm Thick rendering to concrete or walls	SM	69		
	<u>Prepare and apply three coats first quality plastic emulsion paint to rendered surfaces</u>				
<b>B</b>	Rendered columns or beams or masonry	SM	139		
	<b>ELEMENT NO. 5</b>				
	<b>EXTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 6</u></b> <b><u>INTERNAL FINISHES</u></b>				
	<b><u>FLOOR FINISHES</u></b>				
	<u>Cement and sand (1:4) screed trowelled smooth: beds to receive flooring</u>				
<b>A</b>	32mm Thick to receive ceramic tile flooring	SM	50		
<b>B</b>	100mm x 12mm Thick skirting ditto	LM	47		
	<u>Non-slip local coloured floor tiles as manufactured</u> Locally or other equal and approved				
<b>C</b>	6mm Thick ceramic floor tiles size 300 x 300mm pointed and jointed in matching coloured cement and sand mortar	SM	50		
	<b><u>WALL FINISHES</u></b>				
	<u>Cement and sand (1:1:6) lime plaster</u>				
<b>D</b>	12mm Thick two coat plaster	SM	138		
	<u>Prepare and apply three coats of first quality silk vinyl paint to:</u>				
<b>E</b>	Plastered walls and concrete surfaces	SM	276		
	Carried forward				
			KShs.		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 6</u></b>				
	<b><u>INTERNAL FINISHES-cont'd</u></b>				
	Brought forward		KShs		
	<b><u>CEILING FINISHES</u></b>				
	<u>Gypsum dry board ceilings</u>				
<b>A</b>	12mm thick gypsum ceiling with seamless joints complete with and including proprietary 40 x 40mm galvanized steel framing complete with metal hangers and stepped to architect's detail	SM	60		
<b>B</b>	Extra over gypsum for access trap door overall size 600 x 600mm including 75 x 50mm sawn cypress trimming painted and set loose	NO	2		
	<u>Moulded cornice</u>				
<b>C</b>	100 x 75mm moulded cornice	LM	47		
	<u>Skim, prepare and apply one undercoat and two finishing coats of Crown Silk Vinyl paint to:-</u>				
<b>D</b>	Gypsum surfaces	SM	100		
<b>E</b>	Surfaces exceeding 100- 200 mm girth	LM	94		
	<b>ELEMENT NO. 6</b>				
	<b>INTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 7</u></b>				
	<b><u>WINDOWS</u></b>				
	<u>Supply and fix the following steel casement windows with permanent ventilation along the full length: finished with one coat red lead oxide primer, complete with 75mm heavy duty hinges, 300mm long heavy duty window stays, and polished heavy duty brass fasteners, including cutting, fixing lugs to walling and bedding all round frame in cement and sand (1:3) mortar all as per Architect's Drawing attached</u>				
<b>A</b>	Window size 1600 x 1400mm high	NO	4		
	<u>6mm Clear glass and glazing to metal frame with putty</u>				
<b>B</b>	In panes not exceeding 0.10 square metres	SM	9		
	<u>Prepare and touch up primer, apply one undercoat and two finishing coats gloss paint; on metal</u>				
<b>C</b>	Glazed casement windows (measured flat overall both sides)	SM	36		
	<u>Mild steel window screen mesh comprising of stainless steel net fixed to window frames as per the Architect's Approval</u>				
<b>D</b>	Window netting; insect proof wire mesh	SM	18		
	<u>Patterned mild steel window grille comprising of 25 x 25 x 2mm SHS horizontal members at 200mm centres and 25 x 25 x 2mm SHS vertical members at 100mm centres as per the Architect's Approval</u>				
<b>E</b>	Assorted windows	SM	18		
	<u>Supply and fix double metal curtain rods from "Challenge Engineering" or other equal and approved comprising of 25mm diameter wrought iron front, 16mm diameter rear rail complete with fixing brackets, curtain holding rings and decorative end stops all necessary</u>				
<b>F</b>	Window curtain rods	LM	16		
	<u>Window Curtains</u>				
<b>G</b>	Hospital washable PVC curtains to approval	SM	30		
	<b><u>ELEMENT NO. 7</u></b>				
	<b><u>WINDOWS</u></b>				
	<b>CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS</b>		

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<b><u>ELEMENT NO. 8</u></b>				
	<b><u>DOORS</u></b>				
	<u>Mild steel doors</u>				
<b>A</b>	Mild steel size 900 x 2400mm high complete with heavy duty hinges; one coat red oxide primer and locking latch, all to satisfaction	NO	3		
	<u>Prepare and apply one undercoat and two finishing coats gloss paint; on metal</u>				
<b>B</b>	Metal doors (measured flat overall both sides)	SM	17		
	<b>ELEMENT NO. 8 DOORS</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
<b><u>MED SUPP OFFICE EXTENSION SUMMARY</u></b>					
<b><u>ELEMENT NO. NAME</u></b>					
1	Substructures (All provisional)				
2	R.C Superstructure				
3	Walling				
4	Roofing				
5	External finishes				
6	Internal finishes				
7	Windows				
8	Doors				
	SECTION CONSULTATION R..			TOTAL CARRIED TO OPD SUMMARY	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b>ELEMENT NO. 1</b>				
	<b>SUBSTRUCTURES (ALL PROVISIONAL)</b>				
	<u>Site preparation</u>				
<b>A</b>	Clear site of all shrubs and small trees; dispose as directed arising debris	SM	171		
<b>B</b>	Cut down big mango tree and Uprooting of uprising stump (girth 4700mm girth)	NO	2		
<b>C</b>	Processing of the tree by cutting it into small pieces (Av length 600mm minimum) and store the arising wood as directed; cart away arising debris and make good disturbed around surfaces	ITEM	1		
	<u>Excavations and Earthworks</u>				
<b>D</b>	Excavate foundation trenches not exceeding 1.50m deep commencing from reduced level	CM	39		
	<u>Disposal</u>				
<b>E</b>	Return, fill and ram selected approved excavated material around the foundations	CM	39		
	<u>Filling</u>				
<b>F</b>	Approved hardcore filling well compacted under floor slabs exceeding 300mm thick	CM	50		
<b>G</b>	300mm Thick approved hardcore filling well compacted in layers not exceeding 150mm thick	SM	111		
<b>H</b>	50mm Murram blinding	SM	111		
	<u>In situ concrete mix (1:4:8): in:</u>				
<b>I</b>	50 mm thick blinding under strip foundations	SM	26		
	<u>Reinforced concrete class 20/20 (20mm aggregate in:-)</u>				
<b>J</b>	Strip foundations	CM	5		
<b>K</b>	150mm Thick floor slab	SM	120		
	Carried forward			KShs.	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 1</u></b>				
	<b><u>SUBSTRUCTURES</u></b>				
	Brought forward			KShs.	
	<u>Deformed reinforcement bars to B.S 4449 cut, bent and placed in position including all necessary binding wire and spacer blocks:</u>				
<b>A</b>	Assorted Bars	KG	789		
<b>B</b>	BRC Mesh fabric reinforcement type No. A65	SM	120		
	<u>Formwork to:</u>				
<b>C</b>	Edges of beds etc., 75 to 150mm high	LM	44		
	<u>Natural stone walling in cement and sand, mortar (1:4) with 26 gauge hoop iron in every alternate course</u>				
<b>D</b>	200mm Thick walling	SM	77		
	<u>Damp-proof membrane</u>				
<b>E</b>	1000 Gauge polythene sheet laid under surface beds (measured net - no allowance given for overlaps)	SM	120		
	<u>Bituminous felt damp proof courses to BS 743 Type A, laid on and including leveling screed of cement mortar (1:3)</u>				
<b>F</b>	200mm Wide in walling	LM	44		
	<u>Anti-termite treatment</u>				
<b>G</b>	Chemical anti-termite treatment executed by an approved specialist under a ten-year guarantee to surfaces of hardcore, etc..	SM	120		
	<b>ELEMENT NO. 1</b>				
	<b>SUBSTRUCT..</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 2</u></b>				
	<b><u>SUPERSTRUCTURES</u></b>				
	<u>Structural Steel</u>				
<b>A</b>	75 x 75 x 3mm diameter CHS column to Structural Engineers details	LM	84		
	<u>Knot, prime, stop and apply two undercoats and one gloss finishing coat of oil paint on;</u>				
<b>B</b>	CHS columns	LM	84		
	<b><u>WALLING</u></b>				
	<u>Fine dressed stone walling bedded and jointed in cement and sand mortar (1:3) reinforced with and including 25mm wide x 26 gauge hoop iron at alternate courses</u>				
<b>C</b>	200mm Thick walling (Dwarf wall)	SM	44		
	<b>ELEMENT NO. 2 SUPERSTRUCT....</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b>ELEMENT NO. 3</b>				
	<b>ROOFING (ALL PROVISIONAL)</b>				
	<u>Galvanized roofing sheets</u>				
<b>A</b>	GCI Roofing sheets gauge 28 prepainted	SM	186		
<b>B</b>	Matching ridge/hip cap	LM	36		
	<u>The following welded roof trusses/girders including plates, cleats and hoisting in position approximately 4.5 Metres above existing ground level</u>				
<b>C</b>	75 x 50 x 3mm RHS Wallplates	LM	44		
<b>D</b>	75 x 50 x 3mm RHS Top chords	LM	111		
<b>E</b>	75 x 50 x 3mm RHS Bottom chords	LM	111		
<b>F</b>	50 x 50 x 2mm SHS Struts and ties	LM	242		
<b>G</b>	50 x 50 x 2mm SHS Purlins	LM	169		
	<u>Rain water drainage</u>				
<b>H</b>	Gauge 26 GI sheet 1000mm girth fascia gutter four times bent and dressed under sheets complete with 4No. Down pipe 100mm Diameter 4.5m High; including all necessary accessories	LM	49		
	<u>Knot, prime, stop and apply two undercoats and one gloss finishing coat of oil paint on;</u>				
<b>I</b>	Steel Trusses	LM	677		
<b>J</b>	Steel gutters	LM	49		
	<b>ELEMENT NO. 3</b>				
	<b>ROOFING</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 4</u></b>				
	<b><u>FINISHES</u></b>				
	<b><u>FLOOR FINISHES</u></b>				
	<u>Cement and sand (1:3) screed trowelled smooth: beds to receive flooring</u>				
<b>A</b>	20 mm Thick to receive terrazzo paving	SM	111		
	<u>Polished terrazzo consisting of cement and sand (1:3) screed (m.s)or backing finished with a layer of white cement with approved colour additive, sand and approved marble/granite chippings (1:4:2), trowelled to a smooth and even finish, machine polished and waxed to approval.</u>				
<b>B</b>	20 mm Thick paving	SM	111		
<b>C</b>	100 x 25 mm coved terrazzo skirting	LM	44		
<b>D</b>	30 x 5 mm plastic dividing strip	LM	208		
	<b><u>WALL FINISHES</u></b>				
	<u>Cement and sand (1:1:6) lime plaster</u>				
<b>E</b>	12mm Thick two coat plaster	SM	88		
	<u>Prepare and apply three coats of first quality silk vinyl paint to:</u>				
<b>F</b>	Plastered walls and concrete surfaces	SM	176		
	<b><u>JOINERY FITTINGS AND FIXTURES</u></b>				
	<u>Benches</u>				
<b>G</b>	Benches overall size 500 x 550mm high comprising 50 x 50 x 2mm framework and 50mm thick wooden boards top: with and including all necessary paintwork	LM	64		
	<b><u>ELEMENT NO. 4</u></b>				
	<b><u>FINISHES</u></b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<b><u>OPD WAITING BAY SUMMARY</u></b>				
	<b><u>ELEMENT NO. NAME</u></b>				
1	Substructures (All provisional)				
2	R.C Superstructure				
3	Roofing				
4	Finishes				
	<b>SECTION</b> <b>OPD WAITING BAY</b>	<b>TOTAL CARRIED TO</b> <b>OPD SUMMARY</b>			

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>RETAINING WALL (ALL PROVISIONAL)</u></b>				
	<u>Demolitions</u>				
<b>A</b>	Carefully demolish existing defective natural stone masonry retaining wall with and including reinforced concrete foundation and cart away debris	SM	16		
	<u>Excavations and Earthworks</u>				
<b>B</b>	Excavate foundation trenches not exceeding 1.50m deep commencing from reduced level	CM	23		
	<u>Disposal</u>				
<b>C</b>	Return, fill and ram selected approved excavated material around the foundations	CM	23		
	<u>Filling</u>				
<b>D</b>	Approved hardcore filling well compacted under floor slabs exceeding 300mm thick	CM	18		
<b>E</b>	50mm Murram blinding	SM	45		
	<u>Insitu concrete mix (1:4:8): in:</u>				
<b>F</b>	50 mm thick blinding under strip foundations	SM	19		
	<u>Reinforced concrete class 20/20</u>				
<b>G</b>	Strip foundations	CM	4		
	<u>Deformed reinforcement bars to B.S 4449</u>				
<b>H</b>	Assorted Bars	KG	576		
	<u>Formwork to:</u>				
<b>I</b>	Edges of beds etc., 75 to 150mm high	LM	13		
	<u>Natural stone walling in cement and sand, mortar (1:4)</u>				
<b>J</b>	with 26 gauge hoop iron 200mm Thick walling	SM	32		
	<u>Cement and sand (1:1:6) lime plaster</u>				
<b>K</b>	12mm Thick two coat plaster	SM	45		
	<u>Apply three coats of first quality silk vinyl paint to:</u>				
<b>L</b>	Plastered walls and concrete surfaces	LM	45		
	<u>Balustrading</u>				
<b>M</b>	30 x 30 x 1200 mm solid SHS steel balusters welded onto 40 x 3 mm thick flats top and bottom including 50 mm diameter CHS moulded handrail welded to 40 x 3 mm thick flats all to the Architect's details.	LM	32		
	<b>SECTION</b>				
	<b>RETAINING WALL</b>				
	<b>TOTAL CARRIED TO</b>				
	<b>OPD SUMMARY</b>				

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>FLOOR FINISHES</u></b>				
A	Cement and sand (1:3) as described in: 20 mm Thick to receive terrazzo paving	SM	140		
B	Carefully demolish existing floors finish complete with skirting and prepare floor to receive terrazzo floor finish	SM	140		
	<u>Polished terrazzo consisting of cement and sand (1:3) screed (m.s) or backing finished with a layer of white cement with approved colour additive, sand and approved marble/granite chippings (1:4:2), trowelled to a smooth and even finish, machine polished and waxed to approval.</u>				
C	20 mm Thick paving	SM	140		
D	30 x 5 mm plastic dividing strip	LM	192		
	<b><u>DRAINAGE CHANNEL</u></b>				
E	300mm wide x 400mm high channel drain with 200mm thick base to fall and 200mm thick x 200mm thick walls on either side	LM	50		
	<b>SECTION</b>				
	<b>WALKWAY</b>				
	<b>TOTAL CARRIED TO</b>				
	<b>OPD SUMMARY</b>				

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO 1</u></b>				
	<b><u>R.C. SUPERSTRUCTURE</u></b>				
	<u>Vibrated reinforced concrete class 20/20</u>				
<b>A</b>	Ring beams	CM	1		
	<u>Reinforcement</u>				
	<u>Deformed reinforcement bars to B.S 4449 cut, bent and placed in position including all necessary binding wire and spacer blocks:</u>				
<b>B</b>	Assorted Bars	KG	140		
	<u>Sawn formwork to:</u>				
<b>C</b>	Sides of ring beams	SM	11		
	<b>ELEMENT NO. 1</b>				
	<b>R.C. SUPERSTRUCT.</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<p><b><u>ELEMENT NO. 2</u></b>  <b><u>WALLING</u></b></p> <p><u>Fine dressed stone walling bedded and jointed in cement and sand mortar (1:3) reinforced with and including 25mm wide x 26 gauge hoop iron at alternate courses</u></p>				
<b>A</b>	200mm Thick walling (External walls)	SM	33		
<b>B</b>	Carefully demolish existing natural stone masonry walling with and including reinforced concrete ring beam plastered and painted both sides and cart away debris	SM	32		
	<p><b>ELEMENT NO.2</b>  <b>WALLING</b></p> <p align="right"><b>TOTAL CARRIED  TO SECTION SUMMARY</b></p>			KSHS.	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 3</u></b> <b><u>FINISHES</u></b>				
	<b><u>EXTERNAL WALL FINISHES</u></b>				
	<u>Cement and sand (1:4)</u>				
<b>A</b>	15mm Thick rendering to concrete or walls	SM	38		
	<u>Prepare and apply three coats first quality plastic emulsion paint to rendered surfaces</u>				
<b>B</b>	Rendered beams or masonry, Windows and doors	SM	93		
	<b><u>INTERNAL WALL FINISHES</u></b>				
	<u>Cement and sand (1:1:6) lime plaster</u>				
<b>C</b>	12mm Thick two coat plaster	SM	38		
	<u>Prepare and apply three coats of first quality silk vinyl paint to:</u>				
<b>D</b>	Plastered walls and concrete surfaces, Windows and doors	SM	159		
	<b><u>CEILING FINISHES</u></b>				
	<u>Skim, prepare and apply one undercoat and two finishing coats of Crown Silk Vinyl paint to:-</u>				
<b>E</b>	Ceiling surfaces	SM	41		
<b>F</b>	Timber cornice Surfaces	LM	51		
	<b><u>ROOFING FINISHES</u></b>				
	<u>Rain water drainage</u>				
<b>G</b>	Gauge 26 GI sheet 1000mm girth fascia gutter four times bent and dressed under sheets complete with 4No. Down pipe 100mm Diameter 3.0m High; including all necessary accessories	LM	30		
<b>H</b>	Knot, prime, stop and apply two undercoats and one gloss finishing coat of oil paint on;	LM	30		
	<b>ELEMENT NO. 3</b>				
	<b>FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 4</u></b> <b><u>WINDOWS</u></b>				
	<u>Supply and fix the following steel casement windows with permanent ventilation along the full length: finished with one coat red lead oxide primer, complete with 75mm heavy duty hinges, 300mm long heavy duty window stays, and polished heavy duty brass fasteners, including cutting, fixing lugs to walling and bedding all round frame in cement and sand (1:3) mortar all as per Architect's Drawing attached</u>				
<b>A</b>	Window size 1600 x 1400mm high	NO	4		
	<u>6mm Clear glass and glazing to metal frame with putty</u>				
<b>B</b>	In panes not exceeding 0.10 square metres	SM	9		
	<u>Prepare and touch up primer, apply one undercoat and two finishing coats gloss paint; on metal</u>				
<b>C</b>	Glazed casement windows (measured flat overall both sides)	SM	36		
	<u>Patterned mild steel window grille comprising of 25 x 25 x 2mm SHS horizontal members at 200mm centres and 25 x 25 x 2mm SHS vertical members at 100mm centres as per the Architect's Approval</u>				
<b>D</b>	Assorted windows	SM	18		
	<u>Mild steel window screen mesh comprising of stainless steel net fixed to window frames as per the Architect's Approval</u>				
<b>E</b>	Window netting; insect proof wire mesh	SM	18		
	<u>Supply and fix double metal curtain rods from "Challenge Engineering" or other equal and approved comprising of 25mm diameter wrought iron front, 16mm diameter rear rail complete with fixing brackets, curtain holding rings and decorative end stops all necessary</u>				
<b>F</b>	Window curtain rods	LM	16		
	<u>Window curtains</u>				
<b>G</b>	Hospital washable PVC curtains to approval	SM	30		
	<b><u>ELEMENT NO. 4</u></b>				
	<b><u>WINDOWS</u></b>				
	<b>CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 5</u></b>				
	<b><u>DOORS</u></b>				
	<u>Mild steel doors</u>				
<b>A</b>	Mild steel size 900 x 2400mm high complete with heavy duty hinges; one coat red oxide primer and locking latch, all to satisfaction	NO	4		
	<u>Prepare and apply one undercoat and two finishing coats gloss paint; on metal</u>				
<b>B</b>	Metal doors (measured flat overall both sides)	SM	17		
	<b>ELEMENT NO. 5</b>				
	<b>DOORS</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<b><u>CASH OFFICES SUMMARY</u></b>				
	<b><u>ELEMENT NO. NAME</u></b>				
1	R.C Superstructure				
2	Walling				
3	Finishes				
4	Windows				
5	Doors				
	<b>SECTION 01</b>				
	<b>CASH OFFICES</b>				
		<b>TOTAL CARRIED TO</b>			
		<b>OPD SUMMARY</b>			

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO 1</u></b>				
	<b><u>WALLING</u></b>				
	<u>Fine dressed stone walling bedded and jointed in cement and sand mortar (1:3) reinforced with and including 25mm wide x 26 gauge hoop iron at alternate courses</u>				
<b>A</b>	200mm Thick walling (External walls)	SM	8		
<b>B</b>	Carefully demolish existing natural stone masonry walling with and including reinforced concrete ring beam plastered and painted both sides and cart away debris	SM	8		
	<b>ELEMENT NO.1 WALLING</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 2</u></b> <b><u>FINISHES</u></b>				
	<b><u>EXTERNAL WALL FINISHES</u></b>				
	<u>Cement and sand (1:4)</u>				
<b>A</b>	15mm Thick rendering to concrete or walls	SM	8		
	<u>Prepare and apply three coats first quality plastic emulsion paint to rendered surfaces</u>				
<b>B</b>	Rendered beams or masonry, Windows and doors	SM	100		
	<b><u>INTERNAL WALL FINISHES</u></b>				
	<u>Cement and sand (1:1:6) lime plaster</u>				
<b>C</b>	12mm Thick two coat plaster	SM	8		
	<u>Prepare and apply three coats of first quality silk vinyl paint to:</u>				
<b>D</b>	Plastered walls and concrete surfaces, Windows and doors	SM	144		
	<b><u>CEILING FINISHES</u></b>				
	<u>Skim, prepare and apply one undercoat and two finishing coats of Crown Silk Vinyl paint to:-</u>				
<b>E</b>	Ceiling surfaces	SM	71		
<b>F</b>	Timber cornice Surfaces	LM	47		
	<b><u>ROOFING FINISHES</u></b>				
	<u>Rain water drainage</u>				
<b>G</b>	Gauge 26 GI sheet 1000mm girth fascia gutter four times bent and dressed under sheets complete with 4No. Down pipe 100mm Diameter 3.0m High; including all necessary accessories	LM	26		
<b>H</b>	Knot, prime, stop and apply two undercoats and one gloss finishing coat of oil paint on;	LM	26		
	<b>ELEMENT NO. 2</b>				
	<b>INTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 3</u></b> <b><u>WINDOWS</u></b>				
	<u>Supply and fix the following steel casement windows with permanent ventilation along the full length: finished with one coat red lead oxide primer, complete with 75mm heavy duty hinges, 300mm long heavy duty window stays, and polished heavy duty brass fasteners, including cutting, fixing lugs to walling and bedding all round frame in cement and sand (1:3) mortar all as per Architect's Drawing attached</u>				
<b>A</b>	Window size 1600 x 1400mm high	NO	1		
	<u>6mm Clear glass and glazing to metal frame with putty</u>				
<b>B</b>	In panes not exceeding 0.10 square metres	SM	2		
	<u>Patterned mild steel window grille comprising of 25 x 25 x 2mm SHS horizontal members at 200mm centres and 25 x 25 x 2mm SHS vertical members at 100mm centres as per the Architect's Approval</u>				
<b>D</b>	Assorted windows	SM	16		
	<u>Mild steel window screen mesh comprising of stainless steel net fixed to window frames as per the Architect's Approval</u>				
<b>E</b>	Window netting; insect proof wire mesh	SM	16		
	<u>Supply and fix double metal curtain rods from "Challenge Engineering" or other equal and approved comprising of 25mm diameter wrought iron front, 16mm diameter rear rail complete with fixing brackets, curtain holding rings and decorative end stops all necessary</u>				
<b>F</b>	Window curtain rods	LM	13		
	<u>Window curtains</u>				
<b>G</b>	Hospital washable PVC curtains to approval	SM	27		
	<b><u>ELEMENT NO. 3</u></b> <b><u>WINDOWS</u></b>				
	<b>CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 4</u></b>				
	<b><u>DOORS</u></b>				
	<u>Mild steel doors</u>				
<b>A</b>	Mild steel size 900 x 2400mm high complete with heavy duty hinges; one coat red oxide primer and locking latch, all to satisfaction	NO	3		
<b>B</b>	Carefully remove existing 900 x 2400mm high timber doors complete with frame including ironmongery and fixed to plastered and painted masonry wall and cart away	NO	3		
	<u>Prepare and apply one undercoat and two finishing coats gloss paint; on metal</u>				
<b>C</b>	Metal doors (measured flat overall both sides)	SM	13		
	<b>ELEMENT NO. 4</b>				
	<b>DOORS</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<b><u>PHARMACY SUMMARY</u></b>				
	<b><u>ELEMENT NO. NAME</u></b>				
1	Walling				
2	Finishes				
3	Windows				
4	Doors				
	<b>SECTION PHARMACY</b>	<b>TOTAL CARRIED TO BUILDERS SUMMARY</b>			

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Unit	Qty	Rate	Amount
	<b><u>Site preparations</u></b>				
A	Pull down 8700 mm long x 6000 mm wide x 2500 mm high ablution block comprising galvanised iron sheet roofing and masonry walling with and including all fittings	ITEM	1		
B	Ditto columns Pits size 450 x 450 x 1200mm deep	NO	8		
	<b><u>Imported Filling</u></b>				
C	300 mm thick hardcore filling consolidated in 150mm layers and well watered.	SM	52		
D	50mm stone dust blinding to surfaces of hardcore filling	SM	52		
E	Class 20 concrete Column bases	CM	2		
F	Ditto 100mm thick floor bed	SM	52		
G	BRC Ref A 142 weighing 2.22kg per sqm	SM	52		
H	32mm thick cement and sand (1:4) screed to floor steel trowelled smooth	SM	52		
	<b><u>CHS Columns</u></b>				
I	50 x 3mm diameter CHS column to Structural Engineers details	LM	34		
	<b><u>Machine cut stone walling in Cement : Sand ( 1:3 ) mortar</u></b>				
J	150mm thick	SM	29		
K	15 mm Thick cement and sand (1:4) render finished with a wood float	SM	58		
L	Prepare surfaces and apply 3 coats plastic emulsion paint to rendered surfaces	SM	58		
	<b><u>Benches</u></b>				
M	Benches overall size 500 x 550mm high comprising 50 x 50 x 2mm framework and 50mm thick wooden boards top; with and including all necessary paintwork	LM	20		
	<b>Carried forward</b>		<b>KShs.</b>		

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Unit	Qty		
	<b>Brought forward</b>		<b>KShs.</b>		
	<b><u>ROOFING</u></b>				
	<b><u>Roof Covering</u></b>				
A	Box profile Roofing sheets gauge 28 nailed onto the timber purlins (m.s) with capped roofing nails	SM	74		
	<b><u>The following welded roof trusses including plates, cleats and hoisting in position approximately 3.0 Metres above existing around level</u></b>				
B	50 x 50 x 2mm Thick SHS wallplates	LM	17		
C	50 x 50 x 2mm Thick SHS rafters	LM	30		
	<b><u>The following in celcured sawn second grade cypress</u></b>				
D	75 x 50mm purlins	LM	69		
	<b><u>Wrot general grade cypress as described:</u></b>				
E	200 x 25mm fascia boards	LM	35		
	<b><u>Rainwater Goods</u></b>				
F	Metal sheet; gauge 18;150x100mm gutter	LM	10		
G	Extra over gutter for stopped ends	NO	2		
H	Ditto for rainwater outlets with nozzle for 100mm rainwater down pipe outlet	NO	2		
I	100 mm Diameter uPVC rain water downpipe; holder bats at 1500mm (maximum) centres including all fittings	LM	6		
J	Extra over ditto for swan neck 1200mm projection.	NO	2		
K	Ditto for shoe.	NO	2		
	<b><u>Prepare metal surfaces; apply undercoat and two finishing coats first grade eggshell</u></b>				
L	General surfaces; steel columns and structural steel roof sections.	LM	81		
M	Ditto fascia surfaces	LM	35		
	<b>TOTAL FOR PHARMACY WAITING BAY CARRIED TO MAIN SUMMARY</b>			<b>KSHS</b>	

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Quantity	Unit	Rate	Amount
A	<p><b><u>ELEMENT NO. 1:</u></b></p> <p><b><u>DEMOLITIONS (ALL PROVISIONAL)</u></b></p> <p>Carefully remove existing water closets complete with all the accessories including all connections to the services, waste, jointing to water supply overflow, supports and all plugging and screwing to walls and floors and make good disturbed surfaces</p>		ITEM		
	<b>Total Amount Carried to Summary</b>				

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Quantity	Unit	Rate	Amount
	<b>ELEMENT NO. 2:</b>				
	<b>WALLING</b>				
	<u>Machine cut local stone walling in 200mm course heights, bedded and jointed in cement sand mortar (1:3), reinforced with 20 gauge x 25mm wide hoop iron reinforcement and column wall ties in every alternate course</u>				
A	200 mm Thick External walling.	52	SM		
B	200 mm Thick Internal walling.	68	SM		
C	Carefully demolish existing natural stone masonry walling with and including reinforced concrete ring beam plastered and painted both sides and cart away debris	29	SM		
	<u>Three- ply bituminous felt damp proof course</u>				
D	200mm wide under walls	41	LM		
	<b>Total Amount Carried to Summary</b>				

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>ELEMENT NO.3</u></b> <b><u>ROOFING AND RAINWATER DISPOSAL</u></b>				
A	<u>Rain water drainage</u> Gauge 26 GI sheet 1000mm girth fascia gutter four times bent and dressed under sheets complete with 4No. Down pipe 100mm Diameter 3.0m High; including all necessary accessories	21	LM		
	<b>Total Amount Carried to Summary</b>				

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>ELEMENT NO.4</u></b> <b><u>DOORS</u></b>				
	<b><u>Solid Flush doors</u></b>				
	<u>Supply and Fix 45 mm (finished) solid core flush door faced on both sides with 5mm Thick mahogany veneer and 15 mm x 15 mm hardwood beadings pinned and glued to door on both faces to form grids to architect's details and approval: hardwood lipped on all edges to approval:</u>				
A	Single leaf door size 900 x 2400mm High.	13	NO		
	<b><u>Frames &amp; Finishings</u></b>				
	<u>Supply and Fix Wrot Cypress; plugged, screwed and pelleted</u>				
B	150 x 50mm frame with three labours : moulded screwed and pelleted.	74	LM		
C	Architrave to detail size, 75 x 25mm	74	LM		
D	Quadrant bead, diameter 25mm	74	LM		
	<b><u>Ironmongery</u></b>				
	<u>Supply and fix the following ironmongery including all necessary matching screws.</u>				
E	Heavy duty stainless steel hinges with washers	20	PRS		
F	Door closer as union	2	NO		
G	40mm Diameter rubber door stops	15	NO		
H	Bathroom locks with Zinc handle	13	NO		
I	240 x 50mm door signage in printed vinyls	4	NO		
	<b>Carried Forward</b>				



Item	Description	Quantity	Unit	Rate	Amount
	<b><u>ELEMENT NO.5</u></b> <b><u>FINISHES:</u></b>				
	<b><u>FLOOR FINISHES</u></b>				
	<u>Cement and sand (1:3) as described in:</u>				
A	20 mm Thick to receive terrazzo paving	80	SM		
B	Carefully demolish existing floors finish complete with skirting and prepare floor to receive terrazzo floor finish	80	SM		
	<u>Polished terrazzo consisting of cement and sand (1:3) screed (m.s)or backing finished with a layer of white cement with approved colour additive, sand and approved marble/granite chippings (1:4:2), trowelled to a smooth and even finish, machine polished and waxed to approval:</u>				
C	20 mm Thick paving	80	SM		
	<b><u>INTERNAL WALL FINISHES</u></b>				
	<u>12 mm (minimum) two-coat plaster; 9 mm first coat of cement and sand (1:6), 3 mm second coat of cement and lime putty (1:10); steel trowelled smooth to:</u>				
E	Walls and beams	60	SM		
	<u>Backing; cement and sand 1:3 with approved integral dust proofing additive wood floated to:</u>				
F	15 mm Thick to receive ceramic tiles(m/s)	181	SM		
	<u>200 x 300 x 8 mm Thick coloured Ceramic wall tiles or other equal and approved: jointed and pointed with matching cement mortar as described on:</u>				
G	Walls	181	SM		
	<b>Carried Forward</b>				

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>Brought Forward</u></b>				
	<b><u>EXTERNAL WALL FINISHES</u></b>				
	<u>Render; 18mm Thick, 1 No. coatwork of cement and sand (1:3); wood floated to concrete or stone work base generally to: -</u>				
A	Walls	46	SM		
	<b><u>Painting and Decorating</u></b>				
	<u>Skimming</u>				
B	Carefully prepare the plastered/rendered surfaces by sanding and skimming with gypsum powder to achieve the smooth surface.	311	SM		
	<u>Apply three coats of premium quality silk vinyl paint to Plastered:-</u>				
C	Walls and beams	211	SM		
	<u>Prepare and apply three coats of "Crown Solo Ultra Super gloss" paint to rendered surfaces:</u>				
D	Rendered stone wall and concrete surfaces	100	SM		
	<b><u>EXTERNAL FINISHES</u></b>				
	<u>Paving slabs</u>				
E	50mm Thick stone dust or fine sand bed prepared to receive paving slabs	13	SM		
F	600 x 600 x 50mm Thick precast concrete paving slab laid to required levels and falls on prepared bed (m.s) and jointed in mortar	13	SM		
	<b>Total Amount Carried to Summary</b>				

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>ELEMENT NO. 6</u></b>				
	<b><u>ELECTRICAL WORKS</u></b>				
	<b><u>Supply, install, test and commission the following items:</u></b>				
<b>A</b>	<b><u>Lighting Points</u></b> Lighting points wired in 3x1.5 mm <sup>2</sup> sc pvc copper cables drawn in 20 mm diameter heavy gauge pvc conduits concealed in building fabric including all accessories but without lighting switches and fittings for: a) One way switching	7	NO		
<b>B</b>	<b><u>Switches</u></b> 10 amps lighting switches as first quality or any other approved equivalent a) 1gang 1way	7	NO		
<b>C</b>	<b><u>Lighting Fittings</u></b> Lighting fittings complete with bulbs and tubes of appropriate wattage and colour rendering a) 1200mm, 36W LED fluorescent fitting as Thorn PP136 or equal and approved equivalent.	7	NO		
<b>D</b>	<b><u>Sub Mains Cables</u></b>				
<b>(i)</b>	Sub-mains comprising 3x 10mm <sup>2</sup> sc pvc copper cables drawn in 25mm O HG conduits concealed in building fabrics all other necessary accessories included.	10	LM		
<b>(ii)</b>	Electrical connection to the existing loop-in box to the Engineer's approval	1	ITEM		
<b>E</b>	Contingencies	1	ITEM		
	<b>Total Amount Carried to Summary</b>		Shs		

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>ELEMENT NO. 9</u></b>				
	<b><u>MECHANICAL WORKS</u></b>				
	<b><u>SANITARY FITTINGS</u></b>				
	<u>Supply, deliver, install and fix the following sanitary fittings including all materials and jointing to supply, waste/soil and overflow pipes.</u>				
	<u>Water Closet (WC)</u>				
A	Squatting water closet suite comprising of white ceramic floor mounted squatting pan with 7.5 litre dual flush ceramic cistern and integral foot threads,'P' or 'S' trap connector. All to be as approved.	11	NO		
	<u>Wash Hand Basin (WHB)</u>				
B	Wash hand basin set in white vitreous china with overflow and single tap hole size 520 x 420 x 1850mm and comprising basin, 1No. Chrome plated mixer tap with chrome plated waste extension pipe and wall flange, silicon sealant, and fixings to approval	4	NO		
	<b>Carried Forward</b>				

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>Brought Forward</u></b>				
	<b><u>Urinal Cistern</u></b>				
<b>A</b>	7.5 liters automatic ceramic cistern and fitting including Siphone ball Valve, Cistern Support and drip tap in brass, chrome plated bottle trap, chrome plated flush pipe and spreader with all connection, wall hanger/ Support. To be as approved	2	NO		
	<b><u>Mirrors</u></b>				
<b>B</b>	6mm thick polished plate glass, silver backed mirror, size 610x497mm plugged and screwed to wall	4	NO		
	<b><u>Flexible Connectors</u></b>				
<b>C</b>	15mm diameter x 300mm long flexible connectors complete with integral chrome plated angle valve for connecting the sanitary fitting to water supply. To be as approved.	17	NO		
	<b>Carried Forward</b>				

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>Brought Forward</u></b>				
	<b><u>INTERNAL PLUMBING</u></b>				
	<u>Supply, deliver and install pipes, tubing and fittings as described and shown on the drawings. The pipes shall be PN 25 PPR pipes where exposed to adverse weather condition and all conforming to the current European standards for PPR installations and to the Engineers approval, pipe jointing shall be by polyfusion or use of electric coupling. Rates must allow for all metal/plastic threaded adaptors where required for the connection of sanitary fixtures, valves, sockets sliding and fixed joints,</u>				
A	<u>PPR Pipes</u> 32mm dia	84	LM		
B	<u>Bends</u> 32mm dia	24	NO		
C	<u>Tees</u> 32mm dia	18	NO		
D	<u>Threaded Fittings</u> 32mm x 3/4" dia. female threaded 900 bend	22	NO		
E	<u>Gate valve</u> 32mm dia. approved medium pressure screw down full way non- rising stem wedge gate valve to BS 1952, with wheel and head joints to steel tubing. The gate valve to be as "Pegler" or approved equivalent.	4	NO		
F	<u>Testing and Commisioning</u> Allow for setting to work, testing and commisioningg of the whole plumbing system to the satisfaction of the Engineer		ITEM		
	<b><u>Carried Forward</u></b>				

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>Brought Forward</u></b>				
	<b><u>INTERNAL DRAINAGE</u></b>				
	<u>Supply, deliver and install the following UPVC, MUPVC, soil and waste systems respectively to B.S 5255 with fittings fixed to Manufactures Printed instructions and manufactured by reputable manufacturers. Tenderers must allow in their pipework prices for all the couplings, clippings, connectors, joints etc. as required in the running lengths of pipework and also where necessary, for pipe fixing clips, holder bats plugged and screwed for the proper and satisfactory functioning of the system.</u>				
	<u>MuPVC and uPVC Waste and Soil pipework</u>				
A	100mm diameter heavy gauge golden brown UPVC pipe	32	LM		
B	32mm diameter waste pipe	42	LM		
	<u>Bends</u>				
C	100mm dia sweep bend	12	NO		
D	32mm dia	6	NO		
	<u>Access cap</u>				
E	32mm dia	6	NO		
	<u>Sockets</u>				
F	100 mm diameter WC connector	11	NO		
	<u>Traps</u>				
G	100mm floor gully complete with cover	8	NO		
H	100mm vent cowl	2	NO		
I	100mm diameter weathering slate and apron	2	NO		
J	Standard inspection chamber	6	NO		
	<u>Testing and Commisioning</u>				
K	Allow for setting to work, testing and commisioningg of the whole plumbing system to the satisfaction of the Engineer		ITEM		
	<b>Total Amount Carried to Summary</b>				

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Quantity	Unit	Rate	Amount
	<b>OPD ABLUTION BLOCK SUMMARY:</b>				
	<b>Element No:</b>				
1	DEMOLITIONS		Shs		
2	WALLING		Shs		
3	ROOFING AND RAINWATER DISPOSAL		Shs		
4	DOORS		Shs		
5	FINISHES		Shs		
6	ELECTRICAL WORKS		Shs		
7	MECHANICAL WORKS		Shs		
	<b>TOTAL OPD ABLUTION CARRIED TO OPD SUMMARY</b>		Shs		

ISHIARA HOSPITAL RENOVATIONS

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
<b><u>OPD CABRO PAVING</u></b>					
<b><u>Site clearance</u></b>					
A	Cut down big trees and uproot stumps (Girth 1200 - 1500mm)	15	NO		
<b><u>Earth Works</u></b>					
B	Remove top soil up to 200mm deep and dispose as directed by the P.m	2784	SM		
C	Trim and compact formation to correct crossfalls	2784	SM		
D	Herbicides to approval applied to the manufacturer's written instructions	2784	Sm		
<b><u>Murram Sub-base:-</u></b>					
E	Provided lay and compact 150mm thick approved murram for subbase to 98% M.D.D specification	2784	Sm		
<b><u>Hardcore base:-</u></b>					
F	Provide, lay and compact 150mm thick approved handpacked stone base	2784	Sm		
<b><u>Blinding:-</u></b>					
G	Provide and spread 75mm thick stone dust ready to receive heavy duty p.c cabro block (m.s)	2784	Sm		
<b><u>Concrete Paving Blocks</u></b>					
H	Supply, lay compact 80mm thick heavy duty P.c cabro block with a 49 M/mm <sup>2</sup> cube crushing strength conforming to B.S 6717 part 1 of 1986 or K.B.S equivalent	2784	Sm		
<b>Carried Forward</b>					

ISHIARA HOSPITAL RENOVATIONS

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<b><u>Brought Forward</u></b>				
	<b><u>Kerbs and Channels</u></b>				
	<b><u>Excavation for kerbs</u></b>				
<b>A</b>	Excavate trench for 250×125mm p.c half battered kerbs and 125×100mm channel and accompanying 450×350mm bed and haunch(m.s); L.C.A	376	Lm		
	<b><u>Installation of kerbs and channels</u></b>				
<b>B</b>	Provide, lay and joint along the edge of the road 250×125mm kerb and 125×100mm channel, including 450×350mm concrete bed and haunch (mix 1:3:6) and any necessary form work	330	Lm		
<b>C</b>	Ditto but curved to various radii	46	Lm		
	<b><u>Storm Water Drainage</u></b>				
<b>D</b>	Excavate trench for 450×225mm external dimension pcc I.B.D not exceeding 0.7m (average depth 0.45m) and cart away surplus material	50	Lm		
<b>E</b>	100mm thick murrum sub-base blinding well watered and compacted	23	Lm		
<b>F</b>	Provide, lay and joint 450×225mm external dimensions pcc ibd	50	Lm		
<b>G</b>	Provide and fix in place Flake Graphite Cast Iron Gratings Clear Opening to drain 450mm, class F900 to BS EN 124:1994	12	Lm		
<b>H</b>	Culvert installation - 600mm with surround including excavation and concrete headwall construction	12	Lm		
	<b>TOTAL FOR CABRO PAVING CARRIED TO EXTERNAL WORKS SUMMARY</b>				

ISHIARA HOSPITAL RENOVATIONS

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<b><u>OPD SUMMARY</u></b>				
A	SPECIAL CLINICS ABLUTION BLOCK				
B	SPECIAL CLINICS				
C	SPECIAL CLINICS RAMP				
D	LABORATORY				
E	MED SUP OFFICE AND BOARDROOM				
F	CONSULTATION ROOMS				
G	OPD WAITING BAY				
H	RETAINING WALL				
I	WALKWAY				
J	CASH OFFICES				
K	PHARMACY				
L	PHARMACY WAITING BAY				
M	OPD ABLUTION BLOCK				
N	OPD PAVING				
	<b>TOTAL FOR OPD WORKS CARRIED TO GRAND SUMMARY</b>				

---

# **ACCIDENT AND EMERGENCY**

---

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO 1</u></b> <b><u>SUBSTRUCTURES (ALL PROVISIONAL)</u></b>				
	<u>Demolitions</u>				
<b>A</b>	Pull down 6400 mm long x 5500 mm wide x 2700 mm high dental clinic comprising galvanised iron sheet roofing and masonry walling with and including all fittings excluding the substructures	ITEM	1		
<b>B</b>	Pull down 11000 mm long x 6000 mm wide x 2700 mm high waiting bay comprising galvanised iron sheet roofing and steel posts excluding the substructures	ITEM	1		
	<u>Excavations and Earthworks</u>				
<b>C</b>	Oversite excavation to reduce levels depth 200mm average; set aside for use arising materials	SM	78		
<b>D</b>	Excavate foundation trenches not exceeding 1.50m deep commencing from reduced level	CM	53		
	<u>Disposal</u>				
<b>E</b>	Return, fill and ram selected approved excavated material around the foundations	CM	31		
<b>F</b>	Load and spread on site surplus excavated material	CM	22		
	<u>Filling</u>				
<b>G</b>	Approved hardcore filling well compacted under floor slabs exceeding 300mm thick	CM	31		
<b>H</b>	300mm Thick approved hardcore filling well compacted in layers not exceeding 150mm thick	SM	78		
<b>I</b>	50mm Murram blinding	SM	78		
	<u>In situ concrete mix (1:4:8): in:</u>				
<b>J</b>	50 mm thick blinding under strip foundations	SM	36		
	<u>Reinforced concrete class 20/20 (20mm aggregate in:-)</u>				
<b>K</b>	Strip foundations	CM	8		
<b>L</b>	Ramp and steps	CM	1		
<b>M</b>	150mm Thick floor slab	SM	78		
	Carried forward			KShs.	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 1</u></b>				
	<b><u>SUBSTRUCTURES</u></b>				
	Brought forward			KShs.	
	<u>Deformed reinforcement bars to B.S 4449 cut, bent and placed in position including all necessary binding wire and spacer blocks:</u>				
<b>A</b>	Assorted Bars	KG	1,128		
<b>B</b>	BRC Mesh fabric reinforcement type No. A65	SM	78		
	<u>Formwork to:</u>				
<b>C</b>	Edges of beds etc., 75 to 150mm high	LM	26		
	<u>Natural stone walling in cement and sand, mortar (1:4) with 26 gauge hoop iron in every alternate course</u>				
<b>D</b>	200mm Thick walling	SM	88		
	<u>Damp-proof membrane</u>				
<b>E</b>	1000 Gauge polythene sheet laid under surface beds (measured net - no allowance given for overlaps)	SM	78		
	<u>Bituminous felt damp proof courses to BS 743 Type A, laid on and including leveling screed of cement mortar (1:3)</u>				
<b>F</b>	200mm Wide in walling	LM	102		
	<u>Anti-termite treatment</u>				
<b>G</b>	Chemical anti-termite treatment executed by an approved specialist under a ten-year guarantee to surfaces of hardcore, etc..	SM	78		
	<b>ELEMENT NO. 1</b>				
	<b>SUBSTRUCT..</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 2</u></b>				
	<b><u>R.C. SUPERSTRUCTURE</u></b>				
	<u>Vibrated reinforced concrete class 20/20</u>				
<b>A</b>	Ring beams	CM	6		
	<u>Reinforcement</u>				
	<u>Deformed reinforcement bars to B.S 4449 cut, bent and placed in position including all necessary binding wire and spacer blocks:</u>				
<b>B</b>	Assorted Bars	KG	870		
	<u>Sawn formwork to:</u>				
<b>C</b>	Sides of ring beams	SM	62		
	<b>ELEMENT NO. 2</b>				
	<b>R.C. SUPERSTRUCT.</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
				<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<b><u>ELEMENT NO. 3</u></b>				
	<b><u>WALLING</u></b>				
	<u>Fine dressed stone walling bedded and jointed in cement and sand mortar (1:3) reinforced with and including 25mm wide x 26 gauge hoop iron at alternate courses</u>				
<b>A</b>	200mm Thick walling (External walls)	SM	102		
<b>B</b>	200mm Thick walling (Internal walls)	SM	94		
	<b>ELEMENT NO.3 WALLING</b>	<b>TOTAL CARRIED TO SECTION SUMMARY</b>		<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b>ELEMENT NO. 4 ROOFING (ALL PROVISIONAL)</b>				
<b>A</b>	<u>Galvanized roofing sheets</u> GCI Roofing sheets gauge 28 prepainted	SM	192		
<b>B</b>	Matching ridge cap	LM	55		
	<u>The following nailed celcured sawn and treated second grade cyprss roof trusses or other equal approved including plates,cleats and hoisting in position approximately 3.0 Metres above existing ground level</u>				
<b>C</b>	100 x 50mm Tie beams	LM	139		
<b>D</b>	100 x 50mm Rafters	LM	173		
<b>E</b>	100 x 50mm Ties and struts	LM	248		
	<u>The following in celcured sawn second grade cyprss</u>				
<b>F</b>	100 x 50mm Wall plates	LM	44		
<b>G</b>	75 x 50mm Purlins	LM	173		
	<u>Wrot general grade cyprss as described:</u>				
<b>H</b>	200 x 25mm Fascia or badge boards	LM	49		
	<u>Knot, prime, stop and apply two undercoats and one gloss finishing coat of oil paint on wood work</u>				
<b>I</b>	Surfaces of fascia boards 200 - 300mm girth	LM	49		
	<u>Rain water drainge</u>				
<b>J</b>	Gauge 26 GI sheet 1000mm girth fascia gutter four times bent and dressed under sheets complete with 4No. Down pipe 100mm Diameter 3.0m High; including all necessarv accessories	LM	49		
	<b>ELEMENT NO. 4 ROOFING</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 5</u></b>				
	<b><u>EXTERNAL FINISHES</u></b>				
	<b><u>WALL FINISHES</u></b>				
	<u>Cement and sand (1:4)</u>				
<b>A</b>	15mm Thick rendering to concrete or walls	SM	133		
	<u>Prepare and apply three coats first quality plastic emulsion paint to rendered surfaces</u>				
<b>B</b>	Rendered columns or beams or masonry	SM	133		
	<b>ELEMENT NO. 5</b>				
	<b>EXTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b>ELEMENT NO. 6</b>				
	<b>INTERNAL FINISHES</b>				
	<b>FLOOR FINISHES</b>				
	<u>Cement and sand (1:4) screed trowelled smooth: beds to receive flooring</u>				
<b>A</b>	32mm Thick to receive ceramic tile flooring	SM	101		
	<u>Non-slip local coloured floor tiles as manufactured</u> Locally or other equal and approved				
<b>B</b>	6mm Thick ceramic floor tiles size 300 x 300mm pointed and jointed in matching coloured cement and sand mortar	SM	101		
<b>C</b>	100mm x 12mm Thick skirting ditto	LM	92		
	<b>WALL FINISHES</b>				
	<u>Cement and sand (1:1:6) lime plaster</u>				
<b>D</b>	12mm Thick two coat plaster	SM	321		
	<u>Prepare and apply three coats of first quality silk vinyl paint to:</u>				
<b>E</b>	Plastered walls and concrete surfaces	SM	321		
	Carried forward				
			KShs.		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 6</u></b>				
	<b><u>INTERNAL FINISHES-cont'd</u></b>				
	Brought forward		KShs		
	<b><u>CEILING FINISHES</u></b>				
	<u>Gypsum dry board ceilings</u>				
<b>A</b>	12mm thick gypsum ceiling with seamless joints complete with and including proprietary 40 x 40mm galvanized steel framing complete with metal hangers and stepped to architect's detail	SM	101		
	<u>Moulded cornice</u>				
<b>B</b>	100 x 75mm moulded cornice	LM	92		
	<u>Skim, prepare and apply one undercoat and two finishing coats of Crown Silk Vinyl paint to:-</u>				
<b>C</b>	Gypsum surfaces	SM	101		
<b>D</b>	Extra over gypsum for access trap door overall size 600 x 600mm including 75 x 50mm sawn cypress trimming painted and set loose	NO	4		
	<b>ELEMENT NO. 6</b>				
	<b>INTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
				<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 7</u></b> <b><u>WINDOWS</u></b>				
	<u>Supply and fix the following steel casement windows with permanent ventilation along the full length: finished with one coat red lead oxide primer, complete with 75mm heavy duty hinges, 300mm long heavy duty window stays, and polished heavy duty brass fasteners, including cutting, fixing lugs to walling and bedding all round frame in cement and sand (1:3) mortar all as per Architect's Drawing attached</u>				
<b>A</b>	Window size 1600 x 1400mm high	NO	7		
	<u>6mm Clear glass and glazing to metal frame with putty</u>				
<b>B</b>	In panes not exceeding 0.10 square metres	SM	16		
	<u>Prepare and touch up primer, apply one undercoat and two finishing coats gloss paint; on metal</u>				
<b>C</b>	Glazed casement windows (measured flat overall both sides)	SM	32		
	<u>Patterned mild steel window grille comprising of 25 x 25 x 2mm SHS horizontal members at 200mm centres and 25 x 25 x 2mm SHS vertical members at 100mm centres as per the Architect's Approval</u>				
<b>D</b>	Assorted windows	SM	16		
	<u>Mild steel window screen mesh comprising of stainless steel net fixed to window frames as per the Architect's Approval</u>				
<b>E</b>	Window netting; insect proof wire mesh	SM	16		
	<u>Supply and fix double metal curtain rods from "Challenge Engineering" or other equal and approved comprising of 25mm diameter wrought iron front, 16mm diameter rear rail complete with fixing brackets, curtain holding rings and decorative end stops all necessary</u>				
<b>F</b>	Window curtain rods	LM	13		
	<u>Window Curtains</u>				
<b>G</b>	Hospital washable PVC curtains to approval	SM	27		
	<b><u>ELEMENT NO. 7</u></b>				
	<b><u>WINDOWS</u></b>				
	<b>CARRIED TO</b>				
	<b>SECTION SUMMARY</b>				
				<b>KSHS</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 8</u></b> <b><u>DOORS</u></b>				
	<u>Mild steel doors</u>				
<b>A</b>	Mild steel size 900 x 2400mm high complete with heavy duty hinges; one coat red oxide primer and locking latch, all to satisfaction	NO	1		
<b>B</b>	Mild steel Double Swing Double door size 1800 x 2400mm ditto	SM	2		
	<u>Supply and Fix 45 mm (finished) solid core flush door faced on both sides with 5mm Thick mahogany veneer and 15 mm x 15 mm hardwood beadings pinned and glued to door on both faces to form grids to architect's details and approval: hardwood lipped on all edges to approval:</u>				
<b>C</b>	Single leaf door size 900 x 2400mm High.	NO	3		
	<u>Supply and Fix Wrot Cypress; plugged, screwed and pelleted</u>				
<b>D</b>	150 x 50mm frame with three labours : moulded screwed and pelleted.	LM	17		
<b>E</b>	Architrave to detail size, 75 x 25mm	LM	17		
<b>F</b>	Quadrant bead, diameter 25mm	LM	17		
	<u>Supply and fix the following ironmongery including all necessary matching screws.</u>				
<b>G</b>	Heavy duty stainless steel hinges with washers	PRS	5		
<b>H</b>	40mm Diameter rubber door stops	NO	12		
<b>I</b>	3 Lever Mortice lock with handle	NO	3		
	<u>Prepare and apply one undercoat and two finishing coats gloss paint; : to</u>				
<b>J</b>	General surfaces of wood work (m.o.b.s)	SM	13		
<b>K</b>	Frames; over 100mm-200mm girth;	LM	17		
<b>L</b>	Frames not exceeding 100mm girth; internal.	LM	34		
<b>M</b>	General surfaces of metal work (m.o.b.s)	SM	22		
	<u>Prime backs of wood before fixing with aluminium or other approved primer on:</u>				
<b>N</b>	Surfaces exceeding 100- 200 mm girth	LM	17		
	<b><u>ELEMENT NO. 8</u></b>				
	<b><u>DOORS</u></b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs	
<b><u>ACCIDENT AND EMERGENCY SUMMARY</u></b>						
<b><u>ELEMENT NO. NAME</u></b>						
1	Substructures (All provisional)					
2	R.C Superstructure					
3	Walling					
4	Roofing					
5	External finishes					
6	Internal finishes					
7	Windows					
8	Doors					
SECTION ACCIDENT & EMERGENCY		TOTAL CARRIED TO GRAND SUMMARY				

---

**MATERNITY**

---

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO 1</u></b>				
	<b><u>PAINTING AND DECORATIONS</u></b>				
	<u>Prepare and apply three coats first quality plastic emulsion paint to rendered surfaces</u>				
<b>A</b>	Rendered columns or beams or masonry externally	SM	266		
	<u>Prepare and apply three coats of first quality silk vinyl paint to:</u>				
<b>B</b>	Plastered walls and concrete surfaces internally	SM	731		
	<u>Skim, prepare and apply one undercoat and two finishing coats of Crown Silk Vinyl paint to:-</u>				
<b>C</b>	Ceiling surfaces	SM	377		
<b>D</b>	Cornice surfaces	LM	290		
	<u>Prepare and touch up primer, apply one undercoat and two finishing coats gloss paint; on metal</u>				
<b>E</b>	Glazed casement windows (measured flat overall both sides)	SM	77		
	<u>Prepare and apply one undercoat and two finishing coats gloss paint; : to</u>				
<b>F</b>	General surfaces of timber doors (m.o.b.s)	SM	35		
<b>G</b>	Frames; over 100mm-200mm girth;	LM	34		
<b>H</b>	Frames not exceeding 100mm girth; internal.	LM	68		
<b>I</b>	General surfaces of steel doors (m.o.b.s)	SM	26		
	<b>ELEMENT NO. 1</b>				
	<b>PAINTING &amp; DÉCOR...</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 2</u></b>				
	<b><u>JOINERY FITTINGS AND FIXTURES</u></b>				
	<b><u>DHOBI SINKS</u></b>				
A	Chase in masonry wall for edges of slabs size 75 x 50mm	LM	11		
B	100mm Thick reinforced concrete class 20 in slabs	SM	7		
C	Layer of mesh fabric reinforcement ref. A98 laid in slabs	SM	7		
D	Squared to BRC mesh fabric reinforcement	LM	11		
E	Formwork to soffites of slabs	SM	7		
F	Ditto to edges 75-150mm high	LM	11		
G	Boxing in 75mm thick slab to form 300mm avg. opening for wash hand basin	NO	8		
H	100mm Thick solid masonry support walls	SM	5		
I	12mm Cement sand (1:3) plaster to soffites of slabs	SM	14		
J	12mm Cement sand (1:4) backing to receive tiles	SM	10		
K	6mm First quality ceramic tiles	SM	17		
L	Carefully remove existing 410 x 510 x 610mm concrete dhobi sinks complete with all the accessories including all connections to the services, waste, jointing to water supply overflow, supports and all plugging and screwing to walls and floors and make good disturbed surfaces	NO	4		
M	Stainless steel dhobi sink size 450 x 335 x 300mm deep	NO	8		
	<b>ELEMENT NO. 2</b>				
	<b>JOINERY FITTINGS</b>				
	<b>CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 3</u></b>				
	<b><u>EXTERNAL WORKS</u></b>				
	<b><u>PRECAST CONCRETE PAVING</u></b>				
A	Remove deleterious top soil average depth 150mm and dispose off as directed by P.m	SM	260		
B	Provide, lay and compact 125mm thick approved gravel base	SM	260		
C	Treat the surfaces with approved herbicide, with warranty of 10 years	SM	260		
D	Provide, lay and joint in cement sand mortar (1:3) 600 x 600 x 50mm p.c paving slabs including 50mm thick sand bed.	SM	260		
	<b><u>CLOTHES LINE</u></b>				
E	Set of 'T' - shaped clothes lines comprising of 50mm diameter x 3 mm thick galvanised mild steel post 2750 mm long with one end bedded 750mm deep in concrete class Q(40mm) foundation size 610 x 610 x 750mm deep and other end welded to 50mm dia. galvanised mild steel circular hollow section cross bars 900 mm long and including three rows of plain 12 1/2 S.W.G. wire 10metres long spaced at 450mm centres including excavations	NO	5		
	<b><u>FENCING</u></b>				
F	Provide 100x100mm precast concrete posts 2400mm high including struts; 14g chainlink 1800mm high complete with straining wires at 300mm interval; Allow for earthworks and disposal	LM	60		
G	Cut down hedges and grub up roots	LM	32		
H	Supply and fix 28 Gauge IT5 box-profile and prepainted sheets fixed to Hollow Section steel rails with and including steel hook bolts with rubber capping, washers and nuts as Screen wall; horizontally to placenta pit	SM	16		
	<b><u>ELEMENT NO. 3</u></b>				
	<b><u>EXTERNAL WORKS</u></b>				
	<b>CARRIED TO</b>				
	<b>SECTION SUMMARY</b>				
			<b>KSHS</b>		

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<b><u>MATERNITY SUMMARY</u></b>				
	<b><u>ELEMENT NO. NAME</u></b>				
1	Painting and Decorations				
2	Joinery Fittings and Fixtures				
3	External Works				
	<b>SECTION</b>				
	<b>MATERNITY</b>				
	<b>TOTAL CARRIED TO</b>				
	<b>GRAND SUMMARY</b>				

---

## **FEMALE WARDS**

---

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO 1</u></b>				
	<b><u>EXTERNAL FINISHES</u></b>				
	<b><u>WALL FINISHES</u></b>				
	<u>Cement and sand (1:4)</u>				
<b>A</b>	15mm Thick rendering to concrete or walls	SM	266		
	<u>Prepare and apply three coats first quality plastic emulsion paint to rendered surfaces</u>				
<b>B</b>	Rendered columns or beams or masonry	SM	266		
	<b>ELEMENT NO. 1</b>				
	<b>EXTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b>ELEMENT NO. 2</b> <b>INTERNAL FINISHES</b>				
	<b>FLOOR FINISHES</b>				
	<u>Cement and sand (1:4) screed trowelled smooth: beds to receive flooring</u>				
<b>A</b>	32mm Thick to receive ceramic tile flooring	SM	377		
<b>B</b>	Carefully demolish existing floors finish complete with skirting and prepare floor to receive ceramic floor tiles finish	SM	377		
	<u>Non-slip local coloured floor tiles as manufactured Locally or other equal and approved</u>				
<b>C</b>	6mm Thick ceramic floor tiles size 300 x 300mm pointed and jointed in matching coloured cement and sand mortar	SM	377		
<b>D</b>	100mm x 12mm Thick skirting ditto	LM	269		
	<b>WALL FINISHES</b>				
	<u>Prepare and apply three coats of first quality silk vinyl paint to:</u>				
<b>E</b>	Plastered walls and concrete surfaces	SM	731		
	<u>Cement and sand (1:3) backing</u>				
<b>F</b>	15mm Thick backing to receive ceramic tiles	SM	64		
	<u>First quality coloured ceramic wall tiles</u>				
<b>G</b>	250 x 400 x 6mm Thick fixed to walls pointed and jointed in matching coloured mortar	SM	64		
	Carried forward				
			KShs.		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 2</u></b>				
	<b><u>INTERNAL FINISHES-cont'd</u></b>				
	Brought forward		KShs		
	<b><u>CEILING FINISHES</u></b>				
	<u>Gypsum dry board ceilings</u>				
<b>A</b>	12mm thick gypsum ceiling with seamless joints complete with and including proprietary 40 x 40mm galvanized steel framing complete with metal hangers and stepped to architect's detail	SM	377		
<b>B</b>	Extra over gypsum for access trap door overall size 600 x 600mm including 75 x 50mm sawn cypress trimming painted and set loose	NO	6		
	<u>Moulded cornice</u>				
<b>C</b>	100 x 75mm moulded cornice	LM	290		
	<u>Skim, prepare and apply one undercoat and two finishing coats of Crown Silk Vinyl paint to:-</u>				
<b>D</b>	Ceiling surfaces	SM	377		
<b>E</b>	Cornice surfaces	LM	290		
	<b>ELEMENT NO. 2</b>				
	<b>INTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 3</u></b> <b><u>WINDOWS</u></b>				
	<u>Demolitions:</u>				
<b>A</b>	Carefully demolish existing defective pelmet boxes, cart away debris and make good disturbed surfaces	LM	30		
	<u>6mm Clear glass and glazing to metal frame with putty</u>				
<b>B</b>	In panes not exceeding 0.10 square metres	SM	10		
	<u>Prepare and touch up primer, apply one undercoat and two finishing coats gloss paint; on metal</u>				
<b>C</b>	Glazed casement windows (measured flat overall both sides)	SM	77		
	<u>Mild steel window screen mesh comprising of stainless steel net fixed to window frames as per the Architect's Approval</u>				
<b>E</b>	Window netting; insect proof wire mesh	SM	38		
	<u>Supply and fix double metal curtain rods from "Challenge Engineering" or other equal and approved comprising of 25mm diameter wrought iron front, 16mm diameter rear rail complete with fixing brackets, curtain holding rings and decorative end stops all necessary paintwork</u>				
<b>F</b>	Window curtain rods	LM	30		
	<u>Window Curtains</u>				
<b>G</b>	Hospital washable PVC curtains to approval	SM	61		
<b>H</b>	Ditto with and including curtain rails (internal partitions)	SM	61		
	<b><u>ELEMENT NO. 3</u></b> <b><u>WINDOWS</u></b>				
	<b>CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 4</u></b> <b><u>DOORS</u></b>				
	<u>Mild steel doors</u>				
<b>A</b>	Mild steel size 1800 x 2400mm high complete with heavy duty hinges; one coat red oxide primer and locking latch. all to satisfaction	NO	1		
<b>B</b>	Carefully remove existing defective doors complete with frame including ironmongery and fixed to plastered and painted masonry wall and cart away	NO	6		
	<u>Supply and Fix 45 mm (finished) solid core flush door faced on both sides with 5mm Thick mahogany veneer and 15 mm x 15 mm hardwood beadings pinned and glued to door on both faces to form grids to architect's details and approval: hardwood lipped on all edges to approval</u>				
<b>C</b>	Single leaf door size 900 x 2400mm High.	NO	6		
	<u>Supply and Fix Wrot Cypress; plugged, screwed and pelleted</u>				
<b>D</b>	150 x 50mm frame with three labours : moulded screwed and pelleted.	LM	34		
<b>E</b>	Architrave to detail size, 75 x 25mm	LM	34		
<b>F</b>	Quadrant bead, diameter 25mm	LM	34		
	<u>Supply and fix the following ironmongery including all necessary matching screws.</u>				
<b>G</b>	Heavy duty stainless steel hinges with washers	PRS	9		
<b>H</b>	40mm Diameter rubber door stops	NO	14		
<b>I</b>	3 Lever Mortice lock with handle	NO	8		
	<u>Prepare and apply one undercoat and two finishing coats gloss paint; : to</u>				
<b>J</b>	General surfaces of wood work (m.o.b.s)	SM	35		
<b>K</b>	Frames; over 100mm-200mm girth;	LM	34		
<b>L</b>	Frames not exceeding 100mm girth; internal.	LM	68		
<b>M</b>	General surfaces of metal work (m.o.b.s)	SM	26		
	<u>Prime backs of wood before fixing with aluminium or other approved primer on:</u>				
<b>N</b>	Surfaces exceeding 100- 200 mm girth	LM	34		
	<b><u>ELEMENT NO. 4</u></b>				
	<b><u>DOORS</u></b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 5</u></b> <b><u>MECHANICAL WORKS</u></b>				
	<b><u>SANITARY FITTINGS</u></b>				
	<u>Water Closet (WC)</u>				
<b>A</b>	Squatting water closet suite comprising of white ceramic floor mounted squatting pan with 7.5 litre dual flush ceramic cistern and integral foot threads,'P' or 'S' trap connector. All to be as approved.	NO	4		
	<u>Wash Hand Basin (WHB)</u>				
<b>B</b>	Wash hand basin set in white vitreous china with overflow and single tap hole size 520 x 420 x 1850mm and comprising basin, 1No. Chrome plated mixer tap with chrome plated waste extension pipe and wall flange. silicon sealant. and fixings to approval	NO	2		
	<u>Shower fittings</u>				
<b>C</b>	Concealed shower fitting consisting of 15mm chrome plated riser to connect shower mixer for hot and cold water to a swivel/adjustable shower rose, chrome plated handles and stop corks and other necessary fittings and accessories. All to be as approved	NO	4		
	<u>Mirrors</u>				
<b>D</b>	6mm thick polished plate glass, silver backed mirror, size 610x497mm plugged and screwed to wall	NO	2		
	<u>Flexible Connectors</u>				
<b>E</b>	15mm diameter x 300mm long flexible connectors complete with integral chrome plated angle valve for connecting the sanitary fitting to water supply. To be as approved.	NO	10		
	Carried forward			KShs.	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	Brought forward		KShs		
	<b><u>INTERNAL PLUMBING</u></b>				
<b>A</b>	<u>PPR Pipes</u> 32mm dia	LM	60		
<b>B</b>	<u>Bends</u> 32mm dia	NO	18		
<b>C</b>	<u>Tees</u> 32mm dia	NO	16		
<b>D</b>	<u>Threaded Fittings</u> 32mm x 3/4" dia. female threaded 900 bend	NO	12		
<b>E</b>	<u>Gate valve</u> 32mm dia. approved medium pressure screw down full way non- rising stem wedge gate valve to BS 1952, with wheel and head joints to steel tubing. The gate valve to be as "Pegler" or approved equivalent.	NO	4		
<b>F</b>	<u>Testing and Commisioning</u> Allow for setting to work, testing and commisioning of the whole plumbing system to the satisfaction of the Engineer	ITEM	1		
<b>G</b>	<u>Connection</u> Allow for connection to existing water reticulation to the satisfaction of the Engineer	ITEM	1		
	<b><u>INTERNAL DRAINAGE</u></b>				
<b>H</b>	<u>MuPVC and uPVC Waste and Soil pipework</u> 100mm diameter heavy gauge golden brown pipe	LM	40		
<b>I</b>	32mm diameter waste pipe	LM	18		
<b>J</b>	<u>Bends</u> 100mm dia sweep bend	NO	16		
<b>K</b>	32mm dia	NO	12		
<b>L</b>	<u>Access cap</u> 32mm dia	NO	4		
	Carried forward		KShs.		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	Brought forward		KShs		
	<b><u>INTERNAL DRAINAGE</u></b>				
	<u>Sockets</u>				
<b>A</b>	100 mm diameter WC connector	NO	4		
	<u>Traps</u>				
<b>B</b>	100mm floor gully complete with cover	NO	5		
<b>C</b>	100mm vent cowl	NO	2		
<b>D</b>	100mm diameter weathering slate and apron	NO	2		
<b>E</b>	Standard inspection chamber	NO	4		
	<u>Testing and Commisioning</u>				
<b>F</b>	Allow for setting to work, testing and commisioningg of the whole plumbing system to the satisfaction of the Engineer	ITEM	1		
	<u>Connection</u>				
<b>G</b>	Allow for connection to existing Drainage to the satisfaction of the Engineer	ITEM	1		
	<b>ELEMENT NO. 5</b>				
	<b>MECHANICAL WORKS</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 6</u></b>				
	<b><u>JOINERY FITTINGS AND FIXTURES</u></b>				
	<b><u>SLUICE WORKTOP</u></b>				
A	Chase in masonry wall for edges of slabs size 75 x 50mm	LM	4		
B	100mm Thick reinforced concrete class 20 in slabs	SM	3		
C	Layer of mesh fabric reinforcement ref. A98 laid in slabs	SM	3		
D	Squared to BRC mesh fabric reinforcement	LM	4		
E	Formwork to soffites of slabs	SM	3		
F	Ditto to edges 75-150mm high	LM	4		
G	Boxing in 75mm thick slab to form 300mm avg. opening for wash hand basin	NO	2		
H	100mm Thick solid masonry support walls	SM	2		
I	12mm Cement sand (1:3) plaster to soffites of slabs	SM	6		
J	12mm Cement sand (1:4) backing to receive tiles	SM	4		
K	6mm First quality ceramic tiles	SM	7		
L	Ceramic wash hand basin complete with mixer tap, waste out-go plug and chain	NO	2		
	<b><u>DHOBI SINKS</u></b>				
M	Chase in masonry wall for edges of slabs size 75 x 50mm	LM	11		
N	100mm Thick reinforced concrete class 20 in slabs	SM	7		
O	Layer of mesh fabric reinforcement ref. A98 laid in slabs	SM	7		
P	Squared to BRC mesh fabric reinforcement	LM	11		
	Carried forward			KShs.	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	Brought forward		KShs		
A	Formwork to soffites of slabs	SM	7		
B	Ditto to edges 75-150mm high	LM	11		
C	Boxing in 75mm thick slab to form 300mm avg. opening for wash hand basin	NO	8		
D	100mm Thick solid masonry support walls	SM	5		
E	12mm Cement sand (1:3) plaster to soffites of slabs	SM	14		
F	12mm Cement sand (1:4) backing to receive tiles	SM	10		
G	6mm First quality ceramic tiles	SM	17		
H	Carefully remove existing 410 x 510 x 610mm concrete dhobi sinks complete with all the accessories including all connections to the services, waste, jointing to water supply overflow, supports and all plugging and screwing to walls and floors and make good disturbed surfaces	NO	4		
I	Stainless steel dhobi sink size 450 x 335 x 300mm deep	NO	8		
I	Allow for plumbing and drainage connections with and including fittings	ITEM	1		
	<b><u>NURSE STATION</u></b>				
J	5800mm x 600mm wide x 900mm high in 18mm thick MDF Worktop	NO	1		
	<b>ELEMENT NO. 6</b>	<b>CARRIED TO</b>			
	<b>JOINERY FITTINGS</b>	<b>SECTION SUMMARY</b>		<b>KSHS</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 7</u></b>				
	<b><u>EXTERNAL WORKS</u></b>				
	<b><u>PRECAST CONCRETE PAVING</u></b>				
A	Remove deleterious top soil average depth 150mm and dispose off as directed by P.m	SM	185		
B	Provide, lay and compact 125mm thick approved gravel base	SM	185		
C	Treat the surfaces with approved herbicide, with warranty of 10 years	SM	185		
D	Provide, lay and joint in cement sand mortar (1:3) 600 x 600 x 50mm p.c paving slabs including 50mm thick sand bed.	SM	185		
	<b><u>STORM WATER DRAINAGE</u></b>				
E	Excavate trench for 450x225mm external dimension pcc I.B.D not exceeding 0.7m (average depth 0.45m) and cart away surplus material	LM	36		
F	100mm thick murram sub-base blinding well watered and compacted	LM	36		
G	Provide, lay and joint 450x225mm external dimensions pcc ibd	LM	36		
	<b><u>CLOTHES LINE</u></b>				
H	Set of 'T' - shaped clothes lines comprising of 50mm diameter x 3 mm thick galvanised mild steel post 2750 mm long with one end bedded 750mm deep in concrete class Q(40mm) foundation size 610 x 610 x 750mm deep and other end welded to 50mm dia. galvanised mild steel circular hollow section cross bars 900 mm long and including three rows of plain 12 1/2 S.W.G. wire 10metres long spaced at 450mm centres including excavations	NO	5		
	<b>ELEMENT NO. 7</b>	<b>CARRIED TO</b>			
	<b>EXTERNAL WORKS</b>	<b>SECTION SUMMARY</b>	<b>KSHS</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>FEMALE WARDS SUMMARY</u></b>				
	<b><u>ELEMENT NO. NAME</u></b>				
<b>1</b>	External finishes				
<b>2</b>	Internal finishes				
<b>3</b>	Windows				
<b>4</b>	Doors				
<b>5</b>	Mechanical Works				
<b>6</b>	Joinery Fittings and Fixtures				
<b>7</b>	External Works				
	<b>SECTION</b>				
	<b>FEMALE WARDS</b>				
	<b>TOTAL CARRIED TO</b>				
	<b>GRAND SUMMARY</b>				

---

## **MALE WARDS**

---

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<b><u>ELEMENT NO 1</u></b>				
	<b><u>R.C. SUPERSTRUCTURE</u></b>				
	<u>Vibrated reinforced concrete class 20/20</u>				
<b>A</b>	Ring beams	CM	1		
	<u>Reinforcement</u>				
	<u>Deformed reinforcement bars to B.S 4449 cut, bent and placed in position including all necessary binding wire and spacer blocks:</u>				
<b>B</b>	Assorted Bars	KG	146		
	<u>Sawn formwork to:</u>				
<b>C</b>	Sides of ring beams	SM	6		
	<b>ELEMENT NO. 1</b>				
	<b>R.C. SUPERSTRUCT.</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
				<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<b><u>ELEMENT NO. 2</u></b>				
	<b><u>WALLING</u></b>				
	<u>Fine dressed stone walling bedded and jointed in cement and sand mortar (1:3) reinforced with and including 25mm wide x 26 gauge hoop iron at alternate courses</u>				
<b>A</b>	200mm Thick walling (Internal walls)	SM	93		
<b>B</b>	Carefully demolish existing natural stone masonry walling plastered and painted both sides and cart away debris	SM	25		
	<b>ELEMENT NO.2 WALLING</b>	<b>TOTAL CARRIED TO SECTION SUMMARY</b>		<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b>ELEMENT NO. 3</b>				
	<b>ROOFING (ALL PROVISIONAL)</b>				
<b>A</b>	<u>Demolitions</u> Carefully demolish the existing truss members comprising of joists, struts and ties; Cart away debris; and make good the disturbed surfaces for repairs as per Engineers approval	ITEM	1		
<b>B</b>	<u>Galvanized roofing sheets</u> GCI Roofing sheets gauge 28 prepainted	SM	40		
<b>C</b>	Matching ridge cap	LM	15		
	<u>The following nailed celcured sawn and treated second grade cypress roof trusses or other equal approved including plates,cleats and hoisting in position approximately 3.0 Metres above existing ground level</u>				
<b>D</b>	150 x 50mm Tie beams	LM	560		
<b>E</b>	100 x 50mm Ties and struts	LM	800		
<b>F</b>	<u>Gusset plates</u> 200mm x 400mm x 8mm mild steel plate to bottom joints	NO	80		
<b>G</b>	<u>Wrot general grade cypress as described:</u> 200 x 25mm Fascia or badge boards	LM	113		
<b>H</b>	<u>Knot, prime, stop and apply two undercoats and one gloss finishing coat of oil paint on wood work</u> Surfaces of fascia boards 200 - 300mm girth	LM	113		
<b>I</b>	<u>Rain water drainage</u> Gauge 26 GI sheet 1000mm girth fascia gutter four times bent and dressed under sheets complete with 6No. Down pipe 100mm Diameter 3.0m High; including all necessarv accessories	LM	57		
	<b>ELEMENT NO. 3</b>				
	<b>ROOFING</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 4</u></b>				
	<b><u>EXTERNAL FINISHES</u></b>				
	<b><u>WALL FINISHES</u></b>				
	<u>Cement and sand (1:4)</u>				
<b>A</b>	15mm Thick rendering to concrete or walls	SM	266		
	<u>Prepare and apply three coats first quality plastic emulsion paint to rendered surfaces</u>				
<b>B</b>	Rendered columns or beams or masonry	SM	266		
	<b>ELEMENT NO. 4</b>				
	<b>EXTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 5</u></b> <b><u>INTERNAL FINISHES</u></b>				
	<b><u>FLOOR FINISHES</u></b>				
A	<u>Cement and sand (1:3) as described in:</u> 20 mm Thick to receive terrazzo paving	SM	377		
B	Carefully demolish existing floors finish complete with skirting and prepare floor to receive terrazzo floor finish	SM	377		
	<u>Polished terrazzo consisting of cement and sand (1:3) screed (m.s)or backing finished with a layer of white cement with approved colour additive, sand and approved marble/granite chippings (1:4:2), trowelled to a smooth and even finish, machine polished and waxed to approval:</u>				
C	20 mm Thick paving	SM	377		
D	100 x 25 mm coved terrazzo skirting	LM	269		
E	30 x 5 mm plastic dividing strip	LM	248		
	<b><u>WALL FINISHES</u></b>				
	<u>Cement and sand (1:1:6) lime plaster</u>				
F	12mm Thick two coat plaster	SM	186		
	<u>Prepare and apply three coats of first quality silk vinyl paint to:</u>				
G	Plastered walls and concrete surfaces	SM	731		
	<u>Cement and sand (1:3) backing</u>				
H	15mm Thick backing to receive ceramic tiles	SM	64		
	<u>First quality coloured ceramic wall tiles</u>				
I	250 x 400 x 6mm Thick fixed to walls pointed and jointed in matching coloured mortar	SM	64		
	Carried forward			KShs.	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 5</u></b>				
	<b><u>INTERNAL FINISHES-cont'd</u></b>				
	Brought forward		KShs		
	<b><u>CEILING FINISHES</u></b>				
	<u>Gypsum dry board ceilings</u>				
<b>A</b>	12mm thick gypsum ceiling with seamless joints complete with and including proprietary 40 x 40mm galvanized steel framing complete with metal hangers and stepped to architect's detail	SM	536		
<b>B</b>	Extra over gypsum for access trap door overall size 600 x 600mm including 75 x 50mm sawn cypress trimming painted and set loose	NO	5		
<b>C</b>	Carefully demolish existing softboard ceiling complete with timber framework brandering; cart away debris and make good disturbed surfaces (Aprox. 365 square meters)	ITEM	1		
	<u>Moulded cornice</u>				
<b>D</b>	100 x 75mm moulded cornice	LM	94		
	<u>Skim, prepare and apply one undercoat and two finishing coats of Crown Silk Vinyl paint to:-</u>				
<b>E</b>	Gypsum surfaces	SM	536		
<b>F</b>	Surfaces exceeding 100- 200 mm girth	LM	94		
	<b>ELEMENT NO. 5</b>				
	<b>INTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 6</u></b>				
	<b><u>WINDOWS</u></b>				
	<u>Demolitions;</u>				
<b>A</b>	Carefully demolish existing defective pelmet boxes, cart away debris and make good disturbed surfaces	LM	30		
	<u>6mm Clear glass and glazing to metal frame with putty</u>				
<b>B</b>	In panes not exceeding 0.10 square metres	SM	10		
	<u>Prepare and touch up primer, apply one undercoat and two finishing coats gloss paint; on metal</u>				
<b>C</b>	Glazed casement windows (measured flat overall both sides)	SM	77		
	<u>Mild steel window screen mesh comprising of stainless steel net fixed to window frames as per the Architect's Approval</u>				
<b>E</b>	Window netting; insect proof wire mesh	SM	38		
	<u>Supply and fix double metal curtain rods from "Challenge Engineering" or other equal and approved comprising of 25mm diameter wrought iron front, 16mm diameter rear rail complete with fixing brackets, curtain holding rings and decorative end stops all necessary naintwork</u>				
<b>F</b>	Window curtain rods	LM	30		
	<u>Window Curtains</u>				
<b>G</b>	Hospital washable PVC curtains to approval	SM	61		
	<b><u>ELEMENT NO. 6</u></b>				
	<b><u>WINDOWS</u></b>				
	<b>CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 7</u></b>				
	<b><u>DOORS</u></b>				
	<u>Mild steel doors</u>				
<b>A</b>	Mild steel size 1800 x 2400mm high complete with heavy duty hinges; one coat red oxide primer and locking latch, all to satisfaction	NO	1		
<b>B</b>	Carefully remove existing defective doors complete with frame including ironmongery and fixed to plastered and painted masonry wall and cart away	NO	7		
	<u>Supply and Fix 45 mm (finished) solid core flush door faced on both sides with 5mm Thick mahogany veneer and 15 mm x 15 mm hardwood beadings pinned and glued to door on both faces to form grids to architect's details and approval: hardwood lipped on all edges to approval</u>				
<b>C</b>	Single leaf door size 900 x 2400mm High.	NO	8		
	<u>Supply and Fix Wrot Cypress; plugged, screwed and pelleted</u>				
<b>D</b>	150 x 50mm frame with three labours : moulded screwed and pelleted.	LM	46		
<b>E</b>	Architrave to detail size, 75 x 25mm	LM	46		
<b>F</b>	Quadrant bead, diameter 25mm	LM	46		
	<u>Supply and fix the following ironmongery including all necessary matching screws.</u>				
<b>G</b>	Heavy duty stainless steel hinges with washers	PRS	12		
<b>H</b>	40mm Diameter rubber door stops	NO	21		
<b>I</b>	3 Lever Mortice lock with handle	NO	8		
	<u>Prepare and apply one undercoat and two finishing coats gloss paint; : to</u>				
<b>J</b>	General surfaces of wood work (m.o.b.s)	SM	65		
<b>K</b>	Frames; over 100mm-200mm girth;	LM	46		
<b>L</b>	Frames not exceeding 100mm girth; internal.	LM	92		
<b>M</b>	General surfaces of metal work (m.o.b.s)	SM	26		
	<u>Prime backs of wood before fixing with aluminium or other approved primer on:</u>				
<b>N</b>	Surfaces exceeding 100- 200 mm girth	LM	46		
	<b>ELEMENT NO. 7</b>				
	<b>DOORS</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<b><u>ELEMENT NO. 8</u></b> <b><u>MECHANICAL WORKS</u></b>				
	<b><u>SANITARY FITTINGS</u></b>				
	<u>Water Closet (WC)</u>				
<b>A</b>	Squatting water closet suite comprising of white ceramic floor mounted squatting pan with 7.5 litre dual flush ceramic cistern and integral foot threads,'P' or 'S' trap connector. All to be as approved.	NO	6		
	<u>Wash Hand Basin (WHB)</u>				
<b>B</b>	Wash hand basin set in white vitreous china with overflow and single tap hole size 520 x 420 x 1850mm and comprising basin, 1No. Chrome plated mixer tap with chrome plated waste extension pipe and wall flange. silicon sealant. and fixings to approval	NO	2		
	<u>Shower fittings</u>				
<b>C</b>	Concealed shower fitting consisting of 15mm chrome plated riser to connect shower mixer for hot and cold water to a swivel/adjustable shower rose, chrome plated handles and stop corks and other necessary fittings and accessories. All to be as approved	NO	6		
	<u>Mirrors</u>				
<b>D</b>	6mm thick polished plate glass, silver backed mirror, size 610x497mm plugged and screwed to wall	NO	2		
	<u>Flexible Connectors</u>				
<b>E</b>	15mm diameter x 300mm long flexible connectors complete with integral chrome plated angle valve for connecting the sanitary fitting to water supply. To be as approved.	NO	10		
	Carried forward			KShs.	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	Brought forward		KShs		
	<b><u>INTERNAL PLUMBING</u></b>				
<b>A</b>	<u>PPR Pipes</u> 32mm dia	LM	80		
<b>B</b>	<u>Bends</u> 32mm dia	NO	24		
<b>C</b>	<u>Tees</u> 32mm dia	NO	21		
<b>D</b>	<u>Threaded Fittings</u> 32mm x 3/4" dia. female threaded 900 bend	NO	17		
<b>E</b>	<u>Gate valve</u> 32mm dia. approved medium pressure screw down full way non- rising stem wedge gate valve to BS 1952, with wheel and head joints to steel tubing. The gate valve to be as "Pegler" or approved equivalent.	NO	4		
<b>F</b>	<u>Testing and Commisioning</u> Allow for setting to work, testing and commisioning of the whole plumbing system to the satisfaction of the Engineer	ITEM	1		
<b>G</b>	<u>Connection</u> Allow for connection to existing water reticulation to the satisfaction of the Engineer	ITEM	1		
	<b><u>INTERNAL DRAINAGE</u></b>				
<b>H</b>	<u>MuPVC and uPVC Waste and Soil pipework</u> 100mm diameter heavy gauge golden brown pipe	LM	60		
<b>I</b>	32mm diameter waste pipe	LM	32		
<b>J</b>	<u>Bends</u> 100mm dia sweep bend	NO	12		
<b>K</b>	32mm dia	NO	6		
<b>L</b>	<u>Access cap</u> 32mm dia	NO	4		
	Carried forward		KShs.		

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	Brought forward		KShs		
	<b><u>INTERNAL DRAINAGE</u></b>				
	<u>Sockets</u>				
A	100 mm diameter WC connector	NO	6		
	<u>Traps</u>				
B	100mm floor gully complete with cover	NO	8		
C	100mm vent cowl	NO	2		
D	100mm diameter weathering slate and apron	NO	2		
E	Standard inspection chamber	NO	5		
	<u>Testing and Commisioning</u>				
F	Allow for setting to work, testing and commisioning of the whole plumbing system to the satisfaction of the Engineer	ITEM	1		
	<u>Connection</u>				
G	Allow for connection to existing Drainage to the satisfaction of the Engineer	ITEM	1		
	<b><u>OXYGEN SYSTEM</u></b>				
	<b><u>DISTRIBUTION SYSTEM</u></b>				
	<b><u>The Bills of Quantities shall be read together with particular specification</u></b>				
	<b><u>Supply installation and commisioning of oxygen and vaccum distribution system at Male Wards</u></b>				
	<b><u>Copper pipe manufactured from phosphorus de-oxidized non - arsenical copper</u></b>				
	<u>COPPER PIPES</u>				
H	22mm diameter degreased copper pipes	LM	25		
I	15mm diameter degreased copper pipes	LM	72		
J	12mm diameter degreased copper pipes	LM	24		
	<u>ELBOWS</u>				
K	22mm diameter degreased copper elbows	NO	4		
L	15mm diameter degreased copper elbows	NO	15		
M	12mm diameter degreased copper elbows	NO	4		
	Carried forward		KShs.		

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	Brought forward		KShs		
	<u>STRAIGHT COUPLERS</u>				
<b>A</b>	22mm diameter degreased copper straight couplers	NO	6		
<b>B</b>	15mm diameter degreased copper straight couplers	NO	25		
<b>C</b>	12mm diameter degreased copper straight couplers	NO	10		
	<u>REDUCERS</u>				
<b>D</b>	22 X 15mm diameter degreased copper reducer	NO	2		
<b>E</b>	15 X 12mm diameter degreased copper reducer	NO	15		
	<u>TEES</u>				
<b>F</b>	22mm diameter degreased copper equal Tee	NO	1		
<b>G</b>	15mm diameter degreased copper equal Tee	NO	15		
	<u>UNE BALL VALVES c/w NIST</u>				
	<u>Medical gas line valves conforming to HTM 02-01</u>				
<b>H</b>	22mm medical gas line valves	NO	1		
<b>I</b>	15mm medical gas line valves	NO	2		
	<u>PLASTIC TRUNKINGS</u>				
<b>J</b>	150 x 50mm double Compartment Plastic trunking of high-impact, fire-retardant u - PVC in white or as approved equivalent in two Compartment Plastic trunking	LM	129		
<b>K</b>	Trunking self - taping screws and all other associated accessories	ITEM	1		
	<u>DISTRIBUTION ACCESSORIES</u>				
<b>L</b>	22mm Plastic Clips	Pkt	1		
<b>M</b>	15mm Plastic Clips	Pkt	3		
<b>N</b>	12mm Plastic Clips	Pkt	3		
<b>O</b>	Medical Oxygen terminal outlet; BS standard conforming with HTM02-01,	NO	7		
	<u>ALARM SYSTEM</u>				
<b>P</b>	Two gas digital alarm system complete with display: to detect high or low pressure anomalies and alert via visual and audible alarm.	NO	1		
<b>Q</b>	Twin Wall mounted Oxygen flow meter complete with humidifier	NO	5		
	Carried forward		KShs.		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	Brought forward		KShs		
	<u>IDENTIFICATIONS OF PIPELINES</u>				
<b>A</b>	Allow for permanent and temporary identification of pipelines, valves.	ITEM	1		
	<u>PURGING</u>				
<b>B</b>	Allow for flushing the whole system with medical gases in accordance with HTM02-01 and to the satisfaction of the project Engineers	ITEM	1		
	<u>TESTING AND COMMISSIONING</u>				
<b>C</b>	Allow for testing and commissioning of the entire medical gas pipeline system in accordance with the particular specification and to the satisfaction of the project Engineer.	ITEM	1		
	<b>ELEMENT NO. 8</b>				
	<b>MECHANICAL WORKS</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
				<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 9</u></b>				
	<b><u>JOINERY FITTINGS AND FIXTURES</u></b>				
	<b><u>SLUICE WORKTOP</u></b>				
A	Chase in masonry wall for edges of slabs size 75 x 50mm	LM	4		
B	100mm Thick reinforced concrete class 20 in slabs	SM	3		
C	Layer of mesh fabric reinforcement ref. A98 laid in slabs	SM	3		
D	Squared to BRC mesh fabric reinforcement	LM	4		
E	Formwork to soffites of slabs	SM	3		
F	Ditto to edges 75-150mm high	LM	4		
G	Boxing in 75mm thick slab to form 300mm avg. opening for wash hand basin	NO	2		
H	100mm Thick solid masonry support walls	SM	2		
I	12mm Cement sand (1:3) plaster to soffites of slabs	SM	6		
J	12mm Cement sand (1:4) backing to receive tiles	SM	4		
K	6mm First quality ceramic tiles	SM	7		
L	Ceramic wash hand basin complete with mixer tap, waste out-go plug and chain	NO	2		
	<b><u>DHOBI SINKS</u></b>				
M	Chase in masonry wall for edges of slabs size 75 x 50mm	LM	11		
N	100mm Thick reinforced concrete class 20 in slabs	SM	7		
O	Layer of mesh fabric reinforcement ref. A98 laid in slabs	SM	7		
P	Squared to BRC mesh fabric reinforcement	LM	11		
	Carried forward			KShs.	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	Brought forward		KShs		
A	Formwork to soffites of slabs	SM	7		
B	Ditto to edges 75-150mm high	LM	11		
C	Boxing in 75mm thick slab to form 300mm avg. opening for wash hand basin	NO	8		
D	100mm Thick solid masonry support walls	SM	5		
E	12mm Cement sand (1:3) plaster to soffites of slabs	SM	14		
F	12mm Cement sand (1:4) backing to receive tiles	SM	10		
G	6mm First quality ceramic tiles	SM	17		
H	Carefully remove existing 410 x 510 x 610mm concrete dhobi sinks complete with all the accessories including all connections to the services, waste, jointing to water supply overflow, supports and all plugging and screwing to walls and floors and make good disturbed surfaces	NO	4		
I	Stainless steel dhobi sink size 450 x 335 x 300mm deep	NO	8		
J	Allow for plumbing and drainage connections with and including fittings	ITEM	1		
	<b><u>NURSE STATION</u></b>				
K	5800mm x 600mm wide x 900mm high in 18mm thick MDF Worktop	NO	1		
	<b>ELEMENT NO. 9 JOINERY FITTINGS</b>	<b>CARRIED TO SECTION SUMMARY</b>		<b>KSHS</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 10</u></b>				
	<b><u>EXTERNAL WORKS</u></b>				
	<b><u>PRECAST CONCRETE PAVING</u></b>				
A	Remove deleterious top soil average depth 150mm and dispose off as directed by P.m	SM	185		
B	Provide, lay and compact 125mm thick approved gravel base	SM	185		
C	Treat the surfaces with approved herbicide, with warranty of 10 years	SM	185		
D	Provide, lay and joint in cement sand mortar (1:3) 600 x 600 x 50mm p.c paving slabs including 50mm thick sand bed.	SM	185		
	<b><u>CLOTHES LINE</u></b>				
H	Set of 'T' - shaped clothes lines comprising of 50mm diameter x 3 mm thick galvanised mild steel post 2750 mm long with one end bedded 750mm deep in concrete class Q(40mm) foundation size 610 x 610 x 750mm deep and other end welded to 50mm dia. galvanised mild steel circular hollow section cross bars 900 mm long and including three rows of plain 12 1/2 S.W.G. wire 10metres long spaced at 450mm centres including excavations	NO	5		
	<b>ELEMENT NO. 10</b>	<b>CARRIED TO</b>			
	<b>EXTERNAL WORKS</b>	<b>SECTION SUMMARY</b>		<b>KSHS</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>MALE WARDS SUMMARY</u></b>				
	<b><u>ELEMENT NO. NAME</u></b>				
<b>1</b>	R.C Superstructure				
<b>2</b>	Walling				
<b>3</b>	Roofing				
<b>4</b>	External finishes				
<b>5</b>	Internal finishes				
<b>6</b>	Windows				
<b>7</b>	Doors				
<b>8</b>	Mechanical Works				
<b>9</b>	Joinery Fittings and Fixtures				
<b>10</b>	External Works				
	<b>SECTION</b>				
	<b>MALE WARDS</b>				
	<b>TOTAL CARRIED TO</b>				
	<b>GRAND SUMMARY</b>				

---

**MAIN (VISITORS) FLAT ROOF ABLUTION BLOCK**

---

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs	Cts
<b><u>2A. ABLUTION BLOCK</u></b>						
<b><u>ELEMENT NO. 01:SUBSTRUCTURES (ALL PROVISIONAL)</u></b>						
<u>Site preparations</u>						
A	Clear site of works of all debries, bush and small trees, grub up roots, and burn arisings and dispose as directed	SM	75			
B	Allow in the rates for excavations, for keeping all excavations free from surface water and for planking and strutting to uphold sides of excavations	ITEM				
C	Excavate to remove top soil 300mm deep commencing from ground level and spread on site or dispose as directed.	SM	75			
D	Excavate foundation trenches not exceeding 1.50 metres deep commencing from reduced level	CM	38			
E	Excavate for column bases not exceeding 1.50 metres deep from reduced level	CM	13			
<u>Disposal</u>						
F	Backfilling around foundations	CM	30			
G	Load and cart away surplus spoil	CM	21			
<u>Filling</u>						
H	300mm Thick approved hardcore filling well compacted in layers not exceeding 150mm thick	SM	43			
I	50mm Murram blinding	SM	43			
<u>Damp-proof membrane</u>						
J	1000 Gauge polythene sheet laid under surface beds (measured net - no allowance given for overlaps)	SM	47			
<u>Anti-termite treatment</u>						
K	Chemical anti-termite treatment executed by an approved specialist under a ten-year guarantee to surfaces of hardcore. etc..	SM	47			
Carried forward				Kshs		

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs	Cts
	<b><u>ELEMENT NO. 1</u></b>					
	<b><u>SUBSTRUCTURES - CONTINUED</u></b>					
	Brought forward			Kshs		
	<u>Concrete mix (1:4:8) in 50mm thick blinding under:</u>					
A	Strip foundations	SM	26			
B	Column bases	SM	9			
	<u>Reinforced concrete class 25/20 (20mm aggregate) in:</u>					
C	Strip foundations	CM	5			
D	Column bases	CM	2			
E	Sub Columns	CM	1			
	<u>Floor bed construction</u>					
F	100mm Thick floor concrete reinforced with one layer BRC A.66 mesh (m/s)	SM	46			
G	150mm Thick floor concrete ramp reinforced with one layer BRC A.66 mesh (m/s)	SM	7			
	<u>Deformed reinforcement bars to B.S 4449 cut, bent and placed in position including all necessary binding wire and spacer blocks:</u>					
H	16mm diameter	KG	92			
I	12mm diameter	KG	111			
J	10mm diameter	KG	123			
K	8mm diameter	KG	72			
	<u>Fabric reinforcement</u>					
L	BRC mesh type No. A65 including 200mm minimum end and side laps	SM	46			
	<u>Formwork to:</u>					
M	Sides of column bases	SM	6			
N	Vertical sides of columns	SM	3			
O	Sides of strip foundations	SM	17			
P	Edges of slab over 75 - 150mm high	LM	31			
	Carried forward			KShs.		

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs	Cts
	<b><u>ELEMENT NO. 1</u></b>					
	<b><u>SUBSTRUCTURES - CONTINUED</u></b>					
	Brought forward		KShs.			
	<u>Quarry dressed natural stone walling bedded and jointed in cement and sand mortar (1:4) reinforced with 26 gauge hoop iron at every alternate course:-</u>					
A	200mm Thick walling	SM	62			
	<b>ELEMENT NO. 1</b>	<b>CARRIED TO</b>				
	<b>SUBSTRUCTURES</b>	<b>SECTION SUMMARY</b>		<b>KSHS</b>		

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs	Cts
	<b><u>ELEMENT NO. 2</u></b>					
	<b><u>REINFORCED CONCRETE SUPERSTRUCTURE</u></b>					
	<u>Vibrated reinforced concrete class 25/20 (20mm aggregate) in:-</u>					
A	Columns	CM	1			
B	Beams	CM	3			
C	150mm Thick suspended floor slab	SM	47			
	<u>Reinforcement</u>					
	<u>Deformed reinforcement bars to B.S 4449 cut, bent and placed in position including all necessary binding wire and spacer blocks:</u>					
D	16mm diameter	KG	444			
E	10mm diameter	KG	791			
F	8mm diameter	KG	120			
	<u>Sawn formwork to:-</u>					
G	Sides of columns	SM	6			
H	Sides and soffites of beams	SM	32			
I	Soffites of suspended slabs	SM	47			
J	Edges of suspended slabs	LM	29			
	<b>ELEMENT NO. 2</b>					
	<b>R C SUPERSTRUCTURES</b>					
	<b>CARRIED TO SECTION SUMMARY</b>					
			<b>KSHS</b>			

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs	Cts
	<b><u>ELEMENT NO. 3</u></b>					
	<b><u>WALLING</u></b>					
	<u>Fine dressed stone walling bedded and jointed in cement and sand mortar (1:3) ;reinforced with and including 25mm wide 26 gauge hoop iron at alternate courses</u>					
A	200mm Thick walls	SM	103			
B	150mm Thick walls	SM	26			
	<u>Sundries</u>					
	<u>Bituminous felt damp proof courses to BS 743 Type A, laid on and including leveling screed of cement mortar (1:3)</u>					
C	200mm Wide in walling	LM	43			
	<u>Coping</u>					
D	450x 50mm Thick precast concrete (1:2:4) coping, twice weathered and throated	LM	54			
	<b>ELEMENT NO. 3</b>	<b>CARRIED TO</b>				
	<b>WALLING</b>	<b>SECTION SUMMARY</b>		<b>KSHS</b>		

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs	Cts
	<b>ELEMENT NO. 4</b>					
	<b>ROOF CONSTRUCTION - ALL PROVISIONAL</b>					
	<u>ROOF COVER</u>					
	<u>Cement and sand (1:4)</u>					
A	25mm Thick to receive terrazzo laid to falls with waterproof additive	SM	50			
	<u>Polished terrazzo</u>					
B	25mm Thick terrazzo including dividing strips	SM	50			
	<u>Rain Water Goods (All provisional)</u>					
C	100mm Diameter UPVC downpipe	LM	7			
D	Extra over ditto for sawn neck over 600mm wide eaves	NO	2			
E	Extra over ditto for shoe	NO	2			
	<u>Mild steel</u>					
F	150mm diameter fullbora	NO	2			
	<b>ELEMENT NO. 4</b>					
	<b>ROOFING</b>					
	<b>CARRIED TO SECTION SUMMARY</b>					
				<b>KSHS</b>		





**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs	Cts
	<b><u>ELEMENT NO. 6</u></b>					
	<b><u>INTERNAL FINISHES CONTINUED)</u></b>					
	Brought forward					
	<b><u>CEILING FINISHES</u></b>					
	<u>Cement and sand (1:1:6) lime plaster</u>					
A	12mm Thick two coat plaster to horizontal soffits of floors	SM	46			
	<u>Prepare and apply three coats of first quality silk vinyl paint to:</u>					
B	Suspended concrete surfaces	SM	46			
	<b>ELEMENT NO. 6</b>	<b>CARRIED TO</b>				
	<b>INTERNAL FINISHES</b>	<b>SECTION SUMMARY</b>		<b>KSHS</b>		

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs	Cts
<b>ELEMENT NO. 7</b>						
<b>WINDOWS</b>						
<b><u>Precast concrete class 20/20 vibrated</u></b>						
A	250 x 75 mm (Average) Thick window cill bedded and jointed in cement and sand mortar (1:4), weathered and throated  <u>Supply and fix the following steel casement windows with permanent ventilation along the full length: finished with one coat red lead oxide primer, complete with 75mm heavy duty hinges, 300mm long heavy duty window stays, and polished heavy duty brass fasteners, including cutting, fixing lugs to walling and bedding all round frame in cement and sand (1:3) mortar all as per Architect's Drawing</u>	LM	8			
B	Window size 500 x 900 mm high  <u>Supply and fix the following steel girdles: finished with one coat red lead oxide primer, including cutting, fixing lugs to walling and bedding all round frame in cement and sand (1:3) mortar all as per Architect's Drawing.</u>	NO	7			
C	Window size 700 x 1500 mm high  <u>5mm Obscure glass and glazing to metal frame with putty</u>	NO	4			
D	In panes not exceeding 0.10 square metres  <u>Prepare and touch up primer, apply one undercoat and two finishing coats gloss paint;</u>	SM	3			
E	Glazed casement windows and grilles (measured flat overall both sides)	SM	15			
<b>ELEMENT NO. 7 WINDOWS</b>				<b>CARRIED TO SECTION SUMMARY</b>		
			<b>KSHS</b>			

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs	Cts
	<b><u>ELEMENT NO. 8</u></b>					
	<b><u>DOORS</u></b>					
	<b><u>All timber sizes are finished sizes and the contractor should include in his prices for ex sizes.</u></b>					
	<u>Solid Core Flush doors</u>					
A	45mm Thick mahogany veneered flush door overall size 1200 x 2400mm high. All to Architect detail drawings.	NO	2			
B	45mm Thick mahogany veneered flush door overall size 900 x 2400mm high; All to Architect detail drawings.	NO	5			
	<u>Door frames and finishings in wrought mvule</u>					
C	Ex 250 x 50mm rebated frame with 2 labours plugged	LM	41			
D	Ex 250 x 50mm Transome with four labours	LM	26			
E	Ex 63 x 32mm Architraves	LM	41			
F	16mm quadrant	LM	41			
	Carried forward			Kshs		

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs	Cts
	<b><u>ELEMENT NO. 8</u></b>					
	<b><u>DOORS - CONTINUED</u></b>					
	Brought forward		KShs.			
	<u>Ironmongery</u>					
A	100mm Brass polished butt hinges including washers and screws	NO	27			
B	2 Lever mortice lock -brass complete with furniture	NO	7			
	<u>Prepare and apply including one undercoat wood preservative to woodwork before fixing; and one undercoat and two finishing coats gloss paint: on</u>					
C	Surfaces exceeding not exceeding 100mm girth	LM	81			
D	Ditto exceeding 100 but not exceeding 200mm girth	LM	66			
E	General surfaces (measured flat overall both sides)	SM	34			
	<b>ELEMENT NO. 8</b>					
	<b>DOORS</b>					
	<b>CARRIED TO SECTION SUMMARY</b>					
			<b>KSHS</b>			

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs	Cts
	<b><u>ELEMENT NO. 9</u></b>					
	<b><u>JOINERY FITTINGS</u></b>					
	<b><u>VANITY TOPS</u></b>					
	<b><u>THE FOLLOWING IN 2 NO. WASHHAND VANITY TOPS - (ALL PROVISIONAL)</u></b>					
A	Chase in masonry wall for edges of slabs size 75 x 50mm	LM	22			
B	75mm Thick reinforced concrete class 20 in slabs	SM	2			
C	Layer of mesh fabric reinforcement ref. A98 laid in slabs	SM	2			
D	Squared to BRC mesh fabric reinforcement	LM	11			
E	Formwork to soffites of slabs	SM	2			
F	Ditto to edges 0-75mm high	LM	18			
H	Boxing in 75mm thick slab to form 300mm avg. opening for wash hand basin	NO	4			
I	100mm Thick solid masonry support walls	SM	3			
J	12mm Cement sand (1:3) plaster to soffites of slabs	SM	9			
K	12mm Cement sand (1:4) backing to receive tiles	SM	8			
L	6mm First quality ceramic tiles	SM	8			
	<b>ELEMENT NO. 9</b>					
	<b>JOINERY FITTINGS</b>					
	<b>CARRIED TO SECTION SUMMARY</b>					
			<b>KSHS</b>			

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs	Cts
	<b><u>ELEMENT NO. 10</u></b> <b><u>MECHANICAL WORKS</u></b>					
	<b><u>SANITARY FITTINGS</u></b>					
	<u>Water Closet (WC)</u>					
A	Squatting water closet suite comprising of white ceramic floor mounted squatting pan with 7.5 litre dual flush ceramic cistern and integral foot threads,'P' or 'S' trap connector. All to be as approved.	NO	7			
	<u>Wash Hand Basin (WHB)</u>					
B	Wash hand basin set in white vitreous china with overflow and single tap hole size 520 x 420 x 1850mm and comprising basin, 1No. Chrome plated mixer tap with chrome plated waste extension pipe and wall flange, silicon sealant. and fixings to approval	NO	5			
	<u>Urinal Cistern</u>					
C	7.5 liters automatic ceramic cistern and fitting including Siphone ball Valve, Cistern Support and drip tap in brass, chrome plated bottle trap, chrome plated flush pipe and spreader with all connection, wall hanger/ Support. To be as approved	NO	1			
	<u>Roof Tank</u>					
D	Plastic water tank capacity 5000 litres on roof slab To be assembled complete with medium pressure ball valve, inlet, outlet connections including ball valve and float. To be mounted on a platform and any other necessary item for its proper functioning. Tank to be as approved	NO	2			
	<u>Mirrors</u>					
E	6mm thick polished plate glass, silver backed mirror, size 610x497mm plugged and screwed to wall	NO	2			
	<u>Flexible Connectors</u>					
F	15mm diameter x 300mm long flexible connectors complete with integral chrome plated angle valve for connecting the sanitary fitting to water supply. To be as approved.	NO	13			
	Carried forward			KShs.		



**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs	Cts
	Brought forward		KShs			
	<b><u>INTERNAL DRAINAGE</u></b>					
	<u>Sockets</u>					
<b>A</b>	100 mm diameter WC connector	NO	6			
	<u>Traps</u>					
<b>B</b>	100mm floor gully complete with cover	NO	8			
<b>C</b>	100mm vent cowl	NO	2			
<b>D</b>	100mm diameter weathering slate and apron	NO	2			
<b>E</b>	Standard inspection chamber	NO	5			
	<u>Testing and Commisioning</u>					
<b>F</b>	Allow for setting to work, testing and commisioningg of the whole plumbing system to the satisfaction of the Engineer	ITEM	1			
	<u>Connection</u>					
<b>G</b>	Allow for connection to existing Drainage to the satisfaction of the Engineer	ITEM	1			
	<b>ELEMENT NO. 10</b>					
	<b>MECHANICAL WORKS</b>					
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>					
			<b>KSHS.</b>			

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>	<b>Cts</b>
	<b><u>MEASURED WORKS</u></b>					
	<b><u>NEW WORKS - FLAT ROOF ABLUTION BLOCK</u></b>					
	<b><u>SECTION SUMMARY</u></b>					
	<b><u>ELEMENT NO. NAME</u></b>					
1	Substructures (All provisional)					
2	R.C Superstructure					
3	Walling					
4	Roofing					
5	External Finishes					
6	Internal Finishes					
7	Windows					
8	Doors					
9	Joinery Fittings					
10	Mechanical Works					
	<b>SECTION NO.1</b>					
	<b>ABLUTION BLOCK</b>					
	<b>TOTAL CARRIED TO</b>					
	<b>GRAND SUMMARY</b>					

---

**MCH**

---

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<b>ELEMENT NO. 1</b>				
	<b>SUBSTRUCTURES (ALL PROVISIONAL)</b>				
	<u>Site preparation</u>				
A	Clear site of all shrubs and small trees; dispose as directed arising debries	SM	160		
B	Cut down big tree and Uproot of stump (girth 1200mm-1500mm girth)	NO	5		
	<u>Excavations and Earthworks</u>				
C	Excavate foundation trenches/column pits not exceeding 1.50m deep commencing from reduced level	CM	72		
	<u>Disposal</u>				
D	Return, fill and ram selected approved excavated material around the foundations	CM	42		
E	Load and Cart Away surplus excavated material	CM	30		
	<u>Filling</u>				
F	Approved hardcore filling well compacted under floor slabs exceeding 300mm thick	CM	61		
G	300mm Thick approved hardcore filling well compacted in layers not exceeding 150mm thick	SM	136		
H	50mm Murram blinding	SM	136		
	<u>Insitu concrete mix (1:4:8): in;</u>				
I	50 mm thick blinding under strip foundations	SM	48		
	<u>Reinforced concrete class 20/20 (20mm aggregate in:-)</u>				
J	Strip foundations	CM	10		
K	150mm Thick floor slab	SM	152		
	Carried forward			KShs.	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 1</u></b>				
	<b><u>SUBSTRUCTURES</u></b>				
	Brought forward			KShs.	
	<u>Deformed reinforcement bars to B.S 4449 cut, bent and placed in position including all necessary binding wire and spacer blocks:</u>				
<b>A</b>	Assorted Bars	KG	1,448		
<b>B</b>	BRC Mesh fabric reinforcement type No. A65	SM	152		
	<u>Formwork to:</u>				
<b>C</b>	Edges of beds etc., 75 to 150mm high	LM	33		
	<u>Natural stone walling in cement and sand, mortar (1:4) with 26 gauge hoop iron in every alternate course</u>				
<b>D</b>	200mm Thick walling	SM	87		
	<u>Damp-proof membrane</u>				
<b>E</b>	1000 Gauge polythene sheet laid under surface beds (measured net - no allowance given for overlaps)	SM	152		
	<u>Bituminous felt damp proof courses to BS 743 Type A, laid on and including leveling screed of cement mortar (1:3)</u>				
<b>F</b>	200mm Wide in walling	LM	50		
	<u>Anti-termite treatment</u>				
<b>G</b>	Chemical anti-termite treatment executed by an approved specialist under a ten-year guarantee to surfaces of hardcore, etc..	SM	152		
	<b>ELEMENT NO. 1</b>				
	<b>SUBSTRUCT..</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 2</u></b>				
	<b><u>SUPERSTRUCTURES</u></b>				
	<u>Vibrated reinforced concrete class 20/20</u>				
A	Ring beams	CM	3		
	<u>Reinforcement</u>				
	<u>Deformed reinforcement bars to B.S 4449 cut, bent and placed in position including all necessary binding wire and spacer blocks:</u>				
B	Assorted Bars	KG	448		
	<u>Sawn formwork to:</u>				
C	Sides of ring beams	SM	30		
	<u>Structural Steel</u>				
D	75 x 75 x 3mm diameter CHS column to Structural Engineers details	LM	60		
	<u>Knot, prime, stop and apply two undercoats and one gloss finishing coat of oil paint on;</u>				
E	CHS columns	LM	60		
	<b><u>WALLING</u></b>				
	<u>Fine dressed stone walling bedded and jointed in cement and sand mortar (1:3) reinforced with and including 25mm wide x 26 gauge hoop iron at alternate courses</u>				
F	200mm Thick walling	SM	108		
	<b>ELEMENT NO. 2</b>				
	<b>SUPERSTRUCT....</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b>ELEMENT NO. 3</b>				
	<b>ROOFING (ALL PROVISIONAL)</b>				
	<u>Galvanized roofing sheets</u>				
<b>A</b>	GCI Roofing sheets gauge 28 prepainted	SM	195		
<b>B</b>	Matching ridge/hip cap	LM	28		
	<u>The following welded roof trusses/girders including plates, cleats and hoisting in position approximately 4.5</u>				
	<u>Metres above existing ground level</u>				
<b>C</b>	75 x 50 x 3mm RHS Wallplates	LM	22		
<b>D</b>	75 x 50 x 3mm RHS Top chords	LM	70		
<b>E</b>	75 x 50 x 3mm RHS Bottom chords	LM	70		
<b>F</b>	50 x 50 x 2mm SHS Struts and ties	LM	144		
<b>G</b>	50 x 50 x 2mm SHS Purlins	LM	74		
	<u>The following nailed celcured sawn and treated second grade cypress roof trusses or other equal approved including plates,cleats and hoisting in position approximately 3.0 Metres above existing ground level</u>				
<b>H</b>	100 x 50mm Tie beams	LM	70		
<b>I</b>	100 x 50mm Rafters	LM	98		
<b>J</b>	100 x 50mm Ties and struts	LM	164		
	<u>The following in celcured sawn second grade cypress</u>				
<b>K</b>	100 x 50mm Wall plates	LM	42		
<b>L</b>	75 x 50mm Purlins	LM	114		
	<u>Rain water drainage</u>				
<b>H</b>	Gauge 26 GI sheet 1000mm girth fascia gutter four times bent and dressed under sheets complete with 4No. Down pipe 100mm Diameter 4.5m High; including all necessary accessories	LM	72		
	<u>Knot, prime, stop and apply two undercoats and one gloss finishing coat of oil paint on;</u>				
<b>I</b>	Steel Trusses	LM	380		
<b>J</b>	Steel gutters	LM	72		
	<b>ELEMENT NO. 3</b>				
	<b>ROOFING</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 4</u></b>				
	<b><u>FINISHES</u></b>				
	<b><u>FLOOR FINISHES</u></b>				
	<u>Cement and sand (1:3) screed trowelled smooth: beds to receive flooring</u>				
<b>A</b>	20 mm Thick to receive terrazzo paving	SM	247		
	<u>Polished terrazzo consisting of cement and sand (1:3) screed (m.s)or backing finished with a layer of white cement with approved colour additive, sand and approved marble/granite chippings (1:4:2), trowelled to a smooth and even finish, machine polished and waxed to approval.</u>				
<b>B</b>	20 mm Thick paving	SM	247		
<b>C</b>	100 x 25 mm coved terrazzo skirting	LM	194		
<b>D</b>	30 x 5 mm plastic dividing strip	LM	208		
	<b><u>WALL FINISHES</u></b>				
	<u>Cement and sand (1:1:6) lime plaster</u>				
<b>E</b>	12mm Thick two coat plaster	SM	173		
	<u>Prepare and apply three coats of first quality silk vinyl paint to:</u>				
<b>F</b>	Plastered walls and concrete surfaces	SM	522		
	<b><u>JOINERY FITTINGS AND FIXTURES</u></b>				
	<u>Benches</u>				
<b>G</b>	Benches overall size 500 x 550mm high comprising 50 x 50 x 2mm framework and 50mm thick wooden boards top: with and including all necessary paintwork	LM	64		
	<b><u>ELEMENT NO. 4</u></b>				
	<b><u>FINISHES</u></b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		



---

**CCC**

---

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO 1</u></b>				
	<b><u>EXTERNAL FINISHES</u></b>				
	<b><u>WALL FINISHES</u></b>				
	<u>Cement and sand (1:4)</u>				
<b>A</b>	15mm Thick rendering to concrete or walls	SM	74		
	<u>Prepare and apply three coats first quality plastic emulsion paint to rendered surfaces</u>				
<b>B</b>	Rendered columns or beams or masonry	SM	74		
	<b>ELEMENT NO. 1</b>				
	<b>EXTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b>ELEMENT NO. 2</b>				
	<b><u>INTERNAL FINISHES</u></b>				
	<b><u>FLOOR FINISHES</u></b>				
	<u>Cement and sand (1:4) screed trowelled smooth: beds to receive flooring</u>				
<b>A</b>	32mm Thick to receive ceramic tile flooring	SM	84		
<b>B</b>	Carefully demolish existing floors finish complete with skirting and prepare floor to receive ceramic floor tiles finish	SM	84		
	<u>Non-slip local coloured floor tiles as manufactured Locally or other equal and approved</u>				
<b>C</b>	6mm Thick ceramic floor tiles size 300 x 300mm pointed and jointed in matching coloured cement and sand mortar	SM	84		
<b>D</b>	100mm x 12mm Thick skirting ditto	LM	83		
	<b><u>WALL FINISHES</u></b>				
	<u>Prepare and apply three coats of first quality silk vinyl paint to:</u>				
<b>E</b>	Plastered walls and concrete surfaces	SM	203		
	<u>Cement and sand (1:3) backing</u>				
<b>F</b>	15mm Thick backing to receive ceramic tiles	SM	20		
	<u>First quality coloured ceramic wall tiles</u>				
<b>G</b>	250 x 400 x 6mm Thick fixed to walls pointed and jointed in matching coloured mortar	SM	20		
	Carried forward				
			KShs.		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 2</u></b>				
	<b><u>INTERNAL FINISHES-cont'd</u></b>				
	Brought forward		KShs		
	<b><u>CEILING FINISHES</u></b>				
	<u>Gypsum dry board ceilings</u>				
<b>A</b>	12mm thick gypsum ceiling with seamless joints complete with and including proprietary 40 x 40mm galvanized steel framing complete with metal hangers and stepped to architect's detail	SM	84		
<b>B</b>	Extra over gypsum for access trap door overall size 600 x 600mm including 75 x 50mm sawn cypress trimming painted and set loose	NO	3		
	<u>Moulded cornice</u>				
<b>C</b>	100 x 75mm moulded cornice	LM	83		
	<u>Skim, prepare and apply one undercoat and two finishing coats of Crown Silk Vinyl paint to:-</u>				
<b>D</b>	Ceiling surfaces	SM	84		
<b>E</b>	Cornice surfaces	LM	83		
	<b>ELEMENT NO. 2</b>				
	<b>INTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 3</u></b> <b><u>WINDOWS</u></b>				
	<u>6mm Clear glass and glazing to metal frame with putty</u>				
<b>A</b>	In panes not exceeding 0.10 square metres	SM	4		
	<u>Prepare and touch up primer, apply one undercoat and two finishing coats gloss paint; on metal</u>				
<b>B</b>	Glazed casement windows (measured flat overall both sides)	SM	31		
	<u>Mild steel window screen mesh comprising of stainless steel net fixed to window frames as per the Architect's Approval</u>				
<b>C</b>	Window netting; insect proof wire mesh	SM	15		
	<u>Supply and fix double metal curtain rods from "Challenge Engineering" or other equal and approved comprising of 25mm diameter wrought iron front, 16mm diameter rear rail complete with fixing brackets, curtain holding rings and decorative end stops all necessary naintwork</u>				
<b>D</b>	Window curtain rods	LM	15		
	<u>Window Curtains</u>				
<b>E</b>	Hospital washable PVC curtains to approval	SM	30		
	<b>ELEMENT NO. 3</b>	<b>CARRIED TO</b>			
	<b>WINDOWS</b>	<b>SECTION SUMMARY</b>		<b>KSHS</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 4</u></b> <b><u>DOORS</u></b>				
	<u>Supply and fix the following ironmongery including all necessary matching screws.</u>				
A	40mm Diameter rubber door stops	NO	7		
B	3 Lever Mortice lock with handle	NO	5		
	<u>Prepare and apply one undercoat and two finishing coats gloss paint; : to</u>				
C	General surfaces of wood work (m.o.b.s)	SM	21		
D	Frames; over 100mm-200mm girth;	LM	28		
E	Frames not exceeding 100mm girth; internal.	LM	28		
F	General surfaces of metal work (m.o.b.s)	SM	9		
	<b>ELEMENT NO. 4</b>				
	<b>DOORS</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 5</u></b>				
	<b><u>EXTERNAL WORKS</u></b>				
	<b><u>PRECAST CONCRETE PAVING</u></b>				
A	Remove deleterious top soil average depth 150mm and dispose off as directed by P.m	SM	24		
B	Provide, lay and compact 125mm thick approved gravel base	SM	24		
C	Treat the surfaces with approved herbicide, with warranty of 10 years	SM	24		
D	Provide, lay and joint in cement sand mortar (1:3) 600 × 600 × 50mm p.c paving slabs including 50mm thick sand bed.	SM	24		
	<b>ELEMENT NO. 7</b>				
	<b>EXTERNAL WORKS</b>				
	<b>CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS</b>		



---

# **INCINERATION**

---

ISHIARA HOSPITAL RENOVATIONS

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
A	<p><b><u>INCENERATOR</u></b> Construction of incenerator complete with chimney and burning chamber to architects details</p>	NO	1		
B	<p><b><u>ASH PIT</u></b> Excavate tor and construct placenta pit size 1000mmdiameter x10000mm deep to invert,support and maintain sides of excavations; keeping excavations free from water , backfill and removal surplus excavated material to tip, 150mm concrete class 20/20 bed, 200mm ( average) concrete class 15 in Top cover slab including forming main and render smooth in cement and sand (1:3), 150mm masonry walling with a 15mm water proof cement and sand (1:3) rendering internally, medium duty single seal manhole cover and frame size 600 x 450mm overall and bedding frame in cement mortar and setting cover in crease including holes.</p>	NO	1		
C	<p><b><u>FENCING</u></b> Provide mild steel 75x75mm posts 2400mm high including struts 75x75mm; 14g chainlink 1800mm high complete with straining wires at 300mm interval; including access door in same material 1200mm wide x2400mm high. All metallic parts primed and painted to approval Allow for earthworks and disposal</p>	LM	20		
D	<p><b><u>DRYING AREA/ ASSORTING AREA</u></b> 1500*2400 drying bay worktop stone wall for edges of slab;100mm Thick mass concrete 1:3:6 plinths; 75mm Thick concrete class 25 in slabs;Layer of BRC mesh fabric reinforcement ref. A98 in slab;Formwork to soffits of slabs;Ditto to edges of beds 75 - 150mm high;Ditto to edges of slabs ditto;Boxing in 100mm thick slab to form opening for wash hand basin;100mm Thick stone support walls;12mm Cement sand plaster to walls;Ditto to soffits of slabs; including roof cover in steel structure 2400mm high</p>	NO	1		
<b>TOTAL FOR INCENERATOR WORKS CARRIED TO GRAND SUMMARY</b>					

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Unit	Qty	Rate	KShs
	<b><u>ELEMENT NO. 1</u></b>				
	<b><u>WALLING</u></b>				
	<b><u>WALLING</u></b>				
	<u>Fine dressed stone walling bedded and jointed in cement and sand mortar (1:3) reinforced with and including 25mm wide x 26 gauge hoop iron at alternate courses</u>				
<b>A</b>	200mm Thick walling (Internal walls)	SM	43		
<b>B</b>	Carefully demolish existing natural stone masonry walling plastered and painted both sides and cart away debris	SM	5		
	<b>ELEMENT NO.1 WALLING</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Unit	Qty	Rate	KShs
	<b><u>ELEMENT NO. 2</u></b>				
	<b><u>DOORS AND WINDOWS</u></b>				
	<b><u>DOORS</u></b>				
	<b><u>Mild steel doors</u></b>				
A	Mild steel size 900 x 2400mm high complete with heavy duty hinges; one coat red oxide primer and locking latch, all to satisfaction with and including finishes to reveals and iambs	NO	3		
A	Mild steel size 1500 x 2400mm high complete with heavy duty hinges; one coat red oxide primer and locking latch, all to satisfaction with and including finishes to reveals and iambs	NO	2		
	<b><u>Prepare and apply one undercoat and two finishing coats gloss paint; on</u></b>				
B	Doors (measured flat overall both sides)	SM	26		
	<b><u>WINDOWS</u></b>				
	<b><u>Mild steel window screen mesh comprising of stainless steel net fixed to window frames as per the Architect's Approval</u></b>				
C	Window netting; insect proof wire mesh	SM	22		
	<b><u>Patterned mild steel window grille comprising of 25 x 25 x 2mm SHS horizontal members at 200mm centres and 25 x 25 x 2mm SHS vertical members at 100mm centres as per the Architect's Approval</u></b>				
D	Assorted windows	SM	22		
	<b><u>Prepare and touch up primer, apply one undercoat and two finishing coats gloss paint; on metal</u></b>				
E	Glazed casement windows (measured flat overall both sides)	SM	45		
	<b><u>Supply and fix double metal curtain rods from "Challenge Engineering" or other equal and approved comprising of 25mm diameter wrought iron front, 16mm diameter rear rail complete with fixing brackets, curtain holding rings and decorative end stops all necessary</u></b>				
F	Window curtain rods	LM	20		
	<b><u>Window Curtains</u></b>				
G	Hospital washable PVC curtains to approval	SM	20		
	<b><u>ELEMENT NO.2 TOTAL CARRIED</u></b>				
	<b><u>DOORS AND WINDOWS TO SECTION SUMMARY</u></b>				

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Unit	Qty	Rate	KShs
	<b><u>ELEMENT NO. 3</u></b> <b><u>FINISHES</u></b>				
	<b><u>FLOOR FINISHES</u></b>				
A	<u>Cement and sand (1:3) as described in:</u> 20 mm Thick to receive terrazzo paving	SM	237		
B	Carefully demolish existing floors finish complete with skirting and prepare floor to receive terrazzo floor finish	SM	237		
	<u>Polished terrazzo consisting of cement and sand (1:3) screed (m.s)or backing finished with a layer of white cement with approved colour additive, sand and approved marble/granite chippings (1:4:2), trowelled to a smooth and even finish, machine polished and waxed to</u>				
C	<u>approval:</u> 20 mm Thick paving	SM	237		
D	100 x 25 mm coved terrazzo skirting	LM	225		
E	30 x 5 mm plastic dividing strip	LM	325		
	<b><u>WALL FINISHES</u></b>				
	<u>Prepare and apply three coats of first quality silk vinyl paint to:</u>				
F	Plastered walls and concrete surfaces	SM	975		
	<u>Plaster mix1:3 lime plaster</u>				
G	plaster to masonry and concrete surfaces	SM	86		
	<u>Prepare and apply three coats first quality plastic emulsion paint to rendered surfaces</u>				
H	Rendered columns or beams or masonry	SM	86		
	Carried forward				
			KShs.		

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Unit	Qty	Rate	KShs
	<b><u>ELEMENT NO. 6</u></b>				
	<b><u>INTERNAL FINISHES-cont'd</u></b>				
	Brought forward			KShs	
	<b><u>CEILING FINISHES</u></b>				
	<u>Gypsum dry board ceilings</u>				
A	12mm thick gypsum ceiling with seamless joints complete with and including proprietary 40 x 40mm galvanized steel framing complete with metal hangers and stepped to architect's detail	SM	237		
	<u>Skim, prepare and apply one undercoat and two finishing coats of Crown Silk Vinyl paint to:-</u>				
B	Ceiling surfaces	SM	237		
	<u>Moulded cornice</u>				
C	100 x 75mm moulded cornice	LM	325		
	<b>ELEMENT NO. 3</b>				
	<b>FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Unit	Qty	Rate	KShs
	<b><u>ELEMENT NO. 4</u></b>				
	<b><u>JOINERY FITTINGS AND FIXTURES</u></b>				
	<b><u>Worktops</u></b>				
A	100mm Thick concrete 1:3:6 plinths	SM	12		
B	100mm Thick concrete 1:2:4 top work top slab	SM	12		
C	Cut 75 mm deep x 75 mm wide groove in stone walling for worktop	LM	16		
	<b><u>Reinforcement</u></b>				
D	A98 BRC mesh fabric reinforcement	SM	12		
	<b><u>Sawn formwork to:</u></b>				
E	Soffits of solid slabs	SM	12		
F	Edges of beds and slab 75 - 150mm high	LM	36		
	<b><u>Cement and sand (1:2) bed</u></b>				
G	15mm Thick to receive tiles	SM	12		
H	6mm Thick tiles with and including with bull-nosed edges fixed on backing (measured separately)	SM	12		
I	Ditto 100mm high fascia with bull-nosed edges	LM	18		
	<b><u>Cement and sand (1:2) backing</u></b>				
J	100mm Thick stone support walls	SM	7		
K	12mm Cement sand plaster to walls	SM	14		
L	Prepare and apply three coats of first quality silk vinyl paint	SM	14		
	<b><u>18mm Thick Medium density fibreboard, hardwood</u></b>				
	lipped on all edges in:-				
M	Doors, sides, dividers and shelvings; 100mm brass D-handles, pair of malpa hinges and approved lock	SM	18		
	<b><u>Shelves</u></b>				
N	Shelves overall size 1800 x 300 x 2100mm high divided into 6 No. equal units comprising 25mm thick MDF (veneered both sides) sides, dividers and shelvings	NO	4		
	<b><u>Pallets</u></b>				
O	Shelves overall size 1800 x 1200mm wide x100mmhigh in softwood frames painted to approval x-section size 100x50mm at 150mm centres	NO	8		
	<b><u>Kitchen hood</u></b>				
P	Kitchen hood in stainlesssteel metal work overall size 4800 x 3000mm complete with sucking ducts, brackets, vent and other necessary accessories and fittings installed to position	NO	1		
	<b>ELEMENT NO. 4</b>				
	<b>JOINERY FITT...</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
				<b>KSHS</b>	

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Unit	Qty	Rate	KShs
<b><u>LABORATORY SUMMARY</u></b>					
<b><u>ELEMENT NO. / NAME</u></b>					
1	Walling				
2	Doors and Windows				
3	Finishes				
4	Joinery Fittings and Fixtures				
	<b>SECTION KITCHEN</b>				<b>TOTAL CARRIED TO GRAND SUMMARY</b>

---

# **RECORDS**

---

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO 1</u></b>				
	<b><u>EXTERNAL FINISHES</u></b>				
	<b><u>WALL FINISHES</u></b>				
	<u>Cement and sand (1:4)</u>				
<b>A</b>	15mm Thick rendering to concrete or walls	SM	74		
	<u>Prepare and apply three coats first quality plastic emulsion paint to rendered surfaces</u>				
<b>B</b>	Rendered columns or beams or masonry	SM	74		
	<b>ELEMENT NO. 1</b>				
	<b>EXTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b>ELEMENT NO. 2</b> <b>INTERNAL FINISHES</b>				
	<b><u>FLOOR FINISHES</u></b>				
	<u>Cement and sand (1:4) screed trowelled smooth: beds to receive flooring</u>				
<b>A</b>	32mm Thick to receive ceramic tile flooring	SM	232		
<b>B</b>	Carefully demolish existing floors finish complete with skirting and prepare floor to receive ceramic floor tiles finish	SM	232		
	<u>Non-slip local coloured floor tiles as manufactured</u> Locally or other equal and approved				
<b>C</b>	6mm Thick ceramic floor tiles size 300 x 300mm pointed and jointed in matching coloured cement and sand mortar	SM	232		
<b>D</b>	100mm x 12mm Thick skirting ditto	LM	198		
	<b><u>WALL FINISHES</u></b>				
	<u>Prepare and apply three coats of first quality silk vinyl paint to:</u>				
<b>E</b>	Plastered walls and concrete surfaces	SM	498		
	<u>Cement and sand (1:3) backing</u>				
<b>F</b>	15mm Thick backing to receive ceramic tiles	SM	55		
	<u>First quality coloured ceramic wall tiles</u>				
<b>G</b>	250 x 400 x 6mm Thick fixed to walls pointed and jointed in matching coloured mortar	SM	55		
	Carried forward			KShs.	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 2</u></b>				
	<b><u>INTERNAL FINISHES-cont'd</u></b>				
	Brought forward		KShs		
	<b><u>CEILING FINISHES</u></b>				
	<u>Gypsum dry board ceilings</u>				
<b>A</b>	12mm thick gypsum ceiling with seamless joints complete with and including proprietary 40 x 40mm galvanized steel framing complete with metal hangers and stepped to architect's detail	SM	232		
<b>B</b>	Extra over gypsum for access trap door overall size 600 x 600mm including 75 x 50mm sawn cypress trimming painted and set loose	NO	3		
	<u>Moulded cornice</u>				
<b>C</b>	100 x 75mm moulded cornice	LM	198		
	<u>Skim, prepare and apply one undercoat and two finishing coats of Crown Silk Vinyl paint to:-</u>				
<b>D</b>	Ceiling surfaces	SM	232		
<b>E</b>	Cornice surfaces	LM	198		
	<b>ELEMENT NO. 2</b>				
	<b>INTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 3</u></b> <b><u>WINDOWS</u></b>				
	<u>6mm Clear glass and glazing to metal frame with putty</u>				
<b>A</b>	In panes not exceeding 0.10 square metres	SM	5		
	<u>Patterned mild steel window grille comprising of 25 x 25 x 2mm SHS horizontal members at 200mm centres and 25 x 25 x 2mm SHS vertical members at 100mm centres as per the Architect's Approval</u>				
<b>B</b>	Assorted windows	SM	31		
	<u>Prepare and touch up primer, apply one undercoat and two finishing coats gloss paint; on metal</u>				
<b>C</b>	Glazed casement windows (measured flat overall both sides)	SM	31		
	<u>Mild steel window screen mesh comprising of stainless steel net fixed to window frames as per the Architect's Approval</u>				
<b>D</b>	Window netting; insect proof wire mesh	SM	15		
	<u>Supply and fix double metal curtain rods from "Challenge Engineering" or other equal and approved comprising of 25mm diameter wrought iron front, 16mm diameter rear rail complete with fixing brackets, curtain holding rings and decorative end stops all necessary</u> naintwork				
<b>E</b>	Window curtain rods	LM	28		
	<u>Window Curtains</u>				
<b>F</b>	Hospital washable PVC curtains to approval	SM	56		
	<b>ELEMENT NO. 3</b>	<b>CARRIED TO</b>			
	<b>WINDOWS</b>	<b>SECTION SUMMARY</b>	<b>KSHS</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 4</u></b> <b><u>DOORS</u></b>				
	<u>Supply and fix the following ironmongery including all necessary matching screws.</u>				
A	40mm Diameter rubber door stops	NO	5		
B	3 Lever Mortice lock with handle	NO	3		
	<u>Prepare and apply one undercoat and two finishing coats gloss paint; : to</u>				
C	General surfaces of wood work (m.o.b.s)	SM	11		
D	Frames; over 100mm-200mm girth;	LM	15		
E	Frames not exceeding 100mm girth; internal.	LM	15		
F	General surfaces of metal work (m.o.b.s)	SM	23		
	<b>ELEMENT NO. 4</b>				
	<b>DOORS</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
				<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<b><u>FEMALE WARDS SUMMARY</u></b>				
	<b><u>ELEMENT NO. NAME</u></b>				
1	External finishes				
2	Internal finishes				
3	Windows				
4	Doors				
	TOTOAL FOR ONE				
	TOTAL FOR TWO				
	<b>SECTION RECORDS</b>				
	<b>TOTAL CARRIED TO GRAND SUMMARY</b>				

---

# MORGUE

---

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO 1</u></b>				
	<b><u>SUBSTRUCTURES (ALL PROVISIONAL)</u></b>				
	<u>Site preparation</u>				
A	Clear site of all shrubs and small trees; dispose as directed arising debries	SM	83		
	<u>Excavations and Earthworks</u>				
B	Oversite excavation to reduce levels depth 200mm average; set aside for use arising materials	SM	83		
C	Excavate foundation trenches not exceeding 1.50m deep commencing from reduced level	CM	36		
	<u>Disposal</u>				
D	Return, fill and ram selected approved excavated material around the foundations	CM	20		
E	Load and spread on site surplus excavated material	CM	16		
	<u>Filling</u>				
F	300mm Thick approved hardcore filling well compacted in layers not exceeding 150mm thick	SM	70		
G	50mm Murram blinding	SM	70		
	<u>Insitu concrete mix (1:4:8): in;</u>				
H	50 mm thick blinding under strip foundations	SM	24		
	<u>Reinforced concrete class 20/20 (20mm aggregate in:-)</u>				
I	Strip foundations	CM	5		
J	150mm Thick floor slab	SM	78		
K	50mm Thick floor slab to verandah	SM	23		
	Carried forward			KShs.	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 1</u></b>				
	<b><u>SUBSTRUCTURES</u></b>				
	Brought forward			KShs.	
	<u>Deformed reinforcement bars to B.S 4449 cut, bent and placed in position including all necessary binding wire and spacer blocks:</u>				
A	Assorted Bars	KG	400		
B	BRC Mesh fabric reinforcement type No. A65	SM	101		
	<u>Formwork to:</u>				
C	Edges of beds etc., 75 to 150mm high	LM	38		
	<u>Natural stone walling in cement and sand, mortar (1:4) with 26 gauge hoop iron in every alternate course</u>				
D	200mm Thick walling	SM	47		
	<u>Damp-proof membrane</u>				
E	1000 Gauge polythene sheet laid under surface beds (measured net - no allowance given for overlaps)	SM	101		
	<u>Bituminous felt damp proof courses to BS 743 Type A, laid on and including leveling screed of cement mortar (1:3)</u>				
F	200mm Wide in walling	LM	38		
	<u>Anti-termite treatment</u>				
G	Chemical anti-termite treatment executed by an approved specialist under a ten-year guarantee to surfaces of hardcore, etc..	SM	101		
	<b>ELEMENT NO. 1</b>				
	<b>SUBSTRUCT..</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 2</u></b>				
	<b><u>R.C. SUPERSTRUCTURE</u></b>				
	<u>Vibrated reinforced concrete class 20/20</u>				
A	Ring beams	CM	2		
	<u>Reinforcement</u>				
	<u>Deformed reinforcement bars to B.S 4449 cut, bent and placed in position including all necessary binding wire and spacer blocks:</u>				
B	Assorted Bars	KG	300		
	<u>Sawn formwork to:</u>				
C	Sides of ring beams	SM	23		
	<u>Mild steel metal studs</u>				
D	75mm dia mild steel heavy duty CHS	LM	8		
	<u>Prepare and touch up primer, apply one undercoat and two finishing coats gloss paint; on</u>				
E	Metal surfaces	SM	2		
	<b>ELEMENT NO. 2 TOTAL CARRIED TO</b>				
	<b>R.C. SUPERSTRUCT. SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<p><b><u>ELEMENT NO. 3</u></b></p> <p><b><u>WALLING</u></b></p> <p><u>Fine dressed stone walling bedded and jointed in cement and sand mortar (1:3) reinforced with and including 25mm wide x 26 gauge hoop iron at alternate courses</u></p>				
A	150mm Thick walling (External walls)	SM	73		
	<p><b>ELEMENT NO.3</b></p> <p><b>WALLING</b></p>				<p><b>TOTAL CARRIED TO SECTION SUMMARY</b></p> <p><b>KSHS.</b></p>

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b>ELEMENT NO. 4</b>				
	<b>ROOFING (ALL PROVISIONAL)</b>				
	<u>Galvanized Iron roofing sheets</u>				
A	GCI Roofing sheets gauge 30 prepainted	SM	100		
B	Ridge or hip piece tile cap	LM	11		
	<b>ROOF CONSTRUCTION</b>				
	<u>The following nailed celcured sawn and treated second grade cypress roof trusses or other equal approved including plates,cleats and hoisting in position approximately 3.0 Metres above existing ground level</u>				
C	100 x 50mm Tie beams	LM	55		
D	100 x 50mm Rafters	LM	64		
E	100 x 50mm Ties and struts	LM	82		
	<u>The following in celcured sawn second grade cypress</u>				
F	100 x 50mm Wall plates	LM	34		
G	75 x 50mm Purlins	LM	109		
	<u>Wrot general grade cypress as described:</u>				
H	200 x 25mm Fascia or badge boards	LM	38		
	<u>Knot, prime, stop and apply two undercoats and one gloss finishing coat of oil paint on wood work</u>				
I	Surfaces of fascia boards 200 - 300mm girth	LM	38		
	<u>Rain water drainge</u>				
J	uPVC 100mm Diameter gutter complete with 4No. Down pipe 100mm Diameter 3.0m High; including all necessary accessories	LM	38		
	<b>ELEMENT NO. 4</b>				
	<b>ROOFING</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 5</u></b>				
	<b><u>EXTERNAL FINISHES</u></b>				
	<b><u>FLOOR FINISHES</u></b>				
A	<u>Cement and sand (1:4) screed trowelled smooth:</u> 34mm Thick to receive ceramic floor tiles	SM	23		
B	100mm x 12mm Thick skirting ditto	LM	4		
	<u>Non-slip local coloured floor tiles as manufactured</u> Locally or other equal and approved				
C	6mm Thick ceramic floor tiles size 300 x 300mm pointed and jointed in matching coloured cement and sand mortar	SM	23		
	<b><u>WALL FINISHES</u></b>				
D	<u>Cement and sand (1:4)</u> 15mm Thick rendering to concrete or walls	SM	11		
E	<u>Prepare and apply three coats first quality plastic emulsion paint to rendered surfaces</u> Rendered columns or beams or masonry	SM	11		
	<b><u>CEILING FINISHES</u></b>				
F	<u>Gypsum dry board ceilings</u> 12mm thick gypsum ceiling with seamless joints complete with and including proprietary 40 x 40mm galvanized steel framing complete with metal hangers and stepped to architect's detail	SM	5		
G	<u>Skim, prepare and apply one undercoat and two finishing coats of Crown Silk Vinyl paint to:-</u> Gypsum surfaces	SM	5		
H	Extra over gypsum for access trap door overall size 600 x 600mm including 75 x 50mm sawn cypress trimming painted and set loose	NO	1		
	<b>ELEMENT NO. 5 TOTAL CARRIED TO</b>				
	<b>EXTERNAL FINISHES SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 6</u></b> <b><u>INTERNAL FINISHES</u></b>				
	<b><u>FLOOR FINISHES</u></b>				
	<u>Cement and sand (1:4) screed trowelled smooth: beds to receive flooring</u>				
A	32mm Thick to receive ceramic tile flooring	SM	70		
B	100mm x 12mm Thick skirting ditto	LM	33		
	<u>Non-slip local coloured floor tiles as manufactured</u> Locally or other equal and approved				
C	6mm Thick ceramic floor tiles size 300 x 300mm pointed and jointed in matching coloured cement and sand mortar	SM	70		
	<b><u>WALL FINISHES</u></b>				
	<u>Cement and sand (1:1:6) lime plaster</u>				
D	12mm Thick two coat plaster	SM	84		
	<u>Prepare and apply three coats of first quality silk vinyl paint to:</u>				
E	Plastered walls and concrete surfaces	SM	84		
	Carried forward		KShs.		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 6</u></b>				
	<b><u>INTERNAL FINISHES-cont'd</u></b>				
	Brought forward		KShs		
	<b><u>CEILING FINISHES</u></b>				
	<u>Gypsum dry board ceilings</u>				
A	12mm thick gypsum ceiling with seamless joints complete with and including proprietary 40 x 40mm galvanized steel framing complete with metal hangers and stepped to architect's detail	SM	70		
	<u>Skim, prepare and apply one undercoat and two finishing coats of Crown Silk Vinyl paint to:-</u>				
B	Gypsum surfaces	SM	70		
C	Extra over gypsum for access trap door overall size 600 x 600mm including 75 x 50mm sawn cypress trimming painted and set loose	NO	2		
	<u>Moulded cornice</u>				
D	100 x 75mm moulded cornice	LM	33		
	<b>ELEMENT NO. 6</b>				
	<b>INTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 7</u></b>				
	<b><u>WINDOWS</u></b>				
	<u>Supply and fix the following steel casement windows with permanent ventilation along the full length: finished with one coat red lead oxide primer, complete with 75mm heavy duty hinges, 300mm long heavy duty window stays, and polished heavy duty brass fasteners, including cutting, fixing lugs to walling and bedding all round frame in cement and sand (1:3) mortar all as per Architect's Drawing attached</u>				
A	Window size 1500 x 1500mm high  <u>6mm Clear glass and glazing to metal frame with putty</u>	NO	5		
B	In panes not exceeding 0.10 square metres  <u>Prepare and touch up primer, apply one undercoat and two finishing coats gloss paint; on metal</u>	SM	11		
C	Glazed casement windows (measured flat overall both sides)	SM	22		
	<b>ELEMENT NO. 7 WINDOWS</b>	<b>CARRIED TO SECTION SUMMARY</b>		<b>KSHS</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 8</u></b>				
	<b><u>DOORS</u></b>				
	<u>Mild steel doors</u>				
A	Mild steel size 1800 x 2400mm high complete with heavy duty hinges; one coat red oxide primer and locking latch. all to satisfaction	NO	2		
	<u>Prepare and apply one undercoat and two finishing coats gloss paint; on metal</u>				
B	Metal doors (measured flat overall both sides)	SM	9		
	<b>ELEMENT NO. 8</b>				
	<b>DOORS</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
				<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 9</u></b>				
	<b><u>Worktops</u></b>				
A	100mm Thick concrete 1:3:6 plinths	SM	10		
B	100mm Thick concrete 1:2:4 top work top slab	SM	10		
	<b><u>Reinforcement</u></b>				
C	A98 BRC mesh fabric reinforcement	SM	10		
	<b><u>Sawn formwork to:</u></b>				
D	Soffits of solid slabs	SM	10		
E	Edges of beds and slab 75 - 150mm high	LM	14		
	<b><u>Cement and sand (1:2) bed</u></b>				
F	15mm Thick to receive tiles	SM	10		
G	6mm Thick tiles with and including with bull-nosed edges fixed on backing (measured separately)	SM	10		
H	Ditto 100mm high fascia with bull-nosed edges	LM	14		
	<b><u>Cement and sand (1:2) backing</u></b>				
I	100mm Thick stone support walls	SM	5		
J	12mm Cement sand plaster to walls	SM	10		
K	Prepare and apply three coats of first quality silk vinyl paint	SM	10		
	<b><u>Benches</u></b>				
L	Benches overall size 500 x 550mm high comprising 50 x 50 x 2mm framework and 50mm thick wooden boards top: with and including all necessary paintwork	LM	24		
	<b>ELEMENT NO. 9</b>				
	<b>WORKTOPS</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>CHAPEL SUMMARY</u></b>				
	<b><u>ELEMENT NO. / NAME</u></b>				
1	Substructures (All provisional)				
2	R.C Superstructure				
3	Walling				
4	Roofing				
5	External finishes				
6	Internal finishes				
7	Windows				
8	Doors				
9	Joinery				
	<b>SECTION 01</b>				
	<b>CHAPEL</b>				
	<b>TOTAL CARRIED TO</b>				
	<b>MORGUE SUMMARY</b>				

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO 1</u></b>				
	<b><u>SUBSTRUCTURES (ALL PROVISIONAL)</u></b>				
	<u>Site preparation</u>				
<b>A</b>	Clear site of all shrubs and small trees; dispose as directed arising debries	SM	38		
	<u>Excavations and Earthworks</u>				
<b>B</b>	Oversite excavation to reduce levels depth 200mm average; set aside for use arising materials	SM	38		
<b>C</b>	Excavate foundation trenches not exceeding 1.50m deep commencing from reduced level	CM	19		
	<u>Disposal</u>				
<b>D</b>	Return, fill and ram selected approved excavated material around the foundations	CM	11		
<b>E</b>	Load and spread on site surplus excavated material	CM	8		
	<u>Filling</u>				
<b>F</b>	300mm Thick approved hardcore filling well compacted in layers not exceeding 150mm thick	SM	34		
<b>G</b>	50mm Murram blinding	SM	34		
	<u>Insitu concrete mix (1:4:8): in;</u>				
<b>H</b>	50 mm thick blinding under strip foundations	SM	13		
	<u>Reinforced concrete class 20/20 (20mm aggregate in:-)</u>				
<b>I</b>	Strip foundations	CM	3		
<b>J</b>	150mm Thick floor slab	SM	38		
	<u>Carried forward</u>				
				KShs.	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 1</u></b>				
	<b><u>SUBSTRUCTURES</u></b>				
	Brought forward			KShs.	
	<u>Deformed reinforcement bars to B.S 4449 cut, bent and placed in position including all necessary binding wire and spacer blocks:</u>				
<b>A</b>	Assorted Bars	KG	245		
<b>B</b>	BRC Mesh fabric reinforcement type No. A65	SM	38		
	<u>Formwork to:</u>				
<b>C</b>	Edges of beds etc., 75 to 150mm high	LM	18		
	<u>Natural stone walling in cement and sand, mortar (1:4) with 26 gauge hoop iron in every alternate course</u>				
<b>D</b>	200mm Thick walling	SM	22		
	<u>Damp-proof membrane</u>				
<b>E</b>	1000 Gauge polythene sheet laid under surface beds (measured net - no allowance given for overlaps)	SM	38		
	<u>Bituminous felt damp proof courses to BS 743 Type A, laid on and including leveling screed of cement mortar (1:3)</u>				
<b>F</b>	200mm Wide in walling	LM	18		
	<u>Anti-termite treatment</u>				
<b>G</b>	Chemical anti-termite treatment executed by an approved specialist under a ten-year guarantee to surfaces of hardcore, etc..	SM	38		
	<b>ELEMENT NO. 1</b>				
	<b>SUBSTRUCT..</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 2</u></b>				
	<b><u>R.C. SUPERSTRUCTURE</u></b>				
	<u>Vibrated reinforced concrete class 20/20</u>				
<b>A</b>	Ring beams	CM	1		
	<u>Reinforcement</u>				
	<u>Deformed reinforcement bars to B.S 4449 cut, bent and placed in position including all necessary binding wire and spacer blocks:</u>				
<b>B</b>	Assorted Bars	KG	195		
	<u>Sawn formwork to:</u>				
<b>C</b>	Sides of ring beams	SM	13		
	<b>ELEMENT NO. 2 TOTAL CARRIED TO R.C. SUPERSTRUCT. SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<p><b><u>ELEMENT NO. 3</u></b></p> <p><b><u>WALLING</u></b></p> <p><u>Fine dressed stone walling bedded and jointed in cement and sand mortar (1:3) reinforced with and including 25mm wide x 26 gauge hoop iron at alternate courses</u></p>				
A	150mm Thick walling (External walls)	SM	41		
	<p><b>ELEMENT NO.3</b></p> <p><b>WALLING</b></p>			<p><b>TOTAL CARRIED</b></p> <p><b>TO SECTION SUMMARY</b></p>	<p><b>KSHS.</b></p>

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b>ELEMENT NO. 4</b>				
	<b>ROOFING (ALL PROVISIONAL)</b>				
	<u>ROOF COVERING</u>				
	<u>Galvanized roofing sheets</u>				
<b>A</b>	GCI Roofing sheets gauge 28 prepainted	SM	51		
	<u>ROOF CONSTRUCTION</u>				
	<u>The following nailed celcured sawn and treated second grade cypress roof trusses or other equal approved including plates,cleats and hoisting in position approximately 3.0 Metres above existing ground level</u>				
<b>B</b>	100 x 50mm Tie beams	LM	30		
<b>C</b>	100 x 50mm Rafters	LM	35		
<b>D</b>	100 x 50mm Ties and struts	LM	45		
	<u>The following in celcured sawn second grade cypress</u>				
<b>F</b>	100 x 50mm Wall plates	LM	15		
<b>G</b>	75 x 50mm Purlins	LM	44		
	<u>Wrot general grade cypress as described:</u>				
<b>H</b>	200 x 25mm Fascia or badge boards	LM	9		
	<u>Knot, prime, stop and apply two undercoats and one gloss finishing coat of oil paint on wood work</u>				
<b>I</b>	Surfaces of fascia boards 200 - 300mm girth	LM	9		
	<u>Rain water drainge</u>				
<b>J</b>	uPVC 100mm Diameter gutter complete with 4No. Down pipe 100mm Diameter 3.0m High; including all necessary accessories	LM	9		
	<b>ELEMENT NO. 4</b>				
	<b>ROOFING</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 5</u></b>				
	<b><u>EXTERNAL FINISHES</u></b>				
	<b><u>WALL FINISHES</u></b>				
	<u>Cement and sand (1:4)</u>				
<b>A</b>	15mm Thick rendering to concrete or walls	SM	47		
	<u>Prepare and apply three coats first quality plastic emulsion paint to rendered surfaces</u>				
<b>B</b>	Rendered columns or beams or masonry	SM	47		
	<b>ELEMENT NO. 5</b>				
	<b>EXTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b>ELEMENT NO. 6</b>				
	<b><u>INTERNAL FINISHES</u></b>				
	<b><u>FLOOR FINISHES</u></b>				
	<u>Cement and sand (1:4) screed trowelled smooth: beds to receive flooring</u>				
<b>A</b>	32mm Thick to receive ceramic tile flooring	SM	34		
<b>B</b>	100mm x 12mm Thick skirting ditto	LM	25		
	<u>Non-slip local coloured floor tiles as manufactured</u> Locally or other equal and approved				
<b>C</b>	6mm Thick ceramic floor tiles size 300 x 300mm pointed and jointed in matching coloured cement and sand mortar	SM	34		
	<b><u>WALL FINISHES</u></b>				
	<u>Cement and sand (1:1:6) lime plaster</u>				
<b>D</b>	12mm Thick two coat plaster	SM	70		
	<u>Prepare and apply three coats of first quality silk vinyl paint to:</u>				
<b>E</b>	Plastered walls and concrete surfaces	SM	70		
	Carried forward		KShs.		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 6</u></b>				
	<b><u>INTERNAL FINISHES-cont'd</u></b>				
	Brought forward		KShs		
	<b><u>CEILING FINISHES</u></b>				
	<u>Gypsum dry board ceilings</u>				
<b>A</b>	12mm thick gypsum ceiling with seamless joints complete with and including proprietary 40 x 40mm galvanized steel framing complete with metal hangers and stepped to architect's detail	SM	34		
	<u>Skim, prepare and apply one undercoat and two finishing coats of Crown Silk Vinyl paint to:-</u>				
<b>B</b>	Gypsum surfaces	SM	34		
<b>C</b>	Extra over gypsum for access trap door overall size 600 x 600mm including 75 x 50mm sawn cypress trimming painted and set loose	NO	1		
	<u>Moulded cornice</u>				
<b>D</b>	100 x 75mm moulded cornice	LM	25		
	<b>ELEMENT NO. 6</b>				
	<b>INTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO</b>				
	<b>SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 7</u></b>				
	<b><u>WINDOWS</u></b>				
	<u>Supply and fix the following steel casement windows with permanent ventilation along the full length: finished with one coat red lead oxide primer, complete with 75mm heavy duty hinges, 300mm long heavy duty window stays, and polished heavy duty brass fasteners, including cutting, fixing lugs to walling and bedding all round frame in cement and sand (1:3) mortar all as per Architect's Drawing attached</u>				
<b>A</b>	Window size 1000 x 1400mm high  <u>6mm Clear glass and glazing to metal frame with putty</u>	NO	4		
<b>B</b>	In panes not exceeding 0.10 square metres  <u>Prepare and touch up primer, apply one undercoat and two finishing coats gloss paint; on metal</u>	SM	6		
<b>C</b>	Glazed casement windows (measured flat overall both sides)	SM	12		
	<b>ELEMENT NO. 7 WINDOWS</b>	<b>CARRIED TO SECTION SUMMARY</b>		<b>KSHS</b>	

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<b><u>ELEMENT NO. 8</u></b>				
	<b><u>DOORS</u></b>				
	<u>Mild steel doors</u>				
<b>A</b>	Mild steel size 1500 x 2400mm high complete with heavy duty hinges; one coat red oxide primer and locking latch. all to satisfaction	NO	2		
	<u>Prepare and apply one undercoat and two finishing coats gloss paint; on metal</u>				
<b>B</b>	Metal doors (measured flat overall both sides)	SM	14		
	<b>ELEMENT NO. 8</b>				
	<b>DOORS</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
				<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 9</u></b>				
	<b><u>Worktops</u></b>				
<b>A</b>	100mm Thick concrete 1:3:6 plinths	SM	10		
<b>B</b>	100mm Thick concrete 1:2:4 top work top slab	SM	10		
	<b><u>Reinforcement</u></b>				
<b>C</b>	A98 BRC mesh fabric reinforcement	SM	10		
	<b><u>Sawn formwork to:</u></b>				
<b>D</b>	Soffits of solid slabs	SM	10		
<b>E</b>	Edges of beds and slab 75 - 150mm high	LM	14		
	<b><u>Cement and sand (1:2) bed</u></b>				
<b>F</b>	15mm Thick to receive tiles	SM	10		
<b>G</b>	6mm Thick tiles with and including with bull-nosed edges fixed on backing (measured separately)	SM	10		
<b>H</b>	Ditto 100mm high fascia with bull-nosed edges	LM	14		
	<b><u>Cement and sand (1:2) backing</u></b>				
<b>I</b>	100mm Thick stone support walls	SM	5		
<b>J</b>	12mm Cement sand plaster to walls	SM	10		
	Prepare and apply three coats of first quality silk vinyl paint	SM	10		
	<b>ELEMENT NO. 9 TOTAL CARRIED TO WORKTOPS SECTION SUMMARY</b>			<b>KSHS</b>	

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<b><u>VIEWING ROOM EXTENSION SUMMARY</u></b>				
	<b><u>ELEMENT NO. NAME</u></b>				
1	Substructures (All provisional)				
2	R.C Superstructure				
3	Walling				
4	Roofing				
5	External finishes				
6	Internal finishes				
7	Windows				
8	Doors				
9	Joinery				
	<b>SECTION 01</b>				
	<b>VIEW ROOM EXTENSION</b>				
	<b>TOTAL CARRIED TO</b>				
	<b>MORGUE SUMMARY</b>				

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>ELEMENT NO. 1:</u></b>				
	<b><u>DEMOLITIONS (ALL PROVISIONAL)</u></b>				
A	Carefully demolish the existing pitched roofing comprising corrugated iron sheets on steel purlins; steel trusses consisting of rafters, ties, struts and ceiling joists; steel wallplate; including all rainwater goods; fascia boards and eaves roof overhangs		ITEM		
B	Carefully demolish existing natural stone masonry gable walling plastered and painted both sides and cart away debris		ITEM		
C	Carefully remove existing 900 x 2400mm high solid core flush door faced both sides with 3mm thick ordinary veneer complete with frame including ironmongery and fixed to plastered and painted masonry wall and cart away		ITEM		
D	Carefully demolish existing floors finish complete with skirting and prepare floor to receive terrazzo floor finish		ITEM		
E	Carefully remove existing water closets complete with all the accessories including all connections to the services, waste, jointing to water supply overflow, supports and all plugging and screwing to walls and floors		ITEM		
F	Carefully demolish existing wall finish and prepare wall to receive backing for wall tiles and cart away debris		ITEM		
	<b>Total Amount Carried to Summary</b>				

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Quantity	Unit	Rate	Amount
	<b>ELEMENT NO. 2:</b>				
	<b><u>SUBSTRUCTURES</u></b>				
	<u>Excavations:</u>				
A	Excavate oversite top soil average 200mm deep: cart away where directed.	11	SM		
B	Excavate in mass; trenches for strip foundation. Return, fill and ram	10	CM		
	<u>Filling:</u>				
C	300mm Thick approved hardcore filling well compacted in layers	11	SM		
D	50 mm Thick Quarry dust blinding to surfaces of hardcore filling.	11	SM		
	<u>Anti-Termite Treatment:</u>				
E	Chemical anti-termite treatment to surfaces of hardcore	11	SM		
	<u>Damp proof mebrane:</u>				
F	Single layer of 1000 gauge polythene sheeting	11	SM		
	<u>Plain concrete class 15:-</u>				
G	Strip footing.	7	SM		
	<u>Vibrated Reinforced Concrete Class 20 in:</u>				
H	Foundation strip footing	1	CM		
I	150 mm Thick horizontal floor bed	11	SM		
	<u>Reinforcement:</u>				
J	Assorted reinforcement bars	152	KG		
K	Mesh fabric reinforcement Ref A142.	11	SM		
	<u>Foundation Walling</u>				
L	200mm thick approved natural stone	14	SM		
	<b>Total Amount Carried to Summary</b>				

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>ELEMENT NO.3</u></b>				
	<b><u>WALLING</u></b>				
	<u>Machine cut local stone walling in 200mm course heights, bedded and jointed in cement sand mortar (1:3), reinforced with 20 gauge x 25mm wide hoop iron reinforcement and column wall ties in every alternate course</u>				
A	200 mm Thick walling.	34	SM		
	<u>Three- ply bituminous felt damp proof course</u>				
B	200mm wide under walls	9	LM		
	<u>Precast concrete (class 20/20) coping: maximum vertical height 75mm High: edges 40mm High: weathered and throated to approval: bedded, jointed and pointed in cement sand (1:4) mortar: all to detail as described:</u>				
C	375mm wide coping to walls	9	LM		
<b>Total Amount Carried to Summary</b>					

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Quantity	Unit	Rate	Amount
	<b>ELEMENT NO.4</b>				
	<b>ROOFING AND RAINWATER DISPOSAL</b>				
	<b>ROOF COVERING</b>				
	<u>Galvanized roofing sheets</u>				
A	GCI Roofing sheets gauge 30 prepainted	41	SM		
B	Matching rige cap	8	LM		
	<b>ROOF CONSTRUCTION</b>				
	<u>The following nailed celcured sawn and treated second grade cypress roof trusses or other equal approved including plates,cleats and hoisting in position approximately 3.0 Metres above existing ground level</u>				
C	100 x 50mm Tie beams	24	LM		
D	100 x 50mm Rafters	30	LM		
E	100 x 50mm Ties and struts	27	LM		
	<u>The following in celcured sawn second grade cypress</u>				
F	100 x 50mm Wall plates	14	LM		
G	75 x 50mm Purlins	98	LM		
	<u>Wrot general grade cypress as described:</u>				
H	200 x 25mm Fascia or badge boards	26	LM		
	<u>Knot, prime, stop and apply two undercoats and one gloss finishing coat of oil paint on wood work</u>				
I	Surfaces of fascia boards 200 - 300mm girth	26	LM		
	<u>Rain water drainage</u>				
J	uPVC 100mm Diameter gutter complete with 4No. Down pipe 100mm Diameter 3.0m High; including all necessary accessories	16	LM		
	<b>Total Amount Carried to Summary</b>				

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>ELEMENT NO.5</u></b>				
	<b><u>DOORS</u></b>				
	<b><u>Solid Flush doors</u></b>				
	<u>Supply and Fix 45 mm (finished) solid core flush door faced on both sides with 5mm Thick mahogany veneer and 15 mm x 15 mm hardwood beadings pinned and glued to door on both faces to form grids to architect's details and approval: hardwood lipped on all edges to approval:</u>				
A	Single leaf door size 900 x 2400mm High.	3	NO		
	<b><u>Frames &amp; Finishings</u></b>				
	<u>Supply and Fix Wrot Cypress; plugged, screwed and pelleted</u>				
B	150 x 50mm frame with three labours : moulded screwed and pelleted.	17	LM		
C	Architrave to detail size, 75 x 25mm	17	LM		
D	Quadrant bead, diameter 25mm	17	LM		
	<b><u>Ironmongery</u></b>				
	<u>Supply and fix the following ironmongery including all necessary matching screws.</u>				
E	Heavy duty stainless steel hinges with washers	5	PRS		
F	40mm Diameter rubber door stops	3	NO		
G	Bathroom locks with Zinc handle	3	NO		
H	240 x 50mm door signage in printed vinyls	4	NO		
	<b>Carried Forward</b>				



Item	Description	Quantity	Unit	Rate	Amount
	<b>ELEMENT NO.6</b>				
	<b>FINISHES:</b>				
	<b>FLOOR FINISHES</b>				
	<u>Cement and sand (1:3) as described in:</u>				
A	20 mm Thick to receive terrazzo paving	39	SM		
	<u>Polished terrazzo consisting of cement and sand (1:3) screed (m.s)or backing finished with a layer of white cement with approved colour additive, sand and approved marble/granite chippings (1:4:2), trowelled to a smooth and even finish, machine polished and waxed to approval:</u>				
B	20 mm Thick paving	39	SM		
C	100 x 25 mm covered terrazzo skirting	17	LM		
D	30 x 5 mm plastic dividing strip	10	LM		
	<b>INTERNAL WALL FINISHES</b>				
	<u>12 mm (minimum) two-coat plaster; 9 mm first coat of cement and sand (1:6), 3 mm second coat of cement and lime putty (1:10); steel trowelled smooth to:</u>				
E	Walls and beams	13	SM		
	<u>Backing; cement and sand 1:3 with approved integral dust proofing additive wood floated to:</u>				
F	15 mm Thick to receive ceramic tiles(m/s)	61	SM		
	<u>200 x 300 x 8 mm Thick coloured Ceramic wall tiles or other equal and approved: jointed and pointed with matching cement mortar as described on:</u>				
G	Walls	61	SM		
	<b>Carried Forward</b>				

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>Brought Forward</u></b>				
	<b><u>EXTERNAL WALL FINISHES</u></b>				
	<u>Render; 18mm Thick, 1 No. coatwork of cement and sand (1:3); wood floated to concrete or stone work base generally to: -</u>				
A	Walls	33	SM		
	<b><u>Painting and Decorating</u></b>				
	<u>Skimming</u>				
B	Carefully prepare the plastered/rendered surfaces by sanding and skimming with gysum powder to achieve the smooth surface.	46	SM		
	<u>Apply three coats of premium quality silk vinyl paint to Plastered:-</u>				
C	Walls and beams	59	SM		
	<u>Prepare and apply three coats of "Crown Solo Ultra Super gloss" paint to rendered surfaces:</u>				
D	Rendered stone wall and concrete surfaces	92	SM		
<b>Total Amount Carried to Summary</b>					

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>ELEMENT NO. 8</u></b>				
	<b><u>ELECTRICAL WORKS</u></b>				
	<b><u>Supply, install, test and commission the following items:</u></b>				
<b>A</b>	<b><u>Lighting Points</u></b> Lighting points wired in 3x1.5 mm <sup>2</sup> sc pvc copper cables drawn in 20 mm diameter heavy gauge pvc conduits concealed in building fabric including all accessories but without lighting switches and fittings for: a) One way switching	2	NO		
<b>B</b>	<b><u>Switches</u></b> 10 amps lighting switches as first quality or any other approved equivalent a) 1 gang 2 way	2	NO		
<b>C</b>	<b><u>Lighting Fittings</u></b> Lighting fittings complete with bulbs and tubes of appropriate wattage and colour rendering a) 1200mm, 36W LED fluorescent fitting as Thorn PP136 or equal and approved equivalent.	6	NO		
<b>D</b>	<b><u>Sub Mains Cables</u></b>				
<b>(i)</b>	Sub-mains comprising 3x 10mm <sup>2</sup> sc pvc copper cables drawn in 25mm O HG conduits concealed in building fabrics all other necessary accessories included.	10	LM		
<b>(ii)</b>	Electrical connection to the existing loop-in box to the Engineer's approval	1	ITEM		
<b>E</b>	Contingencies	1	ITEM		
	<b>Total Amount Carried to Summary</b>		<b>Shs</b>		

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>ELEMENT NO. 9</u></b>				
	<b><u>MECHANICAL WORKS</u></b>				
	<b><u>SANITARY FITTINGS</u></b>				
	<u>Supply, deliver, install and fix the following sanitary fittings including all materials and jointing to supply, waste/soil and overflow pipes.</u>				
	<u>Water Closet (WC)</u>				
<b>A</b>	Squatting water closet suite comprising of white ceramic floor mounted squatting pan with 7.5 litre dual flush ceramic cistern and integral foot threads,'P' or 'S' trap connector. All to be as "Twyfords Nile" or approved equivalent.	3	NO		
	<u>Wash Hand Basin (WHB)</u>				
<b>B</b>	Wash basin set for counter top fixing in white vitreous china with overflow and single tap hole size 520 x 420 x1850mm and comprising of Ref No. 327566..0 basin, 1No. Chrome plated mixer tap with chrome plated waste extension pipe and wall flange, silicon sealant, and fixings to approval	2	NO		
	<b>Carried Forward</b>				

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>Brought Forward</u></b>				
	<b><u>Urinal Cistern</u></b>				
<b>A</b>	7.5 liters automatic ceramic cistern ref.CX8611 WH, and fitting including Siphone ball Valve, Cistern Support and drip tap in brass, chrome plated bottle trap, chrome plated flush pipe and spreader ref. SS6071 with all connection, wall hanger/ Support. To be as Twyfords 'Camden' or approved equivalent.	1	NO		
	<b><u>Mirrors</u></b>				
<b>B</b>	6mm thick polished plate glass, silver backed mirror , size 610x497mm plugged and screwed to wall with 4No. Chrome plated chrome capped screws and 5mm thick foam back nest.	2	NO		
	<b><u>Flexible Connectors</u></b>				
<b>C</b>	15mm diameter x 300mm long flexible connectors complete with integral chrome plated angle valve for connecting the sanitary fitting to water supply. To be as Cobra or equal and approved.	6	NO		
	<b><u>Carried Forward</u></b>				

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>Brought Forward</u></b>				
	<b><u>INTERNAL PLUMBING</u></b>				
	<u>Supply, deliver and install pipes, tubing and fittings as described and shown on the drawings. The pipes shall be PN 25 PPR pipes where exposed to adverse weather condition and all conforming to the current European standards for PPR installations and to the Engineers approval, pipe jointing shall be by polyfusion or use of electric coupling. Rates must allow for all metal/plastic threaded adaptors where required for the connection of sanitary fixtures, valves, sockets sliding and fixed joints,</u>				
A	<u>PPR Pipes</u> 32mm dia	20	LM		
B	<u>Bends</u> 32mm dia	9	NO		
C	<u>Tees</u> 32mm dia	11	NO		
D	<u>Threaded Fittings</u> 32mm x 3/4" dia. female threaded 900 bend	9	NO		
E	<u>Gate valve</u> 32mm dia. approved medium pressure screw down full way non- rising stem wedge gate valve to BS 1952, with wheel and head joints to steel tubing. The gate valve to be as "Pegler" or approved equivalent.	2	NO		
F	<u>Testing and Commisioning</u> Allow for setting to work, testing and commisioningg of the whole plumbing system to the satisfaction of the Engineer		ITEM		
	<b><u>Carried Forward</u></b>				

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>Brought Forward</u></b>				
	<b><u>INTERNAL DRAINAGE</u></b>				
	<u>Supply, deliver and install the following UPVC, MUPVC, soil and waste systems respectively to B.S 5255 with fittings fixed to Manufactures Printed instructions and manufactured by reputable manufacturers. Tenderers must allow in their pipework prices for all the couplings, clippings, connectors, joints etc. as required in the running lengths of pipework and also where necessary, for pipe fixing clips, holder bats plugged and screwed for the proper and satisfactory functioning of the system.</u>				
	<u>MuPVC and uPVC Waste and Soil pipework</u>				
A	100mm diameter heavy gauge golden brown UPVC pipe	12	LM		
B	32mm diameter waste pipe	16	LM		
	<u>Bends</u>				
C	100mm dia sweep bend	4	NO		
D	32mm dia	5	NO		
	<u>Access cap</u>				
E	32mm dia	4	NO		
	<u>Sockets</u>				
F	100 mm diameter WC connector	4	NO		
	<u>Traps</u>				
G	100mm floor gully complete with cover	5	NO		
H	100mm vent cowl	1	NO		
I	100mm diameter weathering slate and apron	1	NO		
J	Standard inspection chamber	3	NO		
	<u>Testing and Commisioning</u>				
K	Allow for setting to work, testing and commisioningg of the whole plumbing system to the satisfaction of the Engineer		ITEM		
	<b>Total Amount Carried to Summary</b>				

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Quantity	Unit	Rate	Amount
	<b>ABLUTION BLOCK SUMMARY:</b>				
	<b>Element No:</b>				
1	DEMOLITIONS		Shs		
2	SUBSTRUCTURES		Shs		
3	WALLING		Shs		
4	ROOFING AND RAINWATER DISPOSAL		Shs		
5	DOORS		Shs		
6	FINISHES		Shs		
7	ELECTRICAL WORKS		Shs		
8	MECHANICAL WORKS		Shs		
	<b>TOTAL AMOUNT CARRIED TO BUILDERS WORK SUMMARY</b>		Shs		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 1</u></b>				
	<b><u>WALLING</u></b>				
	<u>Demolition;</u>				
A	Carefully demolish existing natural stone masonry walling plastered and painted both sides and cart away debris	SM	11		
	<u>Fine dressed stone walling bedded and jointed in cement and sand mortar (1:3) reinforced with and including 25mm wide x 26 gauge hoop iron at alternate courses;</u>				
B	200mm Thick walling	SM	14		
	<u>Precast concrete (class 20/20) coping: maximum vertical height 75mm High: edges 40mm High: weathered and throated to approval: bedded, jointed and pointed in cement sand (1:4) mortar: all to detail as described;</u>				
C	375mm wide coping to walls	LM	28		
	<b>ELEMENT NO.1</b>				
	<b>WALLING</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b>ELEMENT NO. 2</b> <b>ROOFING AND RAINWATER DISPOSAL</b>				
	<u>ROOF COVERING</u>				
	<u>Galvanized roofing sheets extension on verandah</u>				
A	GCI Roofing sheets gauge 28 prepainted	SM	37		
	<u>Rain water drainage</u>				
B	uPVC 100mm Diameter gutter complete with 4No. Down pipe 100mm Diameter 3.0m High; including all necessary accessories	LM	37		
	<b>ELEMENT NO. 2</b> <b>ROOFING</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>			<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 3</u></b>				
	<b><u>INTERNAL FINISHES</u></b>				
	<b><u>WALL FINISHES</u></b>				
	<u>Cement and sand (1:1:6) lime plaster:</u>				
A	12mm Thick two coat plaster	SM	28		
	<u>Prepare and apply three coats of first quality silk vinyl paint to:</u>				
B	Plastered walls and concrete surfaces	SM	28		
	<b>ELEMENT NO. 3</b>				
	<b>INTERNAL FINISHES</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
			<b>KSHS.</b>		

**ISHIARA HOSPITAL RENOVATIONS**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>KShs</b>
	<b><u>ELEMENT NO. 4</u></b>				
	<b><u>DOORS</u></b>				
	<u>Demolitions:</u>				
A	Carefully remove existing 900 x 2400mm high solid timber door complete with frame including ironmongery and fixed to plastered and painted masonry wall and cart away	NO	3		
	<u>Mild steel doors:</u>				
B	Mild steel size 900 x 2400mm high complete with heavy duty hinges; one coat red oxide primer and locking latch, all to satisfaction	NO	4		
	<u>Prepare and apply one undercoat and two finishing coats gloss paint; on metal</u>				
C	Metal doors (measured flat overall both sides)	SM	17		
	<b>ELEMENT NO. 4</b>				
	<b>DOORS</b>				
	<b>TOTAL CARRIED TO SECTION SUMMARY</b>				
				<b>KSHS.</b>	

**ISHIARA HOSPITAL RENOVATIONS**

Item	Description	Unit	Qty	Rate	KShs
	<b><u>MORTUARY MAIN BLOCK RENOVATION SUMMARY</u></b>				
	<b><u>ELEMENT NO. NAME</u></b>				
1	Walling				
2	Roofing				
3	Internal finishes				
4	Doors				
	<b>SECTION 01</b>				
	<b>MORTUARY RENOVAT..</b>				
	<b>TOTAL CARRIED TO</b>				
	<b>MORGUE SUMMARY</b>				

Item	Description	Quantity	Unit	Rate	Amount
	<p><b>ELEMENT NO. 1:</b></p> <p><b>DEMOLITIONS (ALL PROVISIONAL)</b></p> <p><u>Unless otherwise specifically stated all materials arising from demolitions shall be the property of the client and shall be safely set aside</u></p> <p><u>Rates for demolitions shall include for making good disturbed surfaces and carting away demolished materials to stores as directed</u></p>				
A	Carefully demolish the existing flat roofing comprising box profile iron sheets on <b>HEAVY DUTY</b> steel purlins; steel rafters and ceiling joists; steel wallplate;	85	SM		
B	Carefully demolish existing floors finish complete with skirting and prepare floor to receive terrazzo floor finish	90	SM		
	<b>Total Amount Carried to Summary</b>		Shs		

Item	Description	Quantity	Unit	Rate	Amount
	<b>ELEMENT NO. 2:</b>				
	<b>ROOFING AND RAINWATER DISPOSAL</b>				
	<b>All Provisional</b>				
	<b>Roof Construction</b>				
	<u>Roof Cover</u>				
A	Corrugated galvanized iron roofing sheets gauge 30 bolted onto the steel purlins(m.s) with J-bolts	109	SM		
	<u>The following welded roof members including plates, cleats and hoisting in position approximately 3.0 Metres above existing ground level. All metal surfaces primed and painted with zinc chromate red oxide primer and automative spray paint.</u>				
B	75 x 75 x 4mm Thick SHS Posts welded onto existing posts	14	LM		
C	50 x 50 x 2mm Thick SHS rafters welded onto steel posts	25	LM		
D	50 x 50 x 2mm Thick SHS Purlins welded onto steel rafters	109	LM		
E	50 x 50 x 2mm Thick SHS bottom and top rails welded onto steel posts	280	LM		
	<b>Painting and decorating</b>				
	<u>Prepare and apply one undercoat and three finishing coats first grade external quality gloss oil paint or other equal to:-</u>				
F	General surfaces of mild steel trusses/independent members	548	LM		
	<b>Total Amount Carried to Summary</b>				

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>ELEMENT NO.3</u></b>				
	<b><u>FINISHES:</u></b>				
	<b><u>FLOOR FINISHES</u></b>				
	<u>Cement and sand (1:3) as described in:</u>				
A	20 mm Thick to receive terrazzo paving	90	SM		
	<u>Polished terrazzo consisting of cement and sand (1:3) screed (m.s)or backing finished with a layer of white cement with approved colour additive, sand and approved marble/granite chippings (1:4:2), trowelled to a smooth and even finish, machine polished and waxed to approval:</u>				
B	20 mm Thick paving	90	SM		
C	30 x 5 mm plastic dividing strip	111	LM		
	<u>Drainage Channel</u>				
D	300mm wide x 400mm high channel drain with 200mm thick base to fall and 200mm thick x 200mm thick walls on either side	36	LM		
	<b>Total Amount Carried to Summary</b>				

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>MORTUARY OPD WALKWAY SUMMARY:</u></b>				
	<b><u>Element No:</u></b>				
1	DEMOLITIONS		Shs		
2	ROOFING AND RAINWATER DISPOSAL		Shs		
3	FINISHES		Shs		
	<b>TOTAL WALKWAY CARRIED TO MORGUE SUMMARY</b>		Shs		

ISHIARA HOSPITAL RENOVATIONS

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
<b><u>EXTERNAL WORKS</u></b>					
<b><u>CABRO PAVING</u></b>					
<b><u>Excavations and Earthworks</u></b>					
<b>A</b>	Site clearance	590	SM		
<b>B</b>	Bulk excavations not exceeding 1.5 m deep	177	CM		
<b>C</b>	Extra over excavation in rock	25	CM		
<b>D</b>	Load, wheel and cart away surplus excavated material	177	CM		
<b>E</b>	Trim and compact formation to correct crossfalls	590	SM		
<b><u>Sub-base:-</u></b>					
<b>F</b>	100mm thick approved murrum fill watered and compacted in layers	590	Sm		
<b>G</b>	150mm Thick imported hardcore to raise levels consolidated well in layers	590	Sm		
<b>H</b>	50m Thick stone dust or fine sand bed	590	Sm		
<b>I</b>	Herbicides to approval applied to the manufacturer's written instructions	590	Sm		
	<b>Carried Forward</b>				

ISHIARA HOSPITAL RENOVATIONS

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<b><u>Brought Forward</u></b>				
	<b><u>Concrete Paving Blocks</u></b>				
A	210 x 105 x 80mm thick heavy duty paving block minimum strength 35N/mm <sup>2</sup> laid on 50 mm thick sand bed (m/s) and joint filled with sand and vibrated.	590	Sm		
	<b><u>Kerbs</u></b>				
B	250 x 125mm Precast concrete class 20/20mm half battered kerb, and 125 x 100mm channel bedded, jointed and pointed in cement sand (1:3) mortar on and including 450 x 100mm thick mass concrete bed and 100 x 250mm high haunching to back and all necessary excavations and disposal	60	Lm		
C	Ditto but curved to various radii	15	Lm		
	<b><u>Storm Water Drainage</u></b>				
D	300 x 300mm thick shallow IBD laid on and including concrete (1:3:6) base size 375 x 150mm	20	Lm		
E	400mm wide mild steel grating	12	Lm		
	<b>TOTAL FOR CABRO PAVING CARRIED TO EXTERNAL WORKS SUMMARY</b>				

ISHIARA HOSPITAL RENOVATIONS

Item	Description	Quantity	Unit	Rate	Amount
	<b><u>FOOTPATH</u></b>				
	<b><u>All Provisional</u></b>				
	<b><u>Site Preparation:</u></b>				
A	Clear site of grass, bushes, shrubs and small trees not exceeding 300mm girth including grubbing up roots, burn or cart away arisings.	38	SM		
	<b><u>Excavations:</u></b>				
B	Remove deleterious top soil average depth 150mm and dispose off as directed by P.m	38	SM		
	<b><u>Filling:</u></b>				
C	Provide, lay and compact 150mm thick approved gravel base	38	SM		
D	50 mm Thick Quarry dust blinding to surfaces of hardcore filling, levelled and compacted to approval.	38	SM		
	<b><u>Anti-Termite and Herbicide Treatment:</u></b>				
E	Insecticide treatment applied as per manufacturer's instruction with a 10 year guarantee .	38	SM		
	<b><u>Damp proof mebrane:</u></b>				
F	Single layer of 1000 gauge polythene sheeting laid on blinded hardcore with 150 mm side laps to receive concrete.	38	SM		
	<b><u>Vibrated Reinforced Concrete Class 20 in:-</u></b>				
G	150 mm Thick horizontal floor bed	38	SM		
	<b>TOTAL FOOTPATH CARRIED TO MORGUE SUMMARY</b>		Shs		

ISHIARA HOSPITAL RENOVATIONS

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
<b><u>FENCING</u></b>					
<b><u>Excavations and Earthworks</u></b>					
A	Excavate pits in normal soil for concrete posts not exceeding 1.50 metres deep with and including backfilling	25	No		
<b><u>Precast concrete posts</u></b>					
B	2400mm high precast concrete posts with cranked top at 3m c/c mortised in mass concrete surround to approval	25	No		
C	1500mm high (Av.) struts ditto	8	No		
<b><u>Barbed wire</u></b>					
D	Medium gauge steel barbed wire secured to concrete posts	450	Lm		
<b><u>Chainlink</u></b>					
E	Supply and fix medium gauge chainlink complete	135	Sm		
<b><u>Concrete moulding</u></b>					
F	Mass concrete mould to chainlink	75	Lm		
<b><u>Fabricate, deliver and install the following purpose made steel gates to Architects details, primed before delivery with all necessary ironmongery</u></b>					
G	Gate Size 4000 x 2100mm high	1	No		
H	Gate Size 1200 x 2100mm high	1	No		
<b><u>Prepare and apply three coats first quality external paint</u></b>					
I	Gates surfaces	22	Sm		
<b>TOTAL FOR CHAINLINK FENCING CARRIED TO EXTERNAL WORKS MORGUE SUMMARY</b>					

ISHIARA HOSPITAL RENOVATIONS

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<b><u>MORGUE WORKS SUMMARY</u></b>				
A	CHAPEL				
B	VIEWING ROOM EXTENSION				
C	ABLUTION BLOCK RENOVATION				
D	MORTUARY MAIN BLOCK RENOVATION				
E	MORTUARY WALKWAY				
F	MORTUARY DRIVEWAY				
G	MORTUARY FOOTPATH				
H	MORTUARY CHAINLINK FENCING				
	<b>TOTAL FOR MORGUE WORKS CARRIED TO GRAND SUMMARY</b>				

---

## **EXTERNAL WORKS**

---

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<b><u>EXTERNAL WORKS</u></b>				
	<b><u>Excavations and Earthworks</u></b>				
A	Carefully remove existing live fence and Excavate pits in normal soil for concrete posts not exceeding 1.50 metres deep with and including	65	No		
	<b><u>Precast concrete posts</u></b>				
B	2400mm high precast concrete posts with cranked top at 3m c/c mortised in mass concrete surround to approval	65	No		
C	1500mm high (Av.) struts ditto	18	No		
	<b><u>Barbed wire</u></b>				
D	Medium gauge steel barbed wire secured to concrete posts	1146	Lm		
	<b><u>Chainlink</u></b>				
E	Supply and fix medium gauge chainlink complete	344	Sm		
	<b><u>Concrete moulding</u></b>				
F	Mass concrete mould to chainlink	191	Lm		
	<b><u>CULVERTS</u></b>				
G	Culverts Size 600mm Diameter	24	LM		
	<b><u>STORM WATER DRAINAGE</u></b>				
H	Unblock, clean and repair damaged sections of existing storm water channel; cart away arising debris and make good disturbed works	480	LM		
	<b><u>FLOOR FINISHES</u></b>				
	<b><u>WALKWAYS REPAIRS</u></b>				
	<u>Cement and sand (1:3) as described in:</u>				
I	20 mm Thick to receive terrazzo paving including hacking out existing	900	SM		
	<u>Polished terrazzo consisting of cement and sand (1:3) screed (m.s) or backing finished a.b.d</u>				
J	20 mm Thick paving	900	SM		
K	30 x 5 mm plastic dividing strip	1020	LM		
<b>TOTAL FOR EXTERNAL CARRIED TO EXTERNAL WORKS SUMMARY</b>					

---

**SECTION NO. 04**  
**P.C. AND PROVISIONAL SUMS**

---

## ISHIARA LEVEL 4 HOSPITAL RENOVATIONS

ITEM	DESCRIPTION	UNIT	AMOUNT
	<b><u>PROVISIONAL SUMS</u></b>		
	<b><u>PRIME COSTS</u></b>		
	<b><u>Sums for works to be executed by nominated subcontractors</u></b>		
A	Kenya Shillings Two Million <b>(2,000,000.00)</b> only for Electrical Installations	ITEM	2,000,000.00
B	Kenya Shillings One Million five Hundred Thousand <b>(1,500,000.00)</b> only for Mechanical Installations	ITEM	1,500,000.00
	<b><u>PROVISIONAL SUMS</u></b>		
	<b><u>The following provisional sums are to be measured on completion and priced in accordance with the rates contained in these bills of quantities or prorata thereto or deducted in whole if not required</u></b>		
C	Allow a provisional sum of <b>Kshs 500,000.00</b> for additional Joinery Fixtures and Fittings	ITEM	500,000.00
D	Allow a provisional sum of <b>Kshs 500,000.00</b> for Contingencies to be expended as whole or part with the authority of the client/financier.	ITEM	500,000.00
	<b>TOTAL FOR PROVISIONAL SUMS CARRIED TO GRAND SUMMARY</b>		<b>4,500,000.00</b>

---

## **GRAND SUMMARY**

---

**GRAND SUMMARY**

<b>PROPOSED RENOVATIONS AND ALTERATIONS AT ISHIARA LEVEL 4 HOSPITAL</b>			
<b>ITEM</b>	<b>DESCRIPTION</b>	<b>FOR TENDERER'S USE ONLY</b>	<b>FOR OFFICIAL USE ONLY</b>
		<b>KSHS.</b>	<b>KSHS.</b>
1	PRELIMINARIES		
2	OPD		
3	ACCIDENT AND EMERGENCY		
4	MATERNITY		
5	FEMALE WARDS		
6	MALE WARDS		
7	MAIN (VISITORS) ABLUTION BLOCK		
8	M.C.H.		
9	C.C.C.		
10	INCINERATION		
11	KITCHEN BLOCK		
12	STORE AND RECORDS BLOCK		
13	MORGUE		
14	EXTERNAL WORKS- CHAINLINK AND STORMWATER		
15	PRIME COSTS AND PROVISIONAL SUMS		
	<b>SUB-TOTAL (1)</b>		
6	ADD 16% VAT (On Sub-Total 1 Above)		
	<b>GRAND TOTAL CARRIED TO FORM OF TENDER (VAT INCLUSIVE)</b>		

AMOUNT IN WORDS:.....  
 .....

NAME OF THE CONTRACTOR:.....

**STAMP**

**SIGN:.....**

*Prepared by:*

*Department of public works*

*P.O. Box 29- EMBU.*

*EMBU COUNTY*